

Case Hardened Bushes - Precision Ground

Bushes to suit 3/4" to 7/8" Diameter Shaft

KSet Part No.	Price EX GST	Outside	Inside Ø	Length		Manufacture Notes	Locations
B26-19-20	\$ 28	1.002"	0.7545"	0.79"	.04 kg	Goldfields	Plain Bush
B26-19-24	\$ 27	1.002"	0.755"	0.94"	.06 kg	Task 2006	Plain Bush
B25-19G29	\$ 20	0.995"	0.754"	1.13"	for	John Deere 410	T42803
B26-19-32	\$ 29	1.002"	0.755"	1.25"	.06 kg	Task 2013	Plain Bush
B26G19G38	\$ 38	1.002"	0.755"	1.50"	.07 kg	Task 2019	Externally Greasable
B26-19-48	\$ 37	1.001"	0.754"	1.88"	.08 kg	John Deere Bushing	U12271
B29-19-51	\$ 40	1.126"	0.756"	2.00"		Case Hardened	Plain Bush
B30-20-36	\$ 35	30.06mm	20.03mm	36.0mm	.12 kg	Task 2013	Plain Bush
B29-22-20	\$ 24	1.127"	0.880"	0.79"	.04 kg	Case Hardened	Plain Bush
B29-22-24	\$ 24	1.127"	0.880"	0.94"	.05 kg	Precision Ground	Plain Bush
B33-23-25	\$ 27	1.269"	0.879"	25.1mm	.09 kg	Case 580K-Steering	D127507

Bushes to Suit 25mm Diameter Shaft:

KSet Part No.	Price EX GST	Outside	Inside Ø	Length		Manufacture Notes	Locations
B30-25-20	\$ 32	30.05mm	25.15mm	20.0mm	.04 kg	Plain Bush	for Sandvik 08554608
B30-25-30	\$ 33	30.05mm	25.15mm	30.0mm	.06 kg	Plain Bush	for Sandvik 08554588
B33-25G30	\$ 32	33.08mm	25.10mm	30.0mm	.08 kg	68721-66630	Internal Groove
B33-25G35	\$ 33	33.08mm	25.10mm	35.0mm	.08 kg	Suit Yanmar	Internal Groove
B35-25-22	\$ 30	35.02mm	25.11mm	21.8mm		Task 2008	Plain Bush
B35-25-27	\$ 30	35.03mm	25.19mm	27.0mm		IHI Mini Excavator Bush	404 324 502
B35-25-30	\$ 30	35.03mm	25.12mm	30.0mm		Precision Ground	Plain Bush
B35-25X30	\$ 40	35.11mm	25.14mm	29.8mm	.08 kg	00024-00024	Open/Closed Fig 8
B35G25G31	\$ 32	35.08mm	25.15mm	31.0mm	for	John Deere Bushing	R81854
B35-25-33	\$ 28	35.02mm	25.19mm	33.0mm		IHI Mini Excavator Bush	404 324 501
B35-25G34	\$ 28	35.10mm	25.15mm	33.8mm		00021-00026	Internal Groove
B35-25X35	\$ 44	35.09mm	25.14mm	34.8mm	.12 kg	00024-00064	Open/Closed Fig 8
B35-25-40	\$ 30	35.03mm	25.12mm	40.0mm		Darwin Bearings	Plain Bush
B35G25G40	\$ 39	35.08mm	25.14mm	40.0mm	.15 kg	Task 2010	Greasable
B35G25G45	\$ 34	35.08mm	25.14mm	45.0mm		John Deere Bushing	R72700
B36-25-33	\$ 26	36.05mm	25.12mm	33.0mm		Task + 1mm	Plain Bush
B38G25G39	\$ 34	38.03mm	25.18mm	39.0mm		IHI	For 075 233 321

KSet Aftermarket Pins and Bushes

have a reliable reputation sold to specifications discussed at point of sale or as shown in this catalogue. It is the

Purchaser's Responsibility to measure the parts before fitting, to ensure correct Interference and Clearance Fit

KSet Engineering accepts no responsibility for pin to bush clearance after fitting
No Warranty is given or implied as to **Wear Life** or Breakability of Shaft, Pins or Bushes

Engineered Bush Applications

Bucket, Arm and Cylinder Joints of excavators and wheel loaders
Heavy Load Joints. Boom Foot
Boom Cylinder Foot
Boom Cylinder Ram Eye
Excavator Pivot Points
Replacement of Bronze Bushes
Replace Fibre Bushes
Lineboring Rebuilds
Load Haul Dump Bearing
Farm Implement Repairs
Heavy Equipment Attachment
4-in-1 Bucket Bushes
Wheel Loader Bushing
Underground Cylinder Bush
Opencut Cylinder Bush

BUSHINGS

Quantity Discounts Available only upon request at point of sale provided all outstanding invoices are settled within 7 Days

Disc. for 10 of any line item \$3 ea
Disc. for 20 of any line item \$4 ea
Disc. for 30 of any line item \$5 ea
Disc. for 40 of any line item \$6 ea

Wholesale Prices shown for \$170 Minimum order

Retail: POA \$120 Min order

Plus freight & GST. All prices subject to change without notice

Prices shown are for \$170 Minimum Wholesale Order, Plus freight & GST.
Orders below this amount are Retail, POA and \$120 minimum.

All prices subject to change without notice

Dimensions shown are for the KSet Precision Bush, not for similar OEM bush.

Case Hardened Bushes - Precision Ground

Bushes for 1 inch Diameter Shaft:

<u>KSet Part No.</u>	<u>Price</u> EX GST	<u>Outside</u>	<u>Inside Ø</u>	<u>Length</u>		<u>Manufacture Notes</u>	<u>Locations</u>
B32-26-16	\$ 24	1.250"	1.006"	0.63"	.04 kg	For Case	G35361
B32-26-20	\$ 27	1.251"	1.006"	0.75"	.05 kg	Task 2003	Plain Bush
B32-26-26	\$ 28	1.251"	1.006"	1.00"	.06 kg	Bobcat Retrofit	Plain Bush
B32G26G26	\$ 34	1.252"	1.006"	1.00"	.06 kg	Bobcat	Greasable Bush
B33-26-26	\$ 29	1.254"	1.003"	1.00"	.06 kg	Heavy Press	Close Fit
B32-26-32	\$ 34	1.251"	1.006"	1.25"	.07 kg	Task 2005	Plain Bush
B32G26G32	\$ 38	1.251"	1.006"	1.25"	.07 kg	Task 2017	Greasable Bush
B32-26-38	\$ 35	1.251"	1.006"	1.50"	.09 kg	Task 2005	Plain Bush
B32G26G38	\$ 39	1.251"	1.006"	1.50"	.09 kg	Task 2020	Greasable Bush
B32-26-45	\$ 38	1.251"	1.007"	1.75"	for	Massey Ferguson	Plain
B32F26-45	\$ 36	1.251"	1.004"	1.79"	.12 kg	Flange Bush	MCC 2014
B32-26-51	\$ 43	1.251"	1.007"	2.00"		Task 2005	Plain Bush
B32G26G51	\$ 46	1.251"	1.007"	2.00"		Task 2019	Greasable Bush
B35-26-26	\$ 32	1.377"	1.005"	1.00"	.09 kg	Darwin LNG	Plain Bush
B35-26-32	\$ 32	1.377"	1.005"	1.25"	.12 kg	Task 2005	Plain Bush
B35-26-38	\$ 34	1.377"	1.007"	1.50"	.13 kg	Task 2004	Plain Bush
B35G26G38	\$ 42	35.07mm	1.007"	38.0mm	.13 kg	John Deere Bushing	R99444
B35-26-51	\$ 46	1.377"	1.007"	2.00"	.18 kg	Task 2015	Plain Bush
B38-26-26	\$ 34	1.502"	1.002"	1.00"	.07 kg	Universal	Plain Bearing
B38-26-38	\$ 36	1.502"	1.007"	1.50"		Case Hardened	Plain Bush
B38G26G50	\$ 46	1.502"	1.004"	1.97"	.24 kg	Task 2007	Greasable
B38-26-51	\$ 41	1.502"	1.002"	2.00"		DarwinBearings	Plain Bush
B40-26-50	\$ 44	40.05mm	1.004"	1.97"		Global Marine	Plain

Bushes to Suit 28mm Ø Shaft

<u>KSet Part No.</u>	<u>Price</u> EX GST	<u>Outside</u>	<u>Inside</u>	<u>Length</u>		<u>Manufacture Notes</u>	<u>Locations</u>
B36-28-26	\$ 29	36.04mm	28.02mm	25.4mm	.08 kg	Sandvik TB40	2088 8408
B36-28-30	\$ 28	36.04mm	28.02mm	30.0mm	.095 kg	Task 2004 for Sandvik	4765 0308
B36G28G39	\$ 35	36.04mm	28.02mm	39.5mm	.12 kg	Sandvik TB60 TB40	5994 3148
B37G28G39	\$ 50	37.04mm	28.02mm	39.5mm	.12 kg	Line Borer	Greaseable Bush

Prices shown are for \$170 Minimum Wholesale Order, Plus freight & GST.

Orders below this amount are Retail, POA and \$120 minimum.

All prices subject to change without notice

Dimensions shown are for the KSet Precision Bush, not for similar OEM bush.

KSet Aftermarket Pins and Bushes

have a reliable reputation sold to specifications discussed at point of sale or as shown in this catalogue. It is the

Purchaser's Responsibility to measure the parts before fitting, to ensure correct Interference and Clearance Fit

KSet Engineering accepts no responsibility for pin to bush clearance after fitting

No Warranty is given or implied as to **Wear Life** or Breakability of Shaft, Pins or Bushes

Engineered Bush Applications

Bucket, Arm and Cylinder Joints of excavators and wheel loaders Heavy Load Joints. Boom Foot

Boom Cylinder Foot

Boom Cylinder Ram Eye

Excavator Pivot Points

Replacement of Bronze Bushes

Replace Fibre Bushes

Lineboring Rebuilds

Load Haul Dump Bearing

Farm Implement Repairs

Heavy Equipment Attachment

4-in-1 Bucket Bushes

Wheel Loader Bushing

Underground Cylinder Bush

Opencut Cylinder Bush

BUSHINGS

Quantity Discounts Available only upon request at point of sale provided all outstanding invoices are settled within 7 Days

Disc. for 10 of any line item \$3 ea

Disc. for 20 of any line item \$4 ea

Disc. for 30 of any line item \$5 ea

Disc. for 40 of any line item \$6 ea

Wholesale Prices shown for \$170 Minimum order

Retail: POA \$120 Min order

Plus freight & GST. All prices subject to change without notice

Case Hardened Bushes - Precision Ground

Bushes to Suit 1 1/8" Diameter Shaft

KSet Part No.	Price EX GST	Outside	Inside	Length	Manufacture Notes	Locations
B35-29-29	\$ 34	1.376"	1.130"	1.13"	.047 kg Tesk 2001	Plain Bush
B35-29-32	\$ 30	1.385"	1.128"	1.25"	Tesk 2012	Plain Bush
B35-29-38	\$ 31	1.376"	1.129"	1.50"	.062 kg Tesk 2012	Plain Bush
B35G29G50	\$ 45	1.376"	1.131"	1.96"	Greasable	Cylinder Bush
B38-29-16	\$ 27	1.502"	1.128"	0.62"	.08 kg Tesk 2016	Plain Bush
B38-29-25	\$ 30	1.504"	1.132"	1.00"	.10 kg Tesk 2004	Plain Bush
B38-29-35	\$ 30	1.502"	1.131"	1.37"	Tesk 2004	Plain Bush
B38-29-51	\$ 46	1.502"	1.129"	2.00"	Tesk 2004	Plain Bush
B41-29-25	\$ 22	1.629"	1.137"	0.98"	Locomotive	Plain Bush

Bushes to Suit 30mm Diameter Shaft

KSet Part No.	Price EX GST	Outside	Inside	Length	Manufacture Notes	Locations
B35-30-30	\$ 35	35.05mm	30.12mm	30.0mm	.064 kg 6802588 Bobcat	Toyota SDK8
B35-30-40	\$ 35	35.05mm	30.12mm	40.0mm	.085 kg 6802217 Excavator	Bobcat 320-Bush-F,I,J
B35G30G40	\$ 43	35.05mm	30.12mm	40.0mm	.08 kg Bobcat Excavator	Daken Bucket Bush
B35G30G45	\$ 45	35.05mm	30.12mm	45.0mm	.08 kg Bobcat S330	Bushing
B36-30-30	\$ 32	36.05mm	30.12mm	30.0mm	Tesk Australian made steel bushing	Plain Bush
B36G30G43	\$ 38	36.07mm	30.10mm	43.0mm	.10kg Tesk 2017 Was B36-30-40	Greasable Bush
B38-30-20	\$ 29	38.05mm	30.10mm	20.0mm	.07 kg Tesk 2004	Plain Bush
B38-30-25	\$ 34	38.06mm	30.09mm	25.0mm	.09 kg Tesk 2011	Plain Bush
B38-30G30	\$ 28	38.05mm	30.10mm	30.0mm	.10 kg Kubota	68721-66770
B38G30G30	\$ 34	38.05mm	30.10mm	30.0mm	Tesk 2008 Cylinder Ram Eye	Greasable Bush
B38-30-35	\$ 33	38.05mm	30.10mm	35.0mm	.12 kg Kubota Aftermarket Australian made	68721-66522
B38G30G35	\$ 40	38.05mm	30.11mm	35.0mm	Tesk 2007	Greasable
B38-30-40	\$ 36	38.05mm	30.10mm	40.0mm	.14 kg Kubota Aftermarket Australian made	Plain Bush
B38G30G40	\$ 42	38.05mm	30.10mm	40.0mm	.14 kg Kubota Aftermarket Australian	Greasable Bush
B38G30-36	\$ 22	38.02mm	30.11mm	35.6mm	.12 kg JCB Case Hardened Precision Ground	231/02904
B38G30G55	\$ 44	38.05mm	30.11mm	55.0mm	.19 kg Kubota Aftermarket Australian	Greasable Bush
B40G30G20	\$ 34	40.08mm	30.12mm	20.0mm	.10 kg Tesk 2012	Greasable
B40-30G22	\$ 29	40.09mm	30.14mm	22.0mm	.10 kg Takeuchi TB015	00021-30022
B40-30-30	\$ 34	40.08mm	30.11mm	30.0mm	.13 kg Tesk 2011	Plain Bush
B40-30G30	\$ 34	40.07mm	30.12mm	30.0mm	.13 kg Type U Case Hardened and ground	Bush
B40G30G30	\$ 35	40.07mm	30.12mm	30.0mm	.125 kg IHI Excacator 404 325 202	00021-00010
B40-30-33	\$ 28	40.05mm	30.17mm	33.0mm	IHI Mini Excacator	404 331 000
B40G30G35	\$ 37	40.05mm	30.12mm	35.0mm	.135 kg Bobcat320	Greasable
B40G30G40	\$ 39	40.05mm	30.11mm	39.7mm	.17 kg Bobcat 6539270 Furukawa	311541-21130
B40-30X40	\$ 44	40.10mm	30.13mm	40.0mm	IHI Mini Excavator 404 331 000	O/Bf8
B40G30G45	\$ 43	40.05mm	30.12mm	45.0mm	.18 kg Tesk 2005	Greasable
B40-30-46	\$ 36	40.05mm	30.11mm	46.0mm	.20 kg IHI Mini Excavator	404 324 600
B40-30-50	\$ 47	40.05mm	30.12mm	50.0mm	.22 kg Excavator Bush NZ Next Day+1	Plain Bush
B42G30G40	\$ 45	42.05mm	30.11mm	39.7mm	.15 kg Tesk Hardened Steel Bush Made in Australia	2010
B45G30G50	\$ 50	45.07mm	30.12mm	50.0mm	.25 kg Tesk Heavy Wall Bush	2020
B48G30G36	\$ 62	48.05mm	30.12mm	36.0mm	.30 kg Atlas Copco Feed Cylinder	EN36A Bush

Dimensions shown are for the KSet Precision Bush, not for similar OEM bush.

Correct Material for Excavator Bush
 What type of steel to machine bucket bushes for a backhoe or bushings for an excavator from ?
KSet Bushings are machined from low carbon hollow bar such as Ovako 280 or 20MnV6 Manganese Vanadium Steel
Wear Hardness is added to the surface of the bush by Furnace **Case Hardening**
Quenched and Tempered to 59 - 61 Hardness Rockwell C at 200 degrees Celcius

Engineered Bushing Applications
 Bucket, Arm and Cylinder Joints of excavators and wheel loaders Heavy Load Joints. Boom Foot Boom Cylinder Foot Boom Cylinder Ram Eye Excavator Pivot Points Replacement of Bronze Bushes Replace Fibre Bushes Lineboring Rebuilds

BUSHINGS
 Quantity Discounts Available only upon request at point of sale provided all outstanding invoices are settled within 7 Days
 Disc. for 10 of any line item \$3 ea
 Disc. for 20 of any line item \$4 ea
 Disc. for 30 of any line item \$5 ea
 Disc. for 40 of any line item \$6 ea

Wholesale Prices shown for \$170 Minimum order
Retail: POA \$120 Min order
 Plus freight & GST. All prices subject to change without notice

Case Hardened Bushes - Precision Ground

Bushes to Suit 1.25" Diameter Shaft

KSet Part No.	Price	Outside	Inside	Length	Manufacture Notes	Locations
B38-32-18	\$ 32	1.502"	1.257"	0.70"	Case 580K Lift Cyl 30634	Front Bucket
B38-32-22	\$ 32	1.501"	1.256"	0.88"	Massey Ferguson Aftermarket	Plain Bush
B38G32G25	\$ 39	1.502"	1.253"	1.00"	Tesk 2005	Greasable
B38-32-27	\$ 34	1.501"	1.258"	1.06"	Massey Ferguson Aftermarket	Plain Bush
B38-32-32	\$ 35	1.502"	1.256"	1.25"	Tesk 2000 Case Hardened Steel Bush	Plain
B38-32-38	\$ 38	1.502"	1.256"	1.50"	KSet New Part No. Replaces B38-32-37	Plain
B38G32G38	\$ 42	1.502"	1.253"	1.50"	Tesk 2005 Made in Australia	Greasable
B38-32-44	\$ 41	1.501"	1.256"	1.74"	Tesk 2019 Hardened Steel Bush	Plain
B38G32G44	\$ 42	1.501"	1.256"	1.74"	Tesk 2009 Hardened Steel Bush	Greasable
B38G32G50	\$ 46	1.501"	1.258"	1.96"	Steel Bushing NZ Next day +1 to NZ	Greasable
B38G32G63	\$ 50	1.502"	1.258"	2.50"	Tesk 2012	Greasable
B40-32-22	\$ 30	40.03mm	1.253"	0.79"	Plain Bush	Tesk 2018
B40-32-26	\$ 30	40.03mm	1.2505"	0.99"	JOY B40-31-25 Aftermarket	01758059-0061
B40-32-32	\$ 34	40.03mm	1.254"	1.25"	Tesk 2009	Plain Bush
B40G32G36	\$ 42	40.03mm	1.256"	1.42"	Cat Retrofit	Greasable
B40-32-40	\$ 34	40.03mm	1.254"	1.58"	Plain Bearing NZ Next day +1 to NZ	Steel Bush
B40G32G40	\$ 44	40.02mm	32.10mm	40.0mm	Bush to suit 32mm Diameter Pin	
B40G32G49	\$ 46	40.02mm	32.10mm	49.8mm	Bush to suit 32mm Diameter Pin	
B40-32-50	\$ 44	40.03mm	1.254"	1.97"	Cat247B	Skid Steer Loader
B40-32G50	\$ 44	40.01mm	1.259"	1.95"	Bobcat attachment	CAT 159-5756
B40G32G50	\$ 50	40.02mm	1.258"	1.97"	Cat247B	Greasable
B42-32-12	\$ 24	1.6275"	1.253"	0.47"	Extra Hard Bush	64 HRC
B42-32-32	\$ 35	1.627"	1.255"	1.25"	For Case 580	D33827
B42G32G32	\$ 40	1.627"	1.255"	1.25"	Tesk 2020	Greasable
B42-32-38	\$ 39	1.627"	1.255"	1.50"	Toolmaker Bushing	Plain
B42G32G45	\$ 44	1.627"	1.255"	1.75"	Toolmaker Bushing	Greasable
B42-32-48	\$ 45	1.627"	1.256"	1.87"	Tesk 2004	Roller Bush
B42G32G51	\$ 52	1.627"	1.256"	2.00"	Tesk 2012	Greasable
B44-32-26	\$ 35	1.752"	1.255"	1.00"	Tesk 2017	Plain Bush
B44-32-32	\$ 36	1.752"	1.256"	1.25"	Tesk 2009	Plain Bush
B44-32-51	\$ 45	1.752"	1.257"	2.00"	Tesk 2006	Plain Bush
B44G32G51	\$ 50	1.752"	1.256"	2.00"	Tesk 2008	Greasable
B44-32G76	\$ 60	1.751"	1.256"	3.00"	Imperial Bush	Case Hardened
B51-32-26	\$ 40	2.002"	1.259"	1.00"	Heavy Wall	Case Hardened
B51-32-51	\$ 57	2.001"	1.258"	2.00"	Plain	Heavy Wall Bush
B51G32G51	\$ 56	2.001"	1.258"	2.00"	Greasable	Heavy Wall Bush
B55-32-55	\$ 70	55.50mm	1.271"	55.0mm	Plain	Heavy Wall Bush
B55G32G66	\$ 70	55.07mm	1.259"	66.0mm	Greasable	John Deere R81853
B45-33-44	\$ 30	44.90mm	32.80mm	44.0mm	2012	Special Bushing
B45-33-45	\$ 45	45.00mm	33.00mm	44.0mm	Custom Part	Bushing 2015

Prices shown are for \$170 Minimum Wholesale Order, Plus freight & GST.

Orders below this amount are Retail, POA and \$120 minimum.

All prices subject to change without notice

Correct Material for Excavator Bush
What type of steel to machine bucket bushes for a backhoe or bushings for an excavator from ?

KSet Bushings are machined from low carbon hollow bar such as Ovako 280 or 20MnV6 Manganese Vanadium Steel

Wear Hardness is added to the surface of the bush by Furnace **Case Hardening Quenched and Tempered** to 59 - 61 Hardness Rockwell C at 200 degrees Celsius

Engineered Bushing Applications
Bucket, Arm and Cylinder Joints of excavators and wheel loaders Heavy Load Joints. Boom Foot Boom Cylinder Foot Boom Cylinder Ram Eye Excavator Pivot Points Replacement of Bronze Bushes Replace Fibre Bushes Lineboring Rebuilds

BUSHINGS

Quantity Discounts Available only upon request at point of sale provided all outstanding invoices are settled within 7 Days

Disc. for 10 of any line item \$3 ea

Disc. for 20 of any line item \$4 ea

Disc. for 30 of any line item \$5 ea

Disc. for 40 of any line item \$6 ea

Dimensions shown are for the KSet Precision Bush, not for similar OEM bush.

Case Hardened Bushes - Precision Ground

Bushes for 35mm Diameter Shaft:

KSet Part No.	Price EX GST	Outside	Inside	Length	Manufacture Notes	Locations
B46-34-32	\$ 20	45.53mm	34.15mm	32.0mm	.26 kg Testk 2005	Chain Bearing
B40-35-25	\$ 34	40.05mm	35.10mm	25.0mm	.06 kg Bobcat	331-Bush-H
B40-35-30	\$ 30	40.03mm	35.10mm	30.0mm	.07 kg Toyota	90387-35003-71
B40-35-50	\$ 46	40.01mm	35.11mm	50.0mm	.12 kg Toyota 35DK8	331-Bush-J
B40G35G50	\$ 50	40.01mm	35.11mm	50.0mm	.12 kg Bobcat	331-Bush-HR
B45-35G29	\$ 32	45.10mm	35.17mm	29.2mm	.14 kg IHI	404 323 109
B45-35-30	\$ 34	45.05mm	35.11mm	30.0mm	Testk 2005	Chain Bearing Bush
B45G35G30	\$ 34	45.05mm	35.12mm	30.0mm	.15 kg Bobcat &	IHI 404 330 200
B45-35G35	\$ 36	45.06mm	35.13mm	35.0mm	.17 kg 404 323 105	PC20-Bush-H,I,J,K
B45-35-35	\$ 37	45.05mm	35.11mm	35.0mm	.18 kg Testk 2008	Plain Bush
B45G35G35	\$ 41	45.05mm	35.10mm	35.0mm	.17 kg Komatsu	Greasable PC20-HR
B45G35-35	\$ 27	45.05mm	35.11mm	35.0mm	Geasable	No Internal Groove
B45-35X35	\$ 38	45.04mm	35.22mm	34.9mm	.16 kg Kubota	Aftermarket 68741-66630
B45-35G38	\$ 37	45.05mm	35.10mm	38.0mm	Furukawa	550811-11190
B45-35-40	\$ 41	45.06mm	35.14mm	40.0mm	.20 kg Testk 2018	Plain Bush
B45G35G40	\$ 45	45.05mm	35.10mm	40.0mm	.19 kg Furukawa	550901-12240
B45G35G45	\$ 48	45.06mm	35.12mm	45.0mm	.22 kg Excavator	19000-12002
B45-35-45	\$ 60	45.04mm	35.05mm	45.0mm	.23 kg High Tensile EN36A	Toolmaking
B45-35-46	\$ 46	45.06mm	35.14mm	45.0mm	.23 kg Testk 2018	Plain Bush
B45-35-49	\$ 34	45.05mm	35.11mm	49.0mm	.24 kg Testk 2009	Plain Bush
B45-35-50	\$ 67	45.04mm	35.05mm	50.0mm	.25 kg High Tensile EN36A	Toolmaking
B45-35-51	\$ 45	45.06mm	35.14mm	50.0mm	.25 kg Testk 2018	Plain Bush
B45G35G50	\$ 50	45.05mm	35.12mm	50.0mm	.25 kg Excavator	01009-01012
B45G35G55	\$ 54	45.05mm	35.12mm	55.0mm	.25 kg Excavator	Ext. Greasable Bush

Heavy Wall Bushes for 35mm Diameter Shaft:

KSet Part No.	Price EX GST	Outside	Inside	Length	Manufacture Notes	Locations
B47G35G45	\$ 58	47.05mm	35.15mm	45.0mm	.25 kg O.S. Testk	2012
B50-35-40	\$ 48	50.05mm	35.15mm	40.0mm	.30 kg Heavy Wall	O.S. Testk 2018
B50G35G55	\$ 64	50.05mm	35.15mm	55.0mm	.38 kg Heavy Wall	O.S. Testk 2012
B53G35G45	\$ 64	53.12mm	35.10mm	45.0mm	.43 kg Atlas Copco	9128734300

Engineered Bushes

Bucket, Arm and Cylinder Joints of excavators and wheel loaders
Heavy Load Joints. Boom Foot
Boom Cylinder Foot
Excavator Pivot Points
Replacement of Bronze Bushes
Replace Fibre Bushes
Open-cut Cylinder Bush
Concrete Recycling Plant
Rock Crusher
Mobile Jaw Crushers
Mobile Impact Crushers
Mobile Screeners
Hammer Mill Shafts
Underground Cylinder Bush
aftermarket Tamrock bush
Adaptable Steel Bush for Bronze
Traxcavator Replacement Bush
Tree Harvester Attachment Bush
Log Grapple Bush
Australia Grabs & Grapple Bush
Rotator Pins and Bushes
Rotator Link Bush
Forestry Attachment Bush
NZ Industrial Bushings
NZ Forestry Attachment
Loader Log Grab
Forest Harvesting Attachment
Tasmania Industrial Supplies
NSW Laser Earthworks
Gippsland Sawmills

Prices shown are for \$170 Minimum Wholesale Order, Plus freight & GST.
Orders below this amount are Retail, POA and \$120 minimum.

All prices subject to change without notice

BUSHINGS

Quantity Discounts Available only upon request at point of sale provided all outstanding invoices are settled within 7 Days

Disc. for 10 of any line item \$3 ea
Disc. for 20 of any line item \$4 ea
Disc. for 30 of any line item \$5 ea
Disc. for 40 of any line item \$6 ea

Dimensions shown are for the KSet Precision Bush, not for similar OEM bush.

Case Hardened Bushes - Precision Ground

Bushes for 1.5 inch Diameter Shaft:

KSet Part No.	Price EX GST	Outside	Inside	Length		Manufacture Notes	Locations
B44-38-25	\$ 35	1.751"	1.506"	1.00"	.08 kg	Tesk 2003	Plain Bush
B44-38-29	\$ 33	1.751"	1.508"	1.13"	.09 kg	Massey Ferguson	846002M1
B44-38-32	\$ 36	1.751"	1.506"	1.25"		Tesk 2003	Plain Bush
B44G38G32	\$ 36	1.751"	1.506"	1.25"	.11 kg	Tesk	2011
B44-38-38	\$ 39	1.751"	1.507"	1.50"		Popular 2005	Plain Bush
B44G38G38	\$ 43	1.751"	1.507"	1.50"	.13 kg	Tesk Imperial	Greasable Bush
B44-38-45	\$ 45	1.751"	1.508"	1.75"	.16 kg	Tesk 2007	Plain Bush
B44G38G45	\$ 48	1.751"	1.504"	1.75"	.16 kg	Greasable Bush	Precision
B44-38-50	\$ 43	1.752"	1.503"	1.97"	.17 kg	Tesk 2006	Close Fit
B44G38G50	\$ 52	1.753"	1.504"	1.97"	.17 kg	Tesk 2002	Greasable Bush
B44-38-51	\$ 42	1.7505"	1.5005"	2.00"	.17 kg	Close Tolerance	Plain Bush
B45-38-22	\$ 36	45.06mm	1.500"	0.87"		Line Boring	Plain Bush
B45-38-32	\$ 40	45.09mm	1.509"	1.25"		Line Boring	Plain Bush
B46-38-16	\$ 36	46.04mm	38.02mm	15.9mm		Downer Precision	Plain Bush
B46-38-15	\$ 32	46.04mm	38.08mm	15.9mm		Downer Precision	Plain Bush
B46-38-62	\$ 56	46.05mm	1.506"	2.44"	.27 kg	Line Boring	Plain Bush
B46-38-76	\$ 70	46.05mm	1.506"	3.00"	.32 kg	Line Boring	Plain Bush

Bushes for 38mm Ø and 1 1/2" Ø Shaft:

KSet Part No.	Price EX GST	Outside	Inside	Length		Manufacture Notes	Locations
B47-38G45	\$ 58	47.02mm	38.08mm	44.8mm	.21 kg	Sandvik VME12	3176 7714 00
B48-38-22	\$ 35	1.876"	1.502"	0.87"	.12 kg	Tesk 2014	Plain Bush
B48-38-25	\$ 35	1.876"	1.509"	1.00"	.12 kg	Case 455C	D31140
B48-38-29	\$ 33	1.876"	1.508"	1.13"	.14 kg	Case 580	D30932, D37763
B48-38-32	\$ 34	1.876"	1.509"	1.25"	.17 kg	Case	D30933
B48G38G32	\$ 37	1.876"	1.509"	1.25"	.15 kg	John Deere	U10616
B48G38G33	\$ 41	48.05mm	38.15mm	33.0mm		Yanmar VIO40	Metric
B48-38-37	\$ 37	1.877"	1.506"	1.48"	.19 kg	Tesk 2009	Plain Bush
B48G38G38	\$ 39	1.877"	1.508"	1.50"	.18 kg	Massey Ferguson	Greasable
B48-38-39	\$ 40	1.876"	1.509"	1.53"	.20 kg	Joy 01069127-0252	D30929 Case D49429
B48G38G40	\$ 35	48.05mm	38.15mm	40.0mm	.21 kg	Tesk 2005	Metric
B48G38G45	\$ 49	48.05mm	38.15mm	45.0mm	.24 kg	Yanmar VIO20	Metric
B48G38G49	\$ 49	1.878"	1.507"	1.93"	.24 kg	Tesk 2009	Greasable
B48-38G50	\$ 48	48.05mm	38.15mm	50.0mm		Tesk 2011	Metric Bush
B48-38-51	\$ 48	1.877"	1.506"	2.00"	.26 kg	Tesk 2009	Plain Imperial Bush
B48-38G55	\$ 35	48.05mm	38.15mm	55.0mm		Yanmar VIO20	Metric
B48G38G55	\$ 40	48.05mm	38.15mm	55.0mm	.29 kg	Tesk 2011	Metric
B48-38-70	\$ 58	1.876"	1.511"	2.75"	.31 kg	Case	D30931
B50G38G40	\$ 45	50.07mm	38.14mm	39.9mm	.24 kg	Yanmar VIO20	Metric
B50G38G49	\$ 50	50.07mm	38.14mm	49.0mm	.30 kg	Tesk 2008	Metric
B50G38G55	\$ 64	50.07mm	38.14mm	54.6mm	.33 kg	Tesk 2018	Yanmar Metric
B50-38-57	\$ 50	50.06mm	1.500"	2.24"		John Deere 670B 672B	H145104

Engineered Bushes
 Bucket, Arm and Cylinder Joints of excavators and wheel loaders
 Heavy Load Joints. Boom Foot
 Boom Cylinder Foot
 Boom Cylinder Ram Eye
 Excavator Pivot Points
 Replacement of Bronze Bushes
 Replace Fibre Bushes
 Opencut Cylinder Bush
 Concrete Recycling Plant
 Rock Crusher
 Mobile Jaw Crushers
 Mobile Impact Crushers
 Mobile Screeners
 Hammer Mill Shafts
 Underground Cylinder Bush

Aftermarket Tamrock bush
 Adaptable Steel Bush for Bronze
 Traxcavator Replacement Bush
 Tree Harvester Attachment Bush
 Log Grapple Bush
 Australia Grabs & Grapple Bush
 Rotator Pins and Bushes
 Rotator Link Bush
 Forestry Attachment Bush
 NZ Industrial Bushings
 NZ Forestry Attachment
 Loader Log Grab
 Forest Harvesting Attachment
 Tasmania Industrial Supplies
 NSW Laser Earthworks
 Gippsland Sawmills

BUSHINGS

Quantity Discounts Available
 only upon request at point of sale
 provided all outstanding invoices
 are settled within 7 Days

Disc. for 10 of any line item \$3 ea
 Disc. for 20 of any line item \$4 ea
 Disc. for 30 of any line item \$5 ea
 Disc. for 40 of any line item \$6 ea

Prices shown are for \$170 Minimum Wholesale Order, Plus freight & GST.

Orders below this amount are Retail, POA and \$120 minimum.

All prices subject to change without notice

Dimensions shown are for the KSet Precision Bush, not for similar OEM bush.

Case Hardened Bushes - Precision Ground

Bushes for 1.5 inch Diameter ShaftContinued:

KSet Part No.	Price	Outside	Inside	Length		Manufacture Notes	Locations
EX GST							
B51-38-19	\$ 36	2.002"	1.506"	0.75"	.13 kg	Tesk 2020	Plain Bush
B51-38-26	\$ 40	2.002"	1.506"	1.00"	.17 kg	Tesk 2000	Plain Bush
B51G38-29	\$ 29	2.0025"	1.507"	1.13"	.17 kg	Caterpillar Bearing Sleeve	7K9592
B51-38-31	\$ 40	2.002"	1.508"	1.24"		Tesk 2007	Plain Bush
B51G38G32	\$ 44	2.002"	1.508"	1.25"		Tesk 2000	Greasable
B51-38-35	\$ 40	2.002"	1.507"	1.37"	.24kg	Length = 34mm	Plain Bush
B51G38G35	\$ 40	2.002"	1.508"	1.37"	.23kg	Tesk 2018	Greasable
B51G38G38	\$ 26	1.990"	1.497"	1.50"		John Deere Grader	T41963
B51G39G38	\$ 38	2.002"	1.508"	1.50"	.25kg	Tesk 2003	Greasable
B51-38-39	\$ 44	2.002"	1.508"	1.50"	.26kg	5D4541 Straight Sleeve Bearing	suit Cat
B51-38-45	\$ 48	2.002"	1.508"	1.75"	.31kg	Tesk 2008	Plain Bush
B51G38G45	\$ 54	2.002"	1.508"	1.75"	.30kg	Tesk 2003	Greasable
B51G38-47	\$ 42	2.003"	1.507"	1.86"	.32kg	Caterpillar 4 x 6 Ø holes	7K9593
B51-38-51	\$ 55	2.002"	1.510"	2.00"	.35kg	Tesk 2009	Plain Bush
B51G38G51	\$ 53	2.002"	1.510"	2.00"	.34kg	Tesk 2000	Greasable
B51G38G60	\$ 60	2.002"	1.505"	2.37"	.40kg	Bobcat Refurb	Greasable
B51-38-63	\$ 40	1.992"	1.520"	2.50"	.42kg	John Deere	T101148
B51G38G63	\$ 64	2.002"	1.510"	2.48"	.42kg	Tesk 2007	Greasable
B51G38G70	\$ 72	2.002"	1.506"	2.75"	.47kg	Tesk 2011	Greasable
B51G38G76	\$ 76	2.002"	1.508"	3.00"	.51 kg	Tesk 2004	Greasable
B51G38G102	\$ 76	2.002"	1.509"	4.00"	.69 kg	Tesk 2004	Greasable
B52G38G38	\$ 48	2.063"	1.509"	1.50"		O.S. Tesk 2007	Greasable
B54-38-25	\$ 34	2.126"	1.504"	1.00"	.23 kg	Tesk 2010	Plain Bush
B54-38-49	\$ 56	2.126"	1.504"	1.94"	.45 kg	Tesk 2010	Plain Bush
B54-38-53	\$ 54	2.128"	1.501"	2.08"	.50kg	Eimco New A2U913-194145	
B54-38-54	\$ 54	2.125"	1.501"	2.13"	.50kg	Eimco Old A2U913-194145	
B54-38H82	\$ 60	2.127"	1.504"	3.23"	.71kg	Eimco 2 x 16 hole	A2U913-194264
B54-38H90	\$ 66	2.127"	1.504"	3.54"	.78kg	Eimco 2 x 16 hole	A2U913-194197
B55G38G51	\$ 40	55.09mm	1.509"	2.01"		Greasable	John Deere R82942
B57G38G43	\$ 36	2.243"	1.508"	1.69"		John Deere	T126936, T47070
B57-38-51	\$ 67	2.252"	1.508"	2.00"	.58kg	Tesk 2009	Plain Bush
B60-37-37	\$ 28	2.365"	1.451"	1.46"		John Deere	T81452

"We find that KSet bushes are in stock almost 100% of the time."

Prices shown are for \$170 Minimum Wholesale Order, Plus freight & GST.

Orders below this amount are Retail, POA and \$120 minimum.

All prices subject to change without notice

Dimensions shown are for the KSet Precision Bush, not for similar OEM bush.

Correct Material for Backhoe Bush

What type of steel to machine bucket bushes for a backhoe or bushings for an excavator from ?

KSet Bushings

are machined from low carbon hollow bar such as Ovako 280 or 20MnV6 Manganese Vanadium Steel

Wear Hardness is added to the surface of the bush by Furnace **Case Hardening Quenched and Tempered** to 59 - 61 Hardness Rockwell C at 200 degrees Celcius

Engineered Bushing Applications

Bucket, Arm and Cylinder Joints of excavators and wheel loaders Heavy Load Joints. Boom Foot Boom Cylinder Foot Boom Cylinder Ram Eye Excavator Pivot Points Replacement of Bronze Bushes Replace Fibre Bushes Lineboring Rebuilds

BUSHINGS

Quantity Discounts Available only upon request at point of sale provided all outstanding invoices are settled within 7 Days

Disc. for 10 of any line item \$3 ea
Disc. for 20 of any line item \$4 ea
Disc. for 30 of any line item \$5 ea
Disc. for 40 of any line item \$6 ea

Case Hardened Bushes - Precision Ground

Bushes for 40mm Diameter Shaft:

KSet Part No.	Price EX GST	Outside	Inside	Length		Manufacture Notes	Locations
B44-40-25	\$32	44.05mm	40.05mm	25.0mm	.06 kg	Mount Isa	Thin Wall Bush
B44-40-30	\$36	44.05mm	40.05mm	30.0mm	.07 kg	Mount Isa	Thin Wall Bush
B45-40-38	\$44	45.05mm	40.10mm	38.0mm	.10 kg	Testk 2012	Plain Bush
B45-40-47	\$48	45.05mm	40.10mm	47.0mm	.12 kg	Testk 2004	Plain Bush
B48-40-20	\$34	48.04mm	40.05mm	20.0mm	.085 kg	Sandvik	5502 3390
B48-40-30	\$36	48.03mm	40.09mm	30.0mm	.13 kg	Sandvik	4985 2501
B48-40-31	\$34	48.03mm	40.04mm	30.0mm	.13 kg	Sandvik	4536 8998
B48-40-38	\$40	1.8756"	40.20mm	38.1mm		Case580	G108507
B48G40G49	\$56	48.05mm	40.12mm	49.0mm	.26 kg	Atlas Copco	Greasable
B48G40G60	\$59	48.05mm	40.12mm	60.0mm	.26 kg	Kobelco 2004	Greasable
B50-40G24	\$33	50.10mm	40.17mm	24.26mm	.13 kg	IHI35J-Bush-HL	404 323 101
B50-40-28	\$35	50.03mm	40.20mm	28.0mm	.16 kg	Case Loader Bucket	D129264
B50G40G30	\$38	50.05mm	40.10mm	30.0mm	.16 kg	Hydraulic cylinder bush	Greasable
B50-40-32	\$38	50.01mm	40.21mm	32.0mm	.18 kg	Case 580K	E172051
B50-40G32	\$35	50.03mm	40.16mm	31.9mm	.18 kg	Kubota KX71	68741-66770
B50G40G34	\$36	50.05mm	40.11mm	34.6mm		Furukawa 352541-21160	353541-21130
B50-40-35	\$36	50.03mm	40.18mm	34.8mm		Case 580 SLE	Plain Bush
B50-40G39	\$38	50.10mm	40.18mm	39.2mm	.22 kg	IHI 404 323 104	35J-Bush-H,I,J,K,G
B50-40-39	\$40	50.05mm	40.17mm	39.5mm	.22 kg	Kubota KX41	68741-6677-0
B50-40-40	\$41	50.05mm	40.28mm	40.0mm	.22 kg	John Deere	R72579
B50G40G40	\$45	50.05mm	40.11mm	40.0mm	.21 kg	IHI35J-Bush-HR	075-223-221
B50G40G45	\$46	50.05mm	40.12mm	45.0mm	.24 kg	IHI35J	Takeuchi 075 224 021
B50G40X45	\$60	50.05mm	40.15mm	45.0mm		075 223 923	O/Bf8
B50-40-50	\$48	50.05mm	40.17mm	50.0mm	.28 kg	Kubota KX71	68351-6776-0
B50G40G50	\$52	50.06mm	40.17mm	50.0mm	.27 kg	Kubota KX71	68351-6777-0
B50G40G60	\$62	50.09mm	40.17mm	60.0mm	.32 kg	Hydraulic cylinder bush	Greasable
B50G40G62	\$53	50.09mm	40.12mm	62.0mm	.33 kg	John Deere	R81488
B50G40G67	\$60	50.09mm	40.24mm	67.0mm	.37 kg	John Deere	T100240
B50-40-70	\$56	50.01mm	40.23mm	70.0mm	.39 kg	Case 580K	D129240
B50G40G75	\$68	50.10mm	40.17mm	75.0mm	.42 kg	Testk 2020	Greasable Bushing
B50G40G80	\$74	50.10mm	40.17mm	80.0mm	.44 kg	Greasable	Bushing
B50G40G100	\$87	50.10mm	40.19mm	100.0mm		Testk 2019	Replaces John Deere T76638
B51-40-38	\$44	2.002"	40.17mm	38.0mm		O.S. Testk 2007	Plain Bush
B51G40G50	\$48	2.002"	40.16mm	50.0mm		Greasable	Bushing
B52-40-50	\$54	52.07mm	40.14mm	50.0mm	.34 kg	O.S. Testk 2009	Plain Bush
B53-40-38	\$45	53.08mm	40.25mm	38.1mm	.29 kg	John Deere	9R0111
B53G40G50	\$52	53.08mm	40.16mm	50.0mm	.37 kg	O.S. Testk 2011	Greasable
B55-40-30	\$44	55.02mm	40.21mm	30.0mm	.26 kg	Case 580SLE	D136570
B55G40X45	\$64	55.06mm	40.16mm	45.0mm	.38 kg	Testk 2004	Greasable Bush Bf8
B55G40G65	\$54	55.07mm	40.21mm	65.0mm	.56 kg	John Deere 315	R81849
B56-40-50	\$56	56.05mm	40.12mm	50.0mm	.47 kg	Testk 2006	Plain Bush
B57-40-24	\$38	56.68mm	40.21mm	24.0mm	.25 kg	Case	542668
B60-40-32	\$43	60.10mm	40.15mm	32.0mm	.40 kg	Testk Heavy Wall	2013
B60-40-45	\$60	60.10mm	40.15mm	45.0mm	.57 kg	Testk Heavy Wall	2010
B60G40G50	\$72	60.08mm	40.17mm	50.0mm		Testk Heavy Wall	2013
B60G40G60	\$78	60.08mm	40.16mm	60.0mm	.73 kg	Testk Heavy Wall	2009

Dimensions shown are for the KSet Precision Bush,

Pin Steel NZ

KSet hardened steel bush
Leave KSet Monday
Arrive New Zealand
Wednesday

Case Hardened Bushes
Hardened Steel Canada
KSet hardened steel bush
Leave KSet Friday
Arrive Canada Monday
Case Hardened Bushes

Steel Bearing Sleeve USA
KSet hardened steel bush
3 days to North America
Leave KSet Wednesday
Delivered America Friday

America Steel Bearings
KSet hardened steel bush
3 day delivery to USA
Leave KSet Friday
Delivered America Monday

BUSHINGS

Quantity Discounts Available
only upon request at point of sale
provided all outstanding invoices
are settled within 7 Days

Disc. for 10 of any line item \$3 ea
Disc. for 20 of any line item \$4 ea
Disc. for 30 of any line item \$5 ea
Disc. for 40 of any line item \$6 ea

Wholesale Prices
shown for \$170
Minimum order

Retail: POA
\$120 Min order

Plus freight & GST. All prices
subject to change without notice

Case Hardened Bushes - Precision Ground

Bushes for 1 3/4" Diameter Shaft:

KSet Part No.	Price EX GST	Outside	Inside	Length		Manufacture Notes	Locations
B51-44-26	\$ 44	2.002"	1.756"	1.00"	.10 kg	Tesk 2019	Plain Bush
B51-44-38	\$ 45	2.002"	1.758"	1.50"	.14 kg	Massey Ferguson	Plain Bush
B51G44G38	\$ 44	2.002"	1.758"	1.50"	.14 kg	Massey Ferguson	Greasable Bush
B51G44G44	\$ 46	2.001"	1.754"	1.75"	.16 kg	Hydraulic cylinder bush	Greasable
B51-44-51	\$ 53	2.002"	1.756"	2.00"	.19 kg	Tesk 2011	Plain Bush
B51G44G51	\$ 56	2.002"	1.756"	2.00"	.19 kg	Hydraulic cylinder bush	Greasable
B54-44-22	\$ 36	2.126"	1.758"	0.88"	.12 kg	Case D33047, D46405, G34845	
B54-44-26	\$ 34	2.126"	1.759"	1.01"	.14 kg	Case D34340	
B54-44-30	\$ 42	2.126"	1.757"	1.19"	.16 kg	D94018 D37392=B54-44-32 B54-44-29=	D35071
B54-44-37	\$ 47	2.126"	1.753"	1.49"	.27 kg	Close fit to pin	Tesk 2004
B54G44G38	\$ 45	2.126"	1.754"	1.50"	.22 kg	Hydraulic cylinder bush	Greasable
B54-44-39	\$ 46	2.126"	1.759"	1.51"	.27 kg	Case 455C	D34354
B54G44G44	\$ 48	2.126"	1.754"	1.75"	.25 kg	Hydraulic cylinder bush	Greasable
B54G44G51	\$ 34	2.118"	1.765"	2.00"	.28 kg	John Deere 670B,672B	T42080
B54G44G52	\$ 57	2.126"	1.753"	2.00"	.28 kg	KSet precision ground	Greasable bush
B54-44-58	\$ 56	2.126"	1.759"	2.25"	.30 kg	Case	D42788
B57-44-26	\$ 38	2.251"	1.759"	1.00"	.20 kg	Case D43940	Opal Digger Bushing
B57-44-28	\$ 32	2.251"	1.759"	1.10"	.22 kg	Case D127172, 107124A1	
B57-44-29	\$ 34	2.251"	1.758"	1.13"	.23 kg	Case D127172, 107124A1	
B57-44-32	\$ 36	2.251"	1.761"	1.25"	.25 kg	John Deere T140669	Case D37495
B57-44-34	\$ 40	2.251"	1.759"	1.36"	.25 kg	Case 580 SLE	Bushing
B57-44G35	\$ 44	2.253"	1.757"	1.38"	.25 kg	CAT950-Bush-Stg	7J9688
B57-44-36	\$ 44	2.251"	1.757"	1.39"	.27 kg	Caterpillar	7K9589
B57G44G38	\$ 32	2.240"	1.748"	1.50"	.26 kg	John Deere Grader	T41976
B57-44-39	\$ 48	2.252"	1.756"	1.50"	.30 kg	Case	D50146
B57G44G39	\$ 48	2.252"	1.756"	1.50"	.30 kg	Greasable Bush	Tesk 2016
B57-44-42	\$ 49	2.251"	1.760"	1.65"	.34 kg	Case	D55626
B57-44-44	\$ 52	2.252"	1.756"	1.75"	.35 kg	Tesk 2004	Plain Bush
B57G44G45	\$ 50	2.251"	1.756"	1.75"	.36 kg	Hydraulic cylinder bush	Greasable
B57-44-50	\$ 45	2.251"	1.764"	1.97"	.39 kg	Tesk 2004	Plain Bush
B57-44-51	\$ 56	2.252"	1.756"	2.00"	.40 kg	CAT 953	Plain Bush
B57G44G51	\$ 58	2.252"	1.756"	2.00"	.39 kg	Hydraulic cylinder bush	Greasable
B57G44-52	\$ 30	2.250"	1.760"	2.06"		Off-set Groove 2:5:12	D129061
B57G44G57	\$ 62	2.252"	1.756"	2.25"	.44 kg	Hydraulic cylinder bush	Greasable
B57G44-59	\$ 40	2.251"	1.758"	2.34"	T	CAT-950-Bush-J 10w Ext Groove	7K0085
B57-44-60	\$ 56	2.252"	1.756"	2.37"	.48 kg	Tesk 2009	Plain Bush
B57G44G60	\$ 68	2.251"	1.755"	2.37"	.46 kg	Hydraulic cylinder bush	Greasable
B57G44G63	\$ 68	2.251"	1.757"	2.46"	.49 kg	Caterpillar compatible	2K4504
B57-44-70	\$ 58	2.250"	1.760"	2.75"	.53 kg	Case Construction	D121845
B57G44G70	\$ 70	2.252"	1.756"	2.75"	.53 kg	Tesk 2013	Greasable
B57G44G76	\$ 82	2.252"	1.756"	3.00"	.58 kg	Tesk 2011	Greasable
B57-44-80	\$ 72	2.258"	1.753"	3.13"	.64 kg	CAT615,623 Scrapers	8J6535
B57G44G94	\$ 60	2.251"	1.756"	3.70"		Tesk 2004	Greasable
B57T44-104	\$ 72	2.250"	1.755"	4.10"	.79 kg	Case 307186A1 K9x20° New	580SK-Bush-J
B57-44G125	\$ 64	2.251"	1.756"	4.92"		Case D127168 Extra length	580SK-Bush-J
B60-44-51	\$ 64	2.376"	1.756"	2.00"	.51 kg	Tesk 2006	Plain Bush
B64-44-51	\$ 62	2.502"	1.756"	2.00"	.66 kg	Tesk 2005	Plain Bush
B64-44-63	\$ 63	2.502"	1.758"	2.50"		Tesk 2003	Plain Bush
B64G44G63	\$ 76	2.502"	1.758"	2.50"	.77 kg	Hydraulic cylinder bush	Greasable
B64G44G76	\$ 84	2.502"	1.756"	3.00"		Hydraulic cylinder bush	Greasable
B66-44-160	\$140	2.617"	1.763"	6.30"		Heavy Wall 2016	Plain Bush

Dimensions shown are for the KSet Precision Bush, not for similar OEM bush.

Imperial Steel Bushes
 All Australian made for John Deere backhoe
 Caterpillar grader bearings
 John Deere Bushings
 Case 580 Backhoe Loaders
 Case 4-in-1 bucket
 Vic Wheel Loader spare parts
 Global Steel Bushes Suppliers
 Hardened Steel Sleeve
 Hard Steel Bushings Online
 Hardened Steel Sleeve
 Farm equipment hard bushes
 Qld Hardened Steel Bushings
 Hard Steel Bush Suppliers
 Massey Backhoe bushes

KSet helpful tips Repairs to
 Replacing backhoe pins and bushings
 John Deere scraper parts
 Excavator Pin & Bush Supplier
 Inch Bushings for American backhoe
 Excavator bucket bushings and pins
 Hydraulic Ram Eye bushings
 Pneumatic cylinder bushes
 Broadacre tillage implement
 Hard steel bushes
 Industrial bushings for agricultural use

BUSHINGS
 Quantity Discounts Available
 only upon request at point of sale
 provided all outstanding invoices
 are settled within 7 Days
 Disc. for 10 of any line item \$3 ea
 Disc. for 20 of any line item \$4 ea
 Disc. for 30 of any line item \$5 ea
 Disc. for 40 of any line item \$6 ea

Wholesale Prices
 shown for \$170
 Minimum order

Retail: POA
 \$120 Min order
 Plus freight & GST. All prices
 subject to change without notice

Case Hardened Bushes - Precision Ground

Suit 45mm Diameter Shaft

KSet Part No.	Price EX GST	Outside	Inside	Length		Manufacture Notes	Locations
B50G45G45	\$ 49	50.07mm	45.10mm	45.0mm	.13kg	Greasable	Precision Ground
B50-45X45	\$ 56	50.05mm	45.10mm	45.0mm	.13kg	Atlas Copco	3177 0074 00 Bf8
B50-45-56	\$ 48	50.07mm	45.10mm	56.0mm	.17kg	Tesk 2009	Plain Bush
B50-45-57	\$ 56	49.83mm	45.09mm	57.0mm	.17kg	John Deere	T140211,T69352
B52-45-40	\$ 45	52.07mm	45.13mm	40.0mm	.17kg	Tesk 2017	Plain Bush
B55G45G25	\$ 37	55.05mm	45.15mm	25.0mm	.15kg	Kubota 161 bucket cylinder	Ram end
B55-45-30	\$ 37	55.05mm	45.15mm	30.0mm	.19kg	Kubota KX161-3SS	Plain Bush
B55-45-35	\$ 39	55.05mm	45.15mm	35.0mm	.20kg	404 326 000	404 323 102 = B45-35g35
B55G45G35	\$ 40	55.05mm	45.15mm	35.0mm	.20kg	Tesk 2004	Greasable Bush
B55-45-36	\$ 40	55.07mm	45.15mm	36.0mm	.23kg	PY12B 010 09P1	SK045-Bush-HL
B55-45X36	\$ 51	55.05mm	45.13mm	36.0mm	.22kg	Kubota	KX161-3SS-Bush-HL Bf8
B55G45G39	\$ 46	55.07mm	45.15mm	38.8mm	.23kg	Yanmar	VIO 50-Bush-HL
B55-45-40	\$ 45	55.11mm	45.28mm	40.0mm	.25kg	John Deere	T76639
B55-45-41	\$ 45	55.10mm	45.15mm	40.0mm	.25kg	Tesk 2004	Plain Bush
B55G45G40	\$ 46	55.05mm	45.13mm	40.0mm	.24kg	Yanmar	VIO 50-Bush-G
B55-45X40	\$ 55	55.11mm	45.15mm	40.0mm	.24kg	IHI50VX-Bush-HL,I,J,K	O/Bf8
B55G45X40	\$ 59	55.11mm	45.15mm	40.0mm	.23kg	External grease entry	Bf8
B55F45-42	\$ 28	55.03mm	45.15mm	42.0mm		Flange Bush	F63Øx5 3501770 M2
B55-45G45	\$ 47	55.06mm	45.13mm	44.8mm	.27kg	01743-10405	PC45-1-D,E KY045-H
B55-45X45	\$ 60	55.05mm	45.13mm	44.8mm	.27kg	Kubota	KX045-Bush-HL Bf8
B55G45G45	\$ 49	55.07mm	45.13mm	44.8mm	.26kg	19000-46502	SK045-G,HR 07144-10405
B55G45X45	\$ 61	55.05mm	45.13mm	44.8mm	.27kg	Komatsu	20T-70-71870
B55-45X46	\$ 55	55.05mm	45.13mm	45.0mm	.27kg	Komatsu	20T-70-71880 O/Bf8
B55G45G50	\$ 53	55.05mm	45.13mm	50.0mm	.30kg	Yanmar	VIO 50-Bush-HR
B55G45X50	\$ 69	55.05mm	45.13mm	50.0mm	.30kg	Kubota	Closed Fig8 groove KX045-Bush-R
B55G45X51	\$ 70	55.11mm	45.15mm	50.0mm	.30kg	IHI 50	Closed Fig8 grv IHI50VX-Bush-HR
B55-45X51	\$ 64	55.06mm	45.13mm	51.0mm	.30kg	20T-70-71250	Open Fig8 grv PC45-Bush-F
B55-45G55	\$ 46	55.05mm	45.13mm	55.0mm	.35kg	Furukawa	337811-11130
B55G45G55	\$ 52	55.06mm	45.15mm	55.0mm	.33kg	Tesk 2005	Greasable Bush
B55-45G59	\$ 49	55.05mm	45.12mm	59.0mm	.36kg	550831-23130	610511-51130
B55-45-60	\$ 62	55.07mm	45.15mm	60.0mm	.37kg	Kubota	KX161-Bush-J
B55G45G60	\$ 63	55.05mm	45.13mm	60.0mm	.39kg	Tesk 2005	Greasable Bush
B55-45X60	\$ 72	55.10mm	45.16mm	60.0mm	.37kg	Yanmar	VIO 50-Bush-I O/Bf8
B55G45X60	\$ 73	55.10mm	45.16mm	60.0mm	.37kg	Tesk 2017	Bf8
B55G45X65	\$ 78	55.10mm	45.16mm	65.0mm	.40kg	Tesk 2019	Bf8
B55F45X65	\$156	55.07mm	45.18mm	65.0mm		Flange 99.7	N10.5 R55x5.5 VIO 50-Bush-J
B55G45G66	\$ 66	55.05mm	45.18mm	66.0mm	.39kg	John Deere	R81850, R84376
B55G45X70	\$ 88	55.09mm	45.17mm	70.0mm	.41kg	Tesk 2019	Bf8
B56-45-40	\$ 47	56.05mm	45.13mm	40.0mm	.27kg	O.S. Tesk 2008	Plain Bush
B56-45-50	\$ 43	56.05mm	45.13mm	50.0mm	.34kg	O.S. Tesk 2008	Plain Bush
B56G45G50	\$ 60	56.05mm	45.13mm	50.0mm	.33kg	O.S. Tesk 2010	Greasable
B58-45-34	\$ 36	58.10mm	45.29mm	34.0mm	.29kg	CAT Bearing	9R0411
B58-45-40	\$ 49	58.10mm	45.26mm	39.9mm	.34kg	CAT 428 Backhoe	9R0147
B60G45G40	\$ 48	60.09mm	45.14mm	40.0mm	.37kg	Tesk 2013	Greasable Bush USA
B60G45G50	\$ 66	60.08mm	45.13mm	50.0mm	.47kg	Tesk 2013	Greasable Bush
B60G45G60	\$ 72	60.07mm	45.13mm	60.0mm	.57kg	Tesk 2002	Greasable Bush
B61G45G40	\$ 50	61.04mm	45.15mm	40.0mm		Line Boring	Plain Bush
B62-45-42	\$ 48	62.10mm	45.15mm	42.0mm	.47kg	Hitachi	EX122, EX60UR
B62G45G55	\$ 60	62.05mm	45.15mm	55.0mm	.60kg	Line Boring	Greasable Bush
B65G45G65	\$ 92	65.10mm	45.14mm	65.0mm	.87kg	O.S. Tesk 2012	Greasable Bush
B68G45G55	\$ 83	68.08mm	45.15mm	55.0mm	.87kg	Atlas Copco 104, T1D	912873 4400
B57-48-19	\$ 37	2.252"	1.878"	19.1mm		Case aftermarket	D31512 Plain Bush
B68-48-65	\$ 36	68.06mm	48.13mm	65.0mm	.95kg	Tesk Bush = Generic KSet	Bush

Dimensions shown are for the KSet Precision Bush, not for similar OEM bush.

Correct Material
for **Backhoe Bush**
What type of steel to
machine bucket bushes for
a backhoe or bushings for
an excavator from ?

KSet Bushings
are machined from low
carbon hollow bar such
as Ovako 280 or 20MnV6
Manganese Vanadium Steel

Wear Hardness is added
to the surface of the bush
by Furnace **Case Hardening**
Quenched and Tempered
to 59 - 61 Hardness
Rockwell C at 200 degrees
Celcius

Engineered Bushing
Applications
Bucket, Arm and
Cylinder Joints of excavators
and wheel loaders Heavy
Load Joints. Boom Foot
Boom Cylinder Foot Boom
Cylinder Ram Eye Excavator
Pivot Points Replacement
of Bronze Bushes Replace
Fibre Bushes
Lineboring Rebuilds

BUSHINGS
Quantity Discounts Available
only upon request at point of sale
provided all outstanding invoices
are settled within 7 Days
Disc. for 10 of any line item \$3 ea
Disc. for 20 of any line item \$4 ea
Disc. for 30 of any line item \$5 ea
Disc. for 40 of any line item \$6 ea

Wholesale Prices
shown for **\$170**
Minimum order
Retail: POA
\$120 Min order

Plus freight & GST. All prices
subject to change without notice

Case Hardened Bushes - Precision Ground

Suit 50mm Diameter Shaft

KSet Part No.	Price EX GST	Outside	Inside	Length	Manufacture Notes	Locations
B55-50-20	\$ 54	55.05mm	50.10mm	20.0mm .10 kg	Thin Wall Hardened Steel Bushing	Plain Bush
B55-50-24	\$ 54	55.17mm	50.17mm	24.0mm .11 kg	Thin Wall Hardened Steel Bushing	Plain Bush
B55G50G50	\$ 60	55.05mm	50.17mm	50.0mm .16 kg	Case Hardening Steel:	20MnV6
B55G50G60	\$ 68	55.05mm	50.17mm	60.0mm .19 kg	Thin Wall	Greasable Bush
B60-50-15	\$ 31	60.01mm	50.01mm	15.0mm .13 kg	AVO Australian made Steel Bush	Tight Clearance
B60-50-19	\$ 31	60.02mm	50.22mm	18.5mm .13 kg	Case 580K Australian made Steel Bush	D129272
B60-50-20	\$ 33	60.03mm	50.12mm	20.0mm .14 kg	Case Hardened	Retrofit Bush
B60-50-26	\$ 37	60.03mm	50.18mm	25.6mm .17 kg	Case D140029	580SK-Bush-H,I
B60-49-27	\$ 37	60.00mm	49.99mm	27.4mm	Case 580K Trunnion	G110117
B60-50-27	\$ 35	60.00mm	50.26mm	26.5mm .19 kg	Case 580K Backhoe Steel Bush	E176226
B60-50-28	\$ 37	60.12mm	50.09mm	27.0mm	Tight Clearance	J Deere T154277
B60-50-30	\$ 37	60.01mm	50.22mm	30.0mm .20 kg	Case 580K Loader Hardened Steel Bush	D127542
B60-50G30	\$ 31	60.01mm	50.01mm	30.0mm .13 kg	AVO Australian made Steel Bush	Tight Clearance
B60-50-33	\$ 40	60.01mm	50.23mm	33.0mm .22 kg	Case 580 SLE	D150608
B60-50-34	\$ 37	60.03mm	50.12mm	34.0mm .23 kg	Bearing Sleeve	Plain Bush
B60G50G35	\$ 46	60.09mm	50.13mm	35.0mm .23 kg	Task 2019	Greasable Bush
B60-50-36	\$ 34	60.00mm	50.20mm	36.0mm .24 kg	Case 580K Loader	D137345
B60-50X36	\$ 53	60.10mm	50.15mm	36.0mm .23 kg	Kobelco	SK060-Bush Z-HL Bf8
B60-50-38	\$ 44	60.11mm	50.13mm	38.0mm .26 kg	Matbro	33948/001
B60-50G38	\$ 40	60.10mm	50.15mm	38.0mm .26 kg	Internal Groove	KY045-Bush-H
B60-50-40	\$ 49	60.01mm	50.18mm	40.0mm .27 kg	580SK-Bush-C,D,E	D141555
B60G50G40	\$ 47	60.07mm	50.17mm	39.8mm .26 kg	WA420-Bush-S	707-76-5024
B60-50-45	\$ 50	60.01mm	50.23mm	45.0mm .31 kg	Case 580K	E176478
B60G50G45	\$ 55	60.10mm	50.15mm	45.0mm .30 kg	075 225 321	Greasable Bush
B60G50X45	\$ 70	60.09mm	50.15mm	45.0mm .29 kg	Steel Bush Factory Australia	Bf8
B60-50-46	\$ 48	60.05mm	50.11mm	46.0mm .31 kg	Case Hardened	Plain Bush
B60-50-50	\$ 54	60.10mm	50.15mm	50.0mm .34 kg	Matbro 504217	Telehandler Bush
B60-50G50	\$ 49	60.10mm	50.12mm	50.1mm .34 kg	Komatsu D65-15 No Holes	07143-10505
B60-50X50	\$ 61	60.07mm	50.12mm	49.7mm .35 kg	Komatsu 707-76-50040	PC45-C,PC60-7-G Bf8
B60G50G50	\$ 56	60.05mm	50.13mm	50.0mm .35 kg	VIO50,SK045-D,E Sandvik 20803308	PC60-K
B60G50X50	\$ 72	60.10mm	50.13mm	50.0mm	707-76-50471	PC45-1-Bush-B Bf8
B60-50X51	\$ 60	60.05mm	50.14mm	50.1mm	PC45-Bush-F 20T-70-71250	SK045-Bush-A,F Of8
B60-50X52	\$ 64	60.10mm	50.15mm	50.0mm .35 kg	Kobelco	SK060-Bush-I O/Bf8
B60G50G53	\$ 58	60.00mm	50.27mm	52.4mm .35 kg	Case	180427A1
B60-50-54	\$ 50	60.05mm	50.18mm	54.1mm	D138047	580SK-Bush-D,HDL
B60-50-55	\$ 64	60.10mm	50.15mm	55.0mm	Kubota	KX161-Bush-F
B60G50G55	\$ 54	60.06mm	50.15mm	54.9mm	Furukawa	352831-11130
B60-50-56	\$ 64	60.11mm	50.13mm	56.0mm .38 kg	Matbro Replacement Bush	33948/005
B60G50G59	\$ 62	60.05mm	50.13mm	59.3mm .39 kg	Sandvik Bush	Tamrock 20797408
B60G50G60	\$ 64	60.05mm	50.13mm	60.0mm .40 kg	IHI 975 228 423	SK045-Bush-C
B60G50X60	\$ 72	60.05mm	50.16mm	60.0mm .38 kg	Yanmar	VIO50-Bush-B,C Bf8
B60-50-61	\$ 31	60.01mm	50.01mm	60.0mm .13 kg	AVO Australian made Steel Bush	Tight Clearance
B60G50G64	\$ 63	60.11mm	50.12mm	64.0mm .45 kg	Matbro 34964	Furukawa 341611-15120
B60G50X65	\$ 82	60.07mm	50.18mm	64.8mm .45 kg	PC45-Bush-A	20T-70-71140
B60G50G69	\$ 65	60.07mm	50.14mm	69.8mm .49 kg	416-70-11810	WA180-Bush-L,K,J
B60-50-70	\$ 69	60.10mm	50.13mm	70.0mm .50 kg	Matbro Bush to KSet	503971
B60G50G70	\$ 75	60.13mm	50.13mm	70.0mm .49 kg	707-76-50371	WA120-Bush-E
B60G50X70	\$ 88	60.13mm	50.16mm	70.0mm .47 kg	Matbro 37452/012	Figure 8 Groove KSet Bush
B60G50X74	\$ 78	60.07mm	50.14mm	74.3mm .49 kg	Kobelco	SK060-Bush-HR Bf8
B60-50X75	\$ 75	60.11mm	50.18mm	74.6mm .49 kg	Yanmar	VIO 50-Bush-A,F O/Bf8

Where to buy new pins and bushes other than dealer?
KSet Engineering bushes are guaranteed new

KSet Bushings are machined from low carbon hollow bar such as Ovako 280 or 20MnV6 Manganese Vanadium Steel Wear Hardness is added to the surface of the bush by Furnace Case Hardening Quenched and Tempered at 200 degrees Celcius to 59 - 61 Hardness Rockwell C

Engineered Bushing Applications

Bucket, Arm and Cylinder Joints of excavators and wheel loaders.
Heavy Load Joints. Boom Foot
Boom Cylinder Foot
Boom Cylinder Ram Eye
Excavator Pivot Points
Replace Bronze Bushes
Line Borer Rebuilds
Atlas Copco Drill JUMBO
Sandvik Jumbo Drill parts
Bobcat skid steer loader bucket bushes
Sandvik Jumbo bushings
Boulder Kalgoorlie

BUSHINGS

Quantity Discounts Available
only upon request at point of sale provided all outstanding invoices are settled within 7 Days
Disc. for 10 of any line item \$3 ea
Disc. for 20 of any line item \$4 ea
Disc. for 30 of any line item \$5 ea
Disc. for 40 of any line item \$6 ea

Wholesale Prices shown for \$170 Minimum order

Retail: POA \$120 Min order

Plus freight & GST. All prices subject to change without notice

Bushes for 50mm Diameter Shaft Continued next Page...

Case Hardened Bushes - Precision Ground

Suit 50mm Diameter Shaft

KSet Part No.	Price EX GST	Outside	Inside	Length		Manufacture Notes	Locations
B60G50X75	\$ 88	60.10mm	50.13mm	75.0mm	.49 kg	Tight Clearance	Matbro 37452/011
B60G50G98	\$ 84	60.10mm	50.30mm	98.0mm	.69 kg	John Deere	T76309
B60-50N98	\$ 80	60.10mm	50.30mm	98.0mm	.66 kg	Bush	Internal Helical Groove
B60-50N110	\$119	60.04mm	50.06mm	110 mm	.74 kg	Bush	Internal Helical Groove
B60-50N120	\$146	60.04mm	50.06mm	120 mm	.78 kg	Bush	Internal Helical Groove
B61-50N110	\$ 90	60.50mm	50.06mm	110 mm	.72 kg	Bush	Internal Helical Groove
B61G50X50	\$ 70	61.12mm	50.20mm	50.0mm		New Matbro	37452/001
B61G50G60	\$ 75	61.05mm	50.13mm	60.0mm	.44 kg	Hard Steel Bush	Greasable
B62-50-50	\$ 60	62.10mm	50.16mm	50.0mm		Testk 2006	Plain Bush
B63-50-24	\$ 38	63.07mm	50.07mm	23.5mm	.21 kg	Testk 2003	Plain Bush
B63G50G40	\$ 56	63.06mm	50.12mm	40.0mm	.36 kg	Externally Greasable	9R0204
B63G50G50	\$ 62	63.05mm	50.12mm	50.0mm	.45 kg	Externally Greasable	Bushing
B63-50X52	\$ 80	63.05mm	50.07mm	52.0mm	.46 kg	Internal Grease	Fig. 8 Groove
B63G50G75	\$ 72	63.05mm	50.12mm	75.0mm	.70 kg	Testk 2001	Greasable Bush
B65-50G35	\$ 45	65.07mm	50.15mm	35.0mm	.37 kg	Case W14B-Bush-J	L112479
B65G50G45	\$ 55	65.11mm	50.14mm	45.0mm	.45 kg	Testk 2011	Greasable Bush
B65G50X47	\$ 70	65.10mm	50.15mm	47.0mm	.46 kg	Kobelco	SK060-Bush-K Bf8
B65-50X48	\$ 68	65.05mm	50.15mm	47.8mm	.50 kg	201-70-72210	201-70-22141 PC60, 75-Bush-I
B65-50-50	\$ 58	65.08mm	50.16mm	50.0mm	.53 kg	Case CX75 SR	Aftermarket
B65-50-55	\$ 66	65.12mm	50.11mm	55.0mm	.59 kg	Matbro	502550
B65F50X56	\$120	65.10mm	50.18mm	56.0mm		Flange 95 Ø	SK060, SK075-Bush-J
B65-50-60	\$ 63	65.07mm	50.11mm	60.0mm	.65 kg	Testk 2007	Plain Bush
B65G50G60	\$ 76	65.11mm	50.15mm	60.0mm	.63 kg	Bearing Sleeve	Greasable Bush
B65-50-65	\$ 63	65.13mm	50.11mm	65.0mm	.67 kg	Matbro	501701
B65G50G65	\$ 64	65.11mm	50.15mm	65.0mm	.65 kg	Testk 2012	Greasable Bush
B65G50G70	\$ 80	65.13mm	50.11mm	70.0mm	.72 kg	Matbro	501707
B65F50X73	\$138	65.04mm	50.21mm	73.0mm	.88 kg	F86x6 20X-70-22140	PC60,75UU-Bush-J
B65G50G75	\$ 84	65.08mm	50.13mm	75.0mm	.78 kg	Matbro	502582
B65G50X84	\$112	65.08mm	50.13mm	84.0mm	.80 kg	Kobelco Aftermarket	SK060-Bush-G
B65G50G95	\$ 98	65.11mm	50.13mm	95.0mm		Matbro Steel bushings metric	501712, 502994
B67-50R24	\$ 20	2.625"	50.20mm	24.0mm		Case 580K	G108689
B67-50R30	\$ 30	2.625"	50.20mm	30.0mm		580SK-Bush-H,R	G108525
B67-50-40	\$ 50	2.625"	50.20mm	40.0mm	.48 kg	Case	580SK-Bush-D,C
B67-50R46	\$ 36	2.625"	50.20mm	46.0mm		580SK-Bush-D,E,G	G108417
B67-50-90	\$ 88	2.625"	50.05mm	90.0mm	1.08 kg	Case Hardened	Plain Bush

Heavy Wall Bushes for 50mm Diameter Shaft

B70-50-26	\$ 40	70.01mm	50.18mm	25.6 mm	.37 kg	580SK-Bush-IA	D141249
B70-50R30	\$ 35	70.00mm	50.20mm	30.0 mm		Recessed	Case580K D135075
B70-50-34	\$ 30	70.01mm	50.18mm	34.0 mm	.51 kg	580SK-Bush-EX	D141389
B70-50-36	\$ 46	70.00mm	50.20mm	36.0 mm		Case 580K	D136574
B70-50R38	\$ 30	70.00mm	50.26mm	38.0 mm		Recessed	Case580K D127196
B70-50R40	\$ 32	70.00mm	50.26mm	40.0 mm		Recessed	Case580K E176155
B70-50-40	\$ 61	70.06mm	50.16mm	40.0 mm	.66 kg	Bucket Bush	suit 40mm Plate
B70-50-45	\$ 60	70.05mm	50.18mm	45.0 mm	.66 kg	Case Hardened	Plain Bush
B70G50G50	\$ 74	70.05mm	50.15mm	50.0 mm		Case Hardened	Greasable Bush
B70-50-54	\$ 64	70.01mm	50.19mm	54.0 mm	.81 kg	580SK-Bush-D,E,G	D137217
B70-50G60	\$ 50	70.05mm	50.15mm	60.0 mm	.89 kg	Testk 2007	Internal Groove
B70G50G60	\$ 70	70.05mm	50.15mm	60.0 mm	.89 kg	Testk 2011	Greasable Bush
B70-50-78	\$ 92	70.01mm	50.20mm	78.3 mm		580SK-Bush-C	D145080

Correct Material for Bushings

What type of steel to machine bucket bushes for a backhoe or bushings for an excavator from ?

KSet Bushings

are machined from low carbon hollow bar such as Ovako 280 or 20MnV6 Manganese Vanadium Steel

Wear Hardness is added to the surface of the bush by Furnace Case Hardening Quenched and Tempered to 59 - 61 Hardness Rockwell C at 200 degrees Celsius

Engineered Bushing Applications

Bucket, Arm and Cylinder Joints of excavators and wheel loaders Heavy Load Joints. Boom Foot Boom Cylinder Foot Boom Cylinder Ram Eye Excavator Pivot Points Replacement of Bronze Bushes Replace Fibre Bushes Lineboring Rebuilds

BUSHINGS

Quantity Discounts Available only upon request at point of sale provided all outstanding invoices are settled within 7 Days

Disc. for 10 of any line item \$3 ea
Disc. for 20 of any line item \$4 ea
Disc. for 30 of any line item \$5 ea
Disc. for 40 of any line item \$6 ea

Wholesale Prices shown for \$170 Minimum order

Retail: POA \$120 Min order

Plus freight & GST. All prices subject to change without notice

Case Hardened Bushes - Precision Ground

Suit 2 inch Diameter Shaft

KSet Part No.	Price EX GST	Outside	Inside	Length		Manufacture Notes	Locations
B57G51G32	\$ 44	2.252"	2.003"	1.25"	.13 kg	Tesk 2006	Greasable Bush
B57G51G38	\$ 47	2.252"	2.004"	1.50"	.15 kg	Tesk 2019	Greasable Bush
B57-51-45	\$ 46	2.252"	2.007"	1.75"	.19 kg	Massey Ferguson	862691M1
B57G51G45	\$ 47	2.252"	2.004"	1.75"	.18 kg	Tesk 2011	Greasable Bush
B57-51-50	\$ 56	2.252"	2.005"	2.00"	.21 kg	Tesk 2011	Plain Bush
B57G51G57	\$ 60	2.252"	2.003"	2.25"	.24 kg	Tesk 2000	Greasable Bush
B57G51G64	\$ 68	2.252"	2.004"	2.50"	.26 kg	Tesk 2011	Greasable Bush
B60-51-22	\$ 36	2.377"	2.007"	0.88"	.14 kg	Case1155D	Plain Bush
B60-51-32	\$ 36	2.377"	2.007"	1.25"	.20 kg	Bearing Sleeve	4J6374
B60-51-38	\$ 41	2.377"	2.007"	1.50"	.24 kg	Tesk 2000	Plain Bush
B60G51G38	\$ 46	2.377"	2.007"	1.50"	.23 kg	Tesk 2011	Greasable Bush
B60-51-44	\$ 50	2.377"	2.006"	1.74"	.28 kg	Tesk 2010	Plain Bush
B60G51G44	\$ 53	2.377"	2.006"	1.75"	.27 kg	Tesk 2011	Greasable Bush
B60-51-50	\$ 56	2.377"	2.006"	2.00"	.31 kg	CAT 953	Bearing for 1J2087
B60G51G50	\$ 58	2.377"	2.006"	2.00"	.32 kg	Tesk 2010	Greasable Bush
B60G51G51	\$ 28	2.365"	1.997"	2.00"	.32 kg	John Deere	T41953
B60G51X59	\$ 48	2.379"	2.008"	2.34"	.38 kg	Cat Bearing Sleeve 12W Groove Offset 10	2G7387
B60G51G60	\$ 68	2.378"	2.006"	2.37"	.38 kg	CAT Grader	Greasable Bush
B60G51G64	\$ 56	2.378"	2.006"	2.50"	.41 kg	CAT Grader	Greasable 2G7388
B60G51G69	\$ 64	2.380"	2.009"	2.74"	.44 kg	Offset groove 4:6:23.5 12W Ext	Cat 2G8738
B60G51G86	\$ 64	2.380"	2.009"	3.37"	.55 kg	Offset groove 2:6:32 12W Ext	Cat 2G7106
B60G51N110	\$ 120	60.03mm	2.002"	110mm	.67 kg	Sugar Cane Trailer	Greasable
B60G51N120	\$ 122	60.03mm	2.002"	120mm	.74 kg	Sugar Cane Trailer	Greasable
B64-51-19	\$ 34	2.501"	2.009"	0.74"	.17 kg	Case 1155D	D33659
B64-51-22	\$ 38	2.501"	2.009"	0.88"	.20 kg	Case	D33678
B64-51-25	\$ 45	2.502"	2.004"	0.98"	.22 kg	Eimco	A2U130-194385
B64-51-26	\$ 42	2.502"	2.007"	1.00"	.23 kg	Tesk 2003	Plain Bush
423B64F51-26	\$ 50	2.501"	2.004"	1.00"	.25 kg	Flange 71.5x4.25	A2U130-194392
B64-51-28	\$ 38	2.501"	2.007"	1.12"	.25 kg	Case 590 Bush	135249A1
B64-51-29	\$ 34	2.501"	2.009"	1.13"		Case 1155D Bush	D38943
B64-51-32	\$ 40	2.501"	2.009"	1.25"	.27 kg	Case	D30756
B64F51-32	\$ 55	2.502"	2.003"	1.26"	.31 kg	Eimco A2U220-194400	F71.5x4.19
B64G51G33	\$ 40	2.505"	2.009"	1.30"		20MnV6 Bearing Steel	Cat 2G8635
B64G51G34	\$ 50	2.504"	2.008"	1.34"	.31 kg	Tesk 2004	Greaseable Bush
B64-51-35	\$ 38	2.502"	2.008"	1.38"	.33 kg	Case D43946	7J9351
B64G51-35	\$ 36	2.503"	2.008"	1.37"	.31 kg	6S3459, 3G4704	Cyl Brg 4 holes
B63F51-35	\$ 24	2.493"	2.006"	1.38"		Flange 70x5	J Deere T58218
B64-51G36	\$ 47	2.503"	2.002"	1.42"	.34 kg	DMS Stg Cyl 10wGroove	5580003850
B63-51-37	\$ 32	2.490"	2.000"	1.50"	.34 kg	John Deere	U43635
B64-51-37	\$ 40	2.501"	2.006"	1.50"		Case 580 Super L	135248A1
B64-51-38	\$ 46	2.501"	2.009"	1.50"	.34 kg	Case	D31142
B64G51G38	\$ 52	2.502"	2.007"	1.50"	.32 kg	Tesk 2000	Greasable Bush
B64-51-39	\$ 45	2.502"	2.006"	1.50"	.34 kg	Tesk 2007 Plain Bush	Cat 6S3463
B63G51G39	\$ 28	2.490"	1.997"	1.54"	.33 kg	John Deere 670B 672B	T82886
B64-51-40	\$ 47	2.502"	2.007"	1.59"	.36 kg	CAT 966 Bucket	6K4076

Dimensions shown are for the KSet Precision Bush, not for similar OEM bush.

Bushes for 2 inch Diameter Shaft continued next page

Where to buy new pins and bushes other than dealer?
KSet Engineering bushes are guaranteed new

KSet Bushings are machined from low carbon hollow bar such as Ovako 280 or 20MnV6 Manganese Vanadium Steel. **Wear Hardness** is added to the surface of the bush by Furnace **Case Hardening** **Quenched and Tempered** at 200 degrees Celcius to 59 - 61 Hardness Rockwell C

Engineered Bushing Applications

Bucket, Arm and Cylinder Joints of excavators and wheel loaders.
Heavy Load Joints. Boom Foot
Boom Cylinder Foot
Boom Cylinder Ram Eye
Excavator Pivot Points
Replace Bronze Bushes
Replace Fibre Bushes
Atlas Copco Drill JUMBO
Sandvik Jumbo Drill parts
Pins and bushes for heavy equipment
Sandvik Jumbo bushings
Boulder Kalgoolie Next Day

BUSHINGS

Quantity Discounts Available only upon request at point of sale provided all outstanding invoices are settled within 7 Days

Disc. for 10 of any line item \$3 ea
Disc. for 20 of any line item \$4 ea
Disc. for 30 of any line item \$5 ea
Disc. for 40 of any line item \$6 ea

Wholesale Prices shown for \$170 Minimum order

Retail: POA \$120 Min order

Plus freight & GST. All prices subject to change without notice

Case Hardened Bushes - Precision Ground

Suit 2 inch Diameter Shaft

KSet Part No.	Price EX GST	Outside	Inside	Length		Manufacture Notes	Locations
B64G51G42	\$ 50	2.502"	2.007"	1.63"	.36 kg	Tesk 2000	Greasable Bush
B64-51G43	\$ 50	2.503"	2.002"	1.69"	.37 kg	DMS 2011 10wGroove	Internal Groove
B64G51G43	\$ 56	2.504"	2.008"	1.69"	.36 kg	Tesk 2019	Greasable Bush
B64G51G44	\$ 57	2.504"	2.008"	1.75"	.38 kg	Tesk 2013	Greasable Bush
B64-51-45	\$ 56	2.503"	2.006"	1.75"	.40 kg	Was B63-51-45	3J3185
B64G51G47	\$ 56	2.503"	2.006"	1.86"	.42 kg	Greased Externally	7K9639
B64-51G48	\$ 50	2.503"	2.007"	1.88"	.42 kg	CAT950-Bush-Top-L	7K0084
B64-51G50	\$ 48	2.502"	2.009"	1.97"	.44 kg	Type U Bush	6W9172
B64-51-52	\$ 55	2.502"	2.007"	2.00"	.46 kg	Canadian Machinery	5G2186
B63-51G51	\$ 40	2.490"	2.000"	2.01"	.46 kg	John Deere	T34423
B64G51G51	\$ 60	2.502"	2.007"	2.00"	.44 kg	Case Aftermarket	D33032
B64-51-54	\$ 58	2.501"	2.009"	2.13"	.48 kg	Case 1155D	Suit Pin R48922
B64-51G59	\$ 59	2.504"	2.007"	2.34"	.52 kg	CAT 950-Bush-Lever	7K0087
B64-51-60	\$ 68	2.502"	2.006"	2.37"	.54 kg	Tesk 2009	Plain Bush
B64G51G60	\$ 68	2.503"	2.007"	2.37"	.51 kg	CAT 955L Bucket	7K9549
B64G51G63	\$ 70	2.502"	2.007"	2.50"	.55 kg	Tesk 2000	Greasable Bush
B64-51G63	\$ 55	2.502"	2.006"	2.48"	.56 kg	Cat Compatible Groove inside only	2K4509
B64-51-68	\$ 54	2.5025"	2.001"	2.69"	.60 kg	Caterpillar compatible	256899
B64G51G70	\$ 76	2.502"	2.008"	2.75"	.61 kg	New Zealand Logging	Steel Bush
B64G51-72	\$ 66	2.503"	2.006"	2.83"	.64 kg	Caterpillar to suit 4 x 6 Ø holes	7K9644
B64G51G76	\$ 82	2.502"	2.010"	3.00"	.66 kg	Tesk 2006	Greasable Bush
B64G51G78	\$ 62	2.503"	2.007"	3.10"		Type I 4 x 6 Ø holes	for 7K9572
B64G51G79	\$ 66	2.503"	2.009"	3.11"	T 4x6	CAT936Bkt/Link	4V2873, 4V3619
B64F51G87	\$ 120	2.500"	2.006"	3.44"		Flange Bush	F76.2x4.75
B64G51G89	\$ 79	2.501"	2.004"	3.50"	.78 kg	Greasable	Use for 3K0868
B64G51G101	\$ 104	2.504"	2.008"	4.00"	.89 kg	Standen Ripper	Was B63G51G101
B65G51X54	\$ 92	65.08mm	2.005"	2.12"	.53 kg	Tesk 2007	Internal Figure 8 Groove
B65G51X60	\$ 98	65.08mm	2.005"	2.36"	.59 kg	Tesk 2020	Internal Figure 8 Groove
B65G51X76	\$ 102	65.08mm	2.005"	3.00"	.74 kg	Tesk 2007	Internal Figure 8 Groove
B65-51X100	\$ 120	65.09mm	2.010"	3.94"	.99 kg	Murray Welding	Trailer Bush Bf8
B67G51N44R	\$ 120	2.626"	2.000"	1.75"	.45 kg	Applied Bush	Recessed both sides

Heavy Wall Bushes for 2" Diameter Shaft

B70-51-39	\$ 48	2.753"	2.009"	1.50"	.55 kg	Tesk 2008	Plain Bush
B70-51-41	\$ 42	2.752"	2.013"	1.61"	.57 kg	Case Backhoe	D50698
B70-51-45	\$ 54	2.753"	2.010"	1.75"		CatD9R	Bearing, Blade
B70G51G51	\$ 70	2.752"	2.006"	2.00"	.70 kg	Tesk 2001	Greasable Bush
B70-51-60	\$ 72	2.751"	2.010"	2.36"	.85 kg	Case Aftermarket	D91241
B70-51-61	\$ 58	2.752"	2.010"	2.37"	.86 kg	CatD9R	Bearing, Blade
B70-51-63	\$ 78	2.752"	2.009"	2.50"	.90 kg	Original Equipment	Bushing
B70G51G76	\$ 86	2.752"	2.010"	3.00"	1.03 kg	Tesk 2009	Greasable Bush
B89R51G48	\$ 50	3.500"	2.023"	1.88"		With Seal Recesses	T113331

Spherical Bearings Caterpillar Compatible

SB81g51g44	\$ 62	3.189"	2.000"	1.75"		Cat966-Bush-S	9M1328
SB81g51g45	\$ 60	3.189"	1.998"	1.75"		Cat972-Bush-S	6V5002
SB91g57g50	\$ 65	3.564"	2.254"	1.97"		Cat980-Bush-S	5J1446



Dimensions shown are for the KSet Precision Bush, not for similar OEM bush.

Engineered Bushes
 Bucket, Arm and Cylinder Joints
 of excavators and wheel loaders
 Heavy Load Joints. Boom Foot
 Boom Cylinder Foot
 Boom Cylinder Ram Eye
 Excavator Pivot Points
 Replacement of Bronze Bushes
 Replace Fibre Bushes
 Opencut Cylinder Bush
 Concrete Recycling Plant
 Rock Crusher
 Mobile Jaw Crushers
 Mobile Impact Crushers
 Mobile Screeners
 Hammer Mill Shafts
 Underground Cylinder Bush
 aftermarket Tamrock bush
 Adaptable Steel Bush for Bronze
 Traxcavator Replacement Bush
 Tree Harvester Attachment Bush
 Log Grapple Bush
 Australia Grabs & Grapple Bush
 Rotator Pins and Bushes
 Rotator Link Bush
 Forestry Attachment Bush
 NZ Industrial Bushings
 NZ Forestry Attachment
 Loader Log Grab
 Forest Harvesting Attachment
 Tasmania Industrial Supplies
 NSW Laser Earthworks
 Gippsland Sawmills

BUSHINGS

Quantity Discounts Available
 only upon request at point of sale
 provided all outstanding invoices
 are settled within 7 Days
 Disc. for 10 of any line item \$3 ea
 Disc. for 20 of any line item \$4 ea
 Disc. for 30 of any line item \$5 ea
 Disc. for 40 of any line item \$6 ea

**Wholesale Prices
 shown for \$170
 Minimum order**

**Retail: POA
 \$120 Min order**

Plus freight & GST. All prices
 subject to change without notice