

Induction Hardened Pin Steel - K1045 and 4140

100mm Diameter Pins & Shaft:

KSet Part No.	Price EX GST	Diameter	Length	Manufacture Notes	Machine Locations
P96-282T	\$580	3.749"	282mm	Cat980F	Aftermarket for 9C0624
P100G161P	\$380	99.93	161mmUH	20T-70-71541	Komatsu PC45-Pin-TU
PG100G165Mw	\$280	99.93	180mm	LWH Pin, 1 only	LWH-069-105B
P100-180M	\$255	99.93	180mm	20T-70-71551	Komatsu PC45-Pin-TL
P100-240P	\$298	99.9mm	240mmUH	207-70-31190, 30090	Komatsu PC300-Pin-D,E
P100-259P	\$320	99.75mm	259mmUH	Cat325, 330	Similar to 117-5435
P100-263P	\$288	99.9mm	263mmUH	206-70-71420	PC270-Pin-B
P100-270P	\$298	99.9mm	270mmUH	208-70-31210, 61210	PC400, 450-Pin-B
P100-275W	\$160	99.9mm	275mm	Tapped End Without End Plate Use for	PC400, 450-Pin-B
P100-304P	\$310	99.9mm	304mmUH	Hitachi P100-318P	ZX450H-3-Pin-G
P100-310P	\$319	99.9mm	310mmUH	207-70-61191	PC300-6-Pin-D
P100G350P	\$490	99.92	350mmUH	Volvo L180E-pin-B G=175uh P=Q91	Lif Cyl / Body
P100G370G	\$685	99.82	370mm	503147	FBL10-Pin-J
P100-553P	\$496	99.9mm	553mmUH	208-70-33140 F120N12 208-70-73131	PC400,450-Pin-H,I
P100-567P	\$395	99.9mm	567mmUH	251-2557	DB Family Cat330D-Pin-H
P100-580P	\$580	99.9mm	580mmUH	VOE1451 8061	Volvo EC460-Pin-I
P100-614P	\$448	99.9mm	614mmUH	251-2552	DB Family Cat330D-Pin-J
P100-615P	\$526	99.9mm	615mmUH	208-70-33130 F120N12 208-70-73520	PC400,450-Pin-J,K
P100-635P	\$526	99.9mm	615mmUH	Hitachi P=H96 D23 C50	ZX350-Pin-K
P100-640P	\$526	99.9mm	640mmUH	Sumitomo P=H96 D21 C30	SH460-Pin-K
P100-650	\$380	99.9mm	650mm	Induction Hardened K1045	h9 Precision Peeled
P100-666P	\$590	99.9mm	666mmUH	VOE1450 8374 Or P100-660P	Volvo EC460-Pin-K
P100-680P	\$500	99.9mm	680mmUH	Caterpillar compatible	CAT330D-Pin-H
P100-690P	\$500	99.9mm	690mmUH	Sumitomo Aftermarket Made in Australia	SH460-Pin
P100-800P	\$598	99.9mm	796mmUH	206-70-55270	Komatsu PC220-Pin-A
P100-940	\$698	99.9mm	940mm	207-70-31172	PC300,350-PIN-C
P100-1000	\$640	99.9mm	1metre	K1045 Induction Hardened	Precision Ground h9
P100+Cut	\$590/m +65 cut		next \$50	K1045 Induction Hardened	Precision Ground h9
PG100+Cut	\$700/m +65 cut		next \$50	Precision Ground h9 4140	Induction Hardened
PG100+Cut	\$740/m +65 cut		next \$50	Hard Chrome 4140 / 480	Induction Hardened

4 inch Diameter Pins & 105 Ø Shaft:

P102G229	\$500	3.998"	229mm	913-500003	Eimco 6480 2959
P102G240TP	\$580	3.998"	240mmUH	A2U220-193387 Nut=A2U220-196134	Eimco ED10
P102-250C	\$310	3.996"	250mm	9J2366 M13.5 C36J 67	CAT D11 Tilt Cyl / Push Arm
P102-325C	\$350	3.996"	325mm	9J2593 M13.5 C36 J67	CAT D11 Tilt Cyl / Blade x2
P102-420M	\$540	3.996"	420mm	238 040 Slot30x22Deep both ends	Eimco 5/8UNCx25
P102-421M	\$540	3.996"	420mm	A2U130-193431 5/8UNCx25	Was Eimco 238 040
P102-440C	\$410	3.997"	440mm	130-3434	CAT D11 Push Arm / Con Block
P102-840	\$440	3.997"	840mm	K1045 h9 1 off	Induction Hardened Full Length
PG102-845	\$1288	3.998"	845mm	0502-10035	Jug-A-0 Pin Boom Pivot
PG102G845G	\$1558	3.998"	845mm	0505-10014	Jug-A-0 Pin MIS Pivot
P102-900	\$460	3.997"	900mm	K1045 h10 1 off	Induction Hardened Full Length
P102-1000	\$575	3.997"	1metre	K1045 h10	Induction Hardened Full Length
P102+Cut	\$550/m +\$65		1st cut	K1045 h9 Induction Hardened	6 metre Length
PG102+Cut	\$998/m +\$65		1st cut	Hard Chrome 4140 / 480	Induction Hardened
PG105+Cut	\$998/m +\$65		1st cut	Hard Chrome 4140 / 480	Induction Hardened

NZ Pin Steel

KSet hardened steel bush
Leave KSet Monday
Arrive New Zealand
Wednesday

Case Hardened Bushes
Hardened Steel Canada
KSet hardened steel bush
Leave KSet Friday
Arrive Canada Monday
Case Hardened Bushes

Steel Bearing Sleeve USA
KSet hardened steel bush
3 days to North America
Leave KSet Wednesday
Delivered America Friday

America Steel Bearings
KSet hardened steel bush
3 day delivery to USA
Leave KSet Friday
Delivered America Monday

Pins and Bushes
Shims and Seals
Tools and Cutters
Retail Orders POA
Minimum \$120

Plus freight & GST. All prices
subject to change without notice

Induction Hardened Pin Steel - K1045 and 4140

<u>KSet Part No.</u>	<u>Price</u> EX GST	<u>Diameter</u>	<u>Length</u>	<u>Manufacture Notes</u>	<u>Machine Locations</u>
P108-232P	\$ 300	4.249"	232mmUH	1V8957	Caterpillar Wheel Loader
P108-390P	\$ 320	4.249"	390mmUH	304-7349	CAT 980H
P108-391P	\$ 320	4.249"	391mmUH	CAT 980G-Pin-B	Aftermarket for 1V8949
P108+Cut	\$660/m	+\$75	1st cut	K1045 h9 Centreless Ground Induction Hardened	
P110-198P	\$ 420	109.9mm	198mmUH	41K-70-15240 Frame Support (4)	WF450T-1
P110-210P	\$ 345	109.9mm	210mmUH	Komatsu, to suit	WA250PZ-6-Pin-E
P110G229P	\$ 380	109.9mm	229mmUH	421-70-11970	Komatsu WA450, 470-Pin-C
P110-235P	\$ 330	109.9mm	235mmUH	424-70-11940	WA420-Pin-E
P110G240P	\$ 365	109.9mm	240mmUH	424-70-11960	424-70-11950 WA WA380, 420-Pin-D
P110-245P	\$ 360	109.9mm	245mmUH	8069305, 8080936	EX350-Pin-B
P110-270P	\$ 298	109.9mm	270mmUH	208-70-61220, 31190	PC400-Pin-E
P110G283P	\$ 380	109.9mm	283mmUH	425-70-11310, 11320	WA500-1-Pin-J
P110-287P	\$ 400	109.9mm	287mmUH	Hitachi	ZX450H-3-Pin-B
P110-295P	\$ 430	109.9mm	295mmUH	425-70-11920	WA500-Pin-L,K
P110G299P	\$ 480	109.9mm	299mmUH	421-70-31950	Q120 Plate WA480-6-Pin-A
P110G300P	\$ 460	109.9mm	300mmUH	425-70-11720	WA500-Pin-J
P110G301P	\$ 460	109.9mm	300mmUH	421-70-11980	WA450, 470-Pin-B
P110G302P	\$ 450	109.9mm	300mmUH	Hyundai Wheel Loader	HL757-9-Pin-F
P110-307P	\$ 485	109.9mm	307mmUH	3079492	Aftermarket Made in Australia EX350-Pin-D,E
P110G310P	\$ 520	109.9mm	299mmUH	421-70-31950	WA470-7-Pin-A
P110-330P	\$ 338	109.9mm	330mmUH	Komatsu - 208-70-61191	PC400-Pin-D
P110G340P	\$ 560	109.9mm	340mmUH	421-70-11950	WA450, 470-Pin-A
P110-522P	\$ 498	109.9mm	522mmUH	207-70-61181, 207-70-31180	PC300-Pin-F
P110-526P	\$ 558	109.9mm	526mmUH	Sany	Aftermarket Pins Made in Australia SY335-Pin-F
P110-580P	\$ 660	109.9mm	580mmUH	Volvo EC460	Steel Pin Factory Australia EC460-Pin-H
P110-582P	\$ 690	109.9mm	582mmUH	Komatsu - 21M-70-11711	PC600-6-Pin-H,I
P110-591P	\$ 650	109.9mm	591mmUH	Hitachi - 8069307 - P=Q150	EX350-Pin-F
P110-625P	\$ 680	109.9mm	625mmUH	235-7636	CAT345-Pin-J
P110-636P	\$ 986	109.9mm	636mmUH	Komatsu - 209-70-73140	PC800-Pin-H
P110-675P	\$ 780	109.9mm	675mmUH	Hitachi	Hard Steel Pin Factory Australia EX450-Pin-J,K
P110-703P	\$ 740	109.9mm	703mmUH	Volvo VOE1454 8375	EC460-Pin-J
P110-710P	\$ 820	109.9mm	675mmUH	Hitachi	Aftermarket Pins Made in Australia ZX450-Pin-J
P110-800	\$ 680	109.9mm	800mm	K1045 h10 - Induction	Hardened Full Length
P110-952	\$ 902	109.9mm	952mm	Hitachi	Aftermarket Made in Australia EX350-Pin-C
P110-986	\$ 688	109.9mm	985mm	Komatsu - 208-70-31172	PC400-Pin-C
P110-995P	\$ 798	109.9mm	995mmUH	Komatsu - 207-70-31160	PC300-Pin-A
P110-999P	\$ 880	109.9mm	999mmUH	8069273 K9	EX350-Pin-A
P110-1000	\$ 850	109.9mm	1000mm	Induction Hardened K1045	Precision Ground
P110-1030	\$ 850	109.9mm	1030mm	To Make	CAT-330-Pin-C
P110+Cut	\$820/m	+\$75	1st cut	Induction Hardened	K1045 Ground h9
PG110+Cut	\$990/m	+\$75	1st cut	Induction Hardened	4140 Ground h9

Dimensions shown are for the KSet Engineered Pin, not for similar OEM Parts.

**Pivot Pins, Bushes
Shims, Seals
for Excavator Loader Bucket**
for delivery to Perth WA next day.
Perth Pin Steel Cut & delivered
next day using TNT next day
delivery service

**Perth Steel Next Day
@ \$8.80 / kg**

Eg: 90mm x 1 metre bar \$460
Plus 54 kg Air Freight \$475
Free Into Store = \$935

Eg: 90mm Pin x 600mm \$300
Plus 34 kg Air Freight \$299
Free Into Store = \$599

**Excavator Pivot Pins
Excavator Pin Steel**
Hunter Valley Engineering
Hunter Valley
Engineering Supplies
Hunter Valley
Engineering Steels

High Tensile Pivot Pins
for Load Haul Dump Machines
Hunter Valley
Lineborer Supplies

**Bushes and Pins
Seals and Shims
Cutters and Tools
Retail Orders POA
Minimum \$120**
Plus freight & GST. All prices
subject to change without notice

Induction Hardened Pin Steel - K1045 and 4140

4.5" Diameter Pins & Shaft:

<u>KSet Part No.</u>	<u>Price</u> Ex GST	<u>Diameter</u>	<u>Length</u>	<u>Manufacture Notes</u>	<u>Machine Locations</u>
P114-350P	\$ 550	4.498"	350mmUH	Drawbar/Toobar K6x15°	D11-Pin-A 9J3226
P114-370P	\$ 450	4.497"	370mmUH	Drawbar/Mainframe X203	D11 Ripper 4T2805
P114-390	\$ 445	4.497"	390mm	Induction Hardened K1045	40mm Mild One End
P114-390P	\$ 610	4.498"	390mmUH	1V-8947 P=X128	CAT 980G-Pin-A
P114-420	\$ 340	4.497"	420mm	Aftermarket Caterpillar Pins	KSet Engineering
P114-491P	\$ 720	4.497"	491mmUH	4T8901 Aftermarket	D11 Ripper Pin
P114+Cut	\$ 870/m + \$ 75		1st cut	Induction Hardened 4.5"Ø	K1045 Ground h9

115mm Diameter Pins & Shaft:

P115-637P	\$ 780	114.9 mm	637mmUH	Komatsu - 209-70-57340 Y126	PC800-Pin-I
P115-641P	\$ 800	114.9 mm	641mmUH	Komatsu - 21M-70-11260	PC600-6-Pin-K
P115-662	\$ 630	114.9 mm	662mm	K1045 h10 - Induction	Hardened Full Length
P115-712P	\$ 940	114.9 mm	712mmUH	Komatsu - 209-70-57350 Y126	PC800-Pin-K
P115-740P	\$ 950	114.9 mm	740mmUH	Komatsu - 21M-70-11160	PC600-6-Pin-J
P115-762	\$ 700	114.9 mm	752mm	K1045 h10 - Induction	Hardened Full Length
P115-800	\$ 750	114.9 mm	800mm	K1045 h10 - Induction	Hardened Full Length
P115+Cut	\$ 850/m + \$ 75		1st cut	Induction Hardened	K1045 Ground h9

120mm & 125mm Diameter Pins & Shaft:

P120G250P	\$ 440	119.9mm	250mmUH	Komatsu - 421-70-21960 X120	WA470-Pin-D
P120G258P	\$ 440	119.9mm	258mmUH	Komatsu - 425-70-11770 X120	WA500-Pin-C
P120-259P	\$ 400	119.9mm	259mmUH	Komatsu - 421-70-11940	WA470-Pin-E
P120-268	\$ 290	119.9mm	268mm	Induction Hardened	20 mm Mild One End
P120-270	\$ 300	119.9mm	270mm	Induction Hardened	20 mm Mild One End
P120G293P	\$ 510	119.9mm	293mmUH	Komatsu - 425-70-31970 X119	WA500-6-Pin-C
P120G304P	\$ 460	119.9mm	304mmUH	WA470-5-Pin-D 425-70-11950	WA500-Pin-D,E
P120-314	\$ 290	119.9mm	314mm	Induction Hardened	20 mm Mild One End
P120G330P	\$ 685	119.9mm	330mmUH	Komatsu - 425-70-31910	WA500-6-Pin-J
P120-353P	\$ 610	119.9mm	353mmUH	Komatsu - 425-70-31920	WA500-6-Pin-L,K
P120G370P	\$ 480	119.9mm	370mmUH	Komatsu - 425-70-11780 X121	WA500-Pin-B
P120G371P	\$ 480	119.9mm	370mmUH	Komatsu - 425-70-11790 X121	WA500-Pin-A
P120-390P	\$ 580	119.9mm	390mmUH	Komatsu - 424-70-11950	WA380, 420-Pin-F
P120-570P	\$ 686	119.9mm	570mmUH	208-70-31180, 31181	PC400, 450-Pin-F
P120-996P	\$ 896	119.9mm	996mmUH	Komatsu - 208-70-31161 K16	PC400-Pin-A
P120+Cut	\$ 940/m + \$ 75		1st cut	Induction Hardened	K1045 Ground h9
PG120+Cut	\$ 1100/m + \$ 75		1st cut	Induction Hardened	4140 Ground h9

P125G240	\$ 530	124.9mm	240mm	Eimco - A2U220-193386	ED10 Bolster Pin
P125G254P	\$ 680	124.9mm	254mmUH	Komatsu - 426-70-11970 X120	WA600-Pin-C
P125G334P	\$ 690	124.9mm	334mmUH	425-70-31940 K10x15° X119 12clk	WA500-6-Pin-D,E
P125G338P	\$ 700	124.9mm	338mmUH	426-70-11211, 11221 Y119	WA600-1-Pin-J
P125G341P	\$ 960	124.9mm	341mmUH	Komatsu -426-853-1110 Y119	WA600-3-Pin-J
P125-389P	\$ 690	124.9mm	389mmUH	Komatsu - 421-70-11961 X121	WA470-Pin-F
P125-459P	\$ 700	124.9mm	459mmUH	Komatsu - 421-70-31960 X120	WA480-5-Pin-F
P125-475	\$ 530	124.85	475mm	K1045 h10 - Induction	Hardened Full Length
P125+Cut	\$ 1020/m + \$ 85		1st cut	Induction Hardened	K1045 Ground h9

Dimensions shown are for the KSet Engineered Pin, not for similar OEM Parts.

PIN WIPERS - SEALS

135 Dia x 120 Dia x 4mm wide

Code: **SL135-120-04**

\$ 28 ea plus GST



SHIM KITS

Code: **SM121 \$ 64** per kit,

plus Gst

170 Dia x 121.0 Dia

Width: 1mm, 2mm, 3mm

2 of each per Kit

Code: **SM122 \$ 64** per kit,

plus Gst

185 Dia x 121.0 Dia

Width: 1mm, 2mm, 3mm

2 of each per Kit



Pins and Bushes

Shims and Seals

Tools and Cutters

Retail Orders POA

Minimum \$120

Plus freight & GST. All prices subject to change without notice

Induction Hardened Pin Steel - K1045 and 4140

5" to 160mm Diameter Pins & Shaft:

<u>KSet Part No.</u>	<u>Price</u> Ex GST	<u>Diameter</u>	<u>Length</u>	<u>Manufacture Notes</u>	<u>Machine Locations</u>
P127-255P	\$ 300	4.999"	10.0"UH	1V8439 15-65X127-60x52	CAT 980G-Pin-F
P127-354P	\$ 400	4.999"	14.0"UH	4V7101 CAT972G-Pin-F	CAT 966G-Pin-F
P127+Cut	\$890/m	+ \$85	per cut	K1045 5"Ø Ground h8	99.5kg/m Induction Hard
P130-601	\$ 660	129.9mm	600mm	Induction Hardened	50 mm Mild One End
P130-805P	\$ 1160	129.9mm	805mmUH	Komatsu 209-70-57331	209-70-57330 PC800-Pin-J
P130+Cut	\$1150/m	+ \$85	per cut	K1045 h9 Ground	For 7Y3585 Induction Hardened
P135-1000	\$ 1200	134.9mm	1000mm	K1045 h10 - Induction	Hardened Full Length
P140-294P	\$ 850	139.9mm	294UH	Komatsu - 21N-72-11152	PC1250-Pin-B
P140G312P	\$ 850	139.9mm	312mmUH	Komatsu - 426-70-11950	X130 WA600-Pin-D
P140G325P	\$ 980	139.9mm	325mmUH	Komatsu - 426-70-31970	X130 WA600-6-Pin-C
P140G342P	\$ 850	139.9mm	342mmUH	Komatsu - 426-70-11941	X130 WA600-Pin-E
P140-343P	\$ 760	139.9mm	343mmUH	Komatsu - 426-70-11920	X130 WA600-Pin-L
P140-351P	\$ 860	139.9mm	351mmUH	Komatsu - 426-70-11361	Y122 WA600-3-Pin-K
P140G357P	\$ 850	139.9mm	357mmUH	Komatsu - 426-70-11360	Y122 WA600-1-Pin-K
P140G385P	\$ 990	139.9mm	385mmUH	Komatsu - 426-70-31980	X130 WA600-6-Pin-B
P140-396P	\$ 1150	139.9mm	294UH	Komatsu - 21N-70-37210	PC1250-Pin-C
P140G419P	\$ 980	139.9mm	419mmUH	Komatsu - 426-70-31910	X130 WA600-6-Pin-J
P140G424P	\$ 880	139.9mm	424mmUH	Komatsu - 426-70-11980	X130 WA600-Pin-B
P140G425P	\$ 880	139.9mm	424mmUH	Komatsu - 426-70-11990	X130 WA600-Pin-A
P140G437P	\$ 980	139.9mm	437mmUH	425-70-31990, 425-43-39121	WA500-6-Pin-A
P140-440P	\$ 800	139.9mm	440mmUH	Komatsu 426-70-31920	X130 WA600-6-Pin-L,K
P140-455P	\$ 800	139.9mm	455mmUH	Komatsu 425-70-11960, 11961	WA500-Pin-F
P140-467	\$ 580	139.9mm	467mm	K1045 h10 - Induction	Hardened Full Length
P140-845W	\$ 880	139.9mm	845mm	Komatsu Without tag	PC1200-Pin-K
P140-965	\$ 1150	139.9mm	965mm	Komatsu Floating Pin	PC1250-Pin-J
P140-PLD	\$790/m			K1045 h10 Peeled Finish	Induction Hardened
P140+Cut	\$1100/m			K1045 h9 Ground	120.84kg/m Induction Hardened
P150-700	\$ 1100	149.9mm	700mm	K1045 h10 - Induction	Hardened Full Length
P150+Cut	\$2400/m	+ \$85	per cut	Hard Chrome 4140/430	Induction Hardened
P160G330P	\$ POA	159.9mm	330mmUH	Komatsu - 426-70-31950	X160 WA600-6-Pin-D
P160G410P	\$ 1600	159.9mm	410mmUH	Komatsu - 426-70-31940	X160 WA600-6-Pin-E
P160-450	\$ 880	159.9mm	450mm	K1045 h10 - Induction	Hardened Full Length
P160G495P	\$ 1700	159.9mm	495mmUH	Komatsu - 426-70-31991	X160 WA600-6-Pin-A
P160-549P	\$ 2200	159.9mm	549mmUH	Komatsu - 425-70-31960	X160 WA500-6-Pin-F
P160-578P	\$ 1696	159.9mm	478mmUH	Komatsu - 428-70-11261	WA700-Pin
P160-579P	\$ 1750	159.9mm	478mmUH	Komatsu - 428-70-11271	WA700-Pin
P160-579P	\$ 1590	159.9mm	478mmUH	Komatsu - 428-70-11281	WA700-Pin
P160-549P	\$ 2220	159.9mm	600mmUH	Komatsu - 425-70-31960	X160 WA500-6-Pin-F
P160G600P	\$ 2400	159.9mm	600mmUH	Komatsu - 426-70-11961	WA600-Pin-F
P160+Cut	\$2800/m	+ \$85	per cut	Hard Chrome 4140/430	Induction Hardened
P180-662P	\$ 2850	179.9mm	662mmUH	Komatsu - 426-70-31960	X160 WA600-6-Pin-F
P180+Cut	\$3600/m	+ \$85	per cut	Hard Chrome 4140/430	Induction Hardened

Dimensions shown are for the KSet Engineered Pin, not for similar OEM Parts.

PIN WIPERS - SEALS

135 Dia x 120 Dia x 4mm wide

Code: **SL135-120-04**

\$ 28 ea plus GST



SHIM KITS

Code: **SM121 \$64** per kit,

plus Gst

170 Dia x **121.0 Dia**

Width: 1mm, 2mm, 3mm

2 of each per Kit

Code: **SM122 \$64** per kit,

plus Gst

185 Dia x **121.0 Dia**

Width: 1mm, 2mm, 3mm

2 of each per Kit



Pins and Bushes

Shims and Seals

Tools and Cutters

Retail Orders POA

Minimum \$120

Plus freight & GST. All prices subject to change without notice