


BUSHINGS

UNDERSTANDING BUSHING PART NUMBERS

KSet bushings are named using a consistent format that makes it easy to identify the size and type you need. Each part number is arranged in the sequence:

**Bushing Type » Outside Diameter » Machining Type on OD »
Inside Diameter » Machining Type on ID » Length**

The diagram below uses the part number **B55G45X45** to explain:



There are two different bushing types and several different machining types (groove, flange or other special machining). Each is represented by a dash or a letter as shown in the table below:

BUSHING TYPES

B	Hardened Steel Bushing
BB	Bronze Bushing

MACHINING TYPES

–	Plain (No Groove)	F	Flange
G	Central Groove	K	Cross-Hatched
X	Figure 8 Groove	D	Dimpled
N	Helical Groove	M	Milled Groove

The part number **B55G45X45** therefore is for a Hardened Steel Bushing (B) with an Outside Diameter of 55mm with a Central Groove (G), an Inside Diameter of 45mm with a Figure 8 groove (X), and has a length of 45mm.

Please note: The part numbers show a size approximation only, the actual size is listed beside. For example in this case, the OD is 55.05mm, ID is 45.13mm and length is 44.8mm. If a bushing is in imperial sizes, the part number is still shown in metric.

BUSHING CONFIGURATIONS

There are 15 main bushing configurations. The images below show each possible type of configuration for a bushing 55 OD x 45 ID x 45 Length.

TYPE AA
B55-45-45



TYPE AX
B55-45X45



TYPE AG
B55-45G45



TYPE GA
B55G45-45



TYPE GG
B55G45G45



TYPE FX
B55F45X45



TYPE GX
B55G45X45



TYPE AN
B55-45N45



TYPE GN
B55G45N45



TYPE NG
B55N45G45



TYPE AK
B55-45K45



TYPE GK
B55G45K45



TYPE MG
B55M45G45



TYPE AD
B55A45D45



TYPE GD
B55G45D45



If you are after a bushing that doesn't match any of the types above, please contact us for a custom order.

HARDENED STEEL BUSHINGS

KSet's Hardened Steel Bushings are built for high-impact performance in demanding environments. Backed by years of hands-on experience in earthmoving equipment repair and servicing, our bushings are manufactured to the highest standards. Precision-ground from quality hardened steel, they ensure a reliable, trouble-free installation every time.

Our stocked range spans from 0.75" ID to over 200mm ID, covering all sizes in between. With in-house machining capabilities, we can modify standard bushings or custom-make solutions to meet your exact requirements. We also stock oversized OD bushings — the ideal fix for worn-out bores.



General Case Hardness
58-62 HRC

General Tolerances
+/- 0.015mm OD & ID



METRIC

20 - 28mm Shaft

KSET PART #	OD	ID	LENGTH	TYPE
B30-20-36	30.06mm	20.03mm	36.0mm	AA
B30-25-15	30.05mm	25.15mm	15.0mm	AA
B30-25-20	30.05mm	25.15mm	20.0mm	AA
B30-25-30	30.05mm	25.15mm	30.0mm	AA
B33-25G30	33.08mm	25.10mm	30.0mm	AG
B33-25G35	33.08mm	25.10mm	35.0mm	AG
B33G25G35	33.08mm	25.10mm	35.0mm	GG
B35-25-22	35.02mm	25.11mm	21.8mm	AA
B35-25-27	35.03mm	25.19mm	27.0mm	AA
B35-25-30	35.03mm	25.12mm	30.0mm	AA
B35-25X30	35.11mm	25.14mm	29.8mm	AX
B35G25G31	35.08mm	25.15mm	31.0mm	GG
B35-25-33	35.02mm	25.19mm	33.0mm	AA
B35-25G34	35.10mm	25.15mm	33.8mm	AG
B35-25X35	35.09mm	25.14mm	34.8mm	AX
B35-25-40	35.03mm	25.12mm	40.0mm	AA
B35G25G40	35.08mm	25.14mm	40.0mm	GG
B35G25G45	35.08mm	25.14mm	45.0mm	GG
B36-25-33	36.05mm	25.12mm	33.0mm	AA
B38G25G39	38.03mm	25.18mm	39.0mm	GG
B36-28-26	36.04mm	28.02mm	25.4mm	AA
B36-28-30	36.04mm	28.02mm	30.0mm	AA
B36G28G39	36.04mm	28.02mm	39.5mm	GG
B37G28G39	37.04mm	28.02mm	39.5mm	GG

30 - 33mm Shaft

KSET PART #	OD	ID	LENGTH	TYPE
B35-30-20	35.05mm	30.12mm	20.0mm	AA
B35-30-30	35.05mm	30.12mm	30.0mm	AA
B35-30-40	35.05mm	30.12mm	40.0mm	AA
B35G30G40	35.05mm	30.12mm	40.0mm	GG
B35G30G45	35.05mm	30.12mm	45.0mm	GG
B36-30-30	36.05mm	30.12mm	30.0mm	AA
B36G30G43	36.07mm	30.10mm	43.0mm	GG
B38-30-20	38.05mm	30.10mm	20.0mm	AA
B38-30-25	38.06mm	30.09mm	25.0mm	AA
B38-30G30	38.05mm	30.10mm	30.0mm	AG
B38G30G30	38.05mm	30.10mm	30.0mm	GG
B38-30-35	38.05mm	30.10mm	35.0mm	AA
B38G30G35	38.05mm	30.11mm	35.0mm	GG
B38-30-40	38.05mm	30.10mm	40.0mm	AA

KSET PART #	OD	ID	LENGTH	TYPE
B38G30G40	38.05mm	30.10mm	40.0mm	GG
B38G30G55	38.05mm	30.11mm	55.0mm	GG
B40G30G20	40.08mm	30.12mm	20.0mm	GG
B40-30G22	40.09mm	30.14mm	22.0mm	AG
B40-30-30	40.08mm	30.11mm	30.0mm	AA
B40-30G30	40.07mm	30.12mm	30.0mm	AG
B40G30G30	40.07mm	30.12mm	30.0mm	GG
B40-30-33	40.05mm	30.17mm	33.0mm	AA
B40G30G35	40.05mm	30.12mm	35.0mm	GG
B40G30G40	40.05mm	30.11mm	39.7mm	GG
B40-30X40	40.10mm	30.13mm	40.0mm	AX
B40G30G45	40.05mm	30.12mm	45.0mm	GG
B40-30-46	40.05mm	30.11mm	46.0mm	AA
B40-30-50	40.05mm	30.12mm	50.0mm	AA
B42G30G40	42.05mm	30.11mm	39.7mm	GG
B45G30G50	45.07mm	30.12mm	50.0mm	GG
B48G30G36	48.05mm	30.12mm	36.0mm	GG
B40-32-25	40.04mm	32.02mm	25.0mm	AA
B40-32-38	40.03mm	32.04mm	38.0mm	AA
B40G32G40	40.02mm	32.10mm	40.0mm	GG
B40G32G49	40.02mm	32.10mm	49.8mm	GG
B45-33-45	45.00mm	33.00mm	44.0mm	AA



35mm Shaft

KSET PART #	OD	ID	LENGTH	TYPE
B40-35-25	40.05mm	35.10mm	25.0mm	AA
B40-35-30	40.03mm	35.10mm	30.0mm	AA
B40-35-50	40.01mm	35.11mm	50.0mm	AA
B40G35G50	40.01mm	35.11mm	50.0mm	GG
B45-35G29	45.10mm	35.17mm	29.2mm	AG
B45-35-30	45.05mm	35.11mm	30.0mm	AA
B45G35G30	45.05mm	35.12mm	30.0mm	GG
B45-35-35	45.05mm	35.11mm	35.0mm	AA
B45-35G35	45.06mm	35.13mm	35.0mm	AG
B45G35G35	45.05mm	35.10mm	35.0mm	GG
B45-35X35	45.04mm	35.22mm	34.9mm	AX
B45-35G38	45.05mm	35.10mm	38.0mm	AG
B45-35-40	45.06mm	35.14mm	40.0mm	AA
B45G35G40	45.05mm	35.10mm	40.0mm	GG
B45G35G45	45.06mm	35.12mm	45.0mm	GG
B45-35-45	45.04mm	35.05mm	45.0mm	AA
B45-35-46	45.06mm	35.14mm	45.0mm	AA
B45-35-49	45.05mm	35.11mm	49.0mm	AA
B45-35-50	45.04mm	35.05mm	50.0mm	AA
B45-35-51	45.06mm	35.14mm	50.0mm	AA
B45G35G50	45.05mm	35.12mm	50.0mm	GG
B45G35G55	45.05mm	35.12mm	55.0mm	GG
B47G35G45	47.05mm	35.15mm	45.0mm	GG
B50-35-40	50.05mm	35.15mm	40.0mm	AA
B50G35G55	50.05mm	35.15mm	55.0mm	GG
B53G35G45	53.12mm	35.10mm	45.0mm	GG

38mm Shaft

KSET PART #	OD	ID	LENGTH	TYPE
B46-38-16	46.04mm	38.08mm	15.9mm	AA
B47-38G45	47.02mm	38.08mm	44.8mm	AG
B48G38G33	48.05mm	38.15mm	33.0mm	GG
B48G38G40	48.05mm	38.15mm	40.0mm	GG
B48G38G45	48.05mm	38.15mm	45.0mm	GG
B48-38G50	48.05mm	38.15mm	50.0mm	AG
B48-38G55	48.05mm	38.15mm	55.0mm	AG
B48G38G55	48.05mm	38.15mm	55.0mm	GG
B50G38G40	50.07mm	38.14mm	39.9mm	GG
B50G38G49	50.07mm	38.14mm	49.0mm	GG
B50G38G55	50.07mm	38.14mm	54.6mm	GG
B50-38-57	50.06mm	38.10mm	56.9mm	AA

40mm Shaft

KSET PART #	OD	ID	LENGTH	TYPE
B44-40-25	44.05mm	40.05mm	25.0mm	AA
B44-40-30	44.05mm	40.05mm	30.0mm	AA
B45-40-38	45.05mm	40.10mm	38.0mm	AA
B45-40-47	45.05mm	40.10mm	47.0mm	AA
B48-40-38	47.65mm	40.20mm	38.1mm	AA
B48-40-20	48.04mm	40.05mm	20.0mm	AA
B48-40-30	48.03mm	40.09mm	30.0mm	AA
B48-40-31	48.03mm	40.04mm	30.0mm	AA
B48G40G49	48.05mm	40.12mm	49.0mm	GG
B48G40G50	48.03mm	40.05mm	49.7mm	GG
B48G40G60	48.05mm	40.12mm	60.0mm	GG
B50-40G24	50.10mm	40.17mm	24.3mm	AG
B50-40-28	50.03mm	40.20mm	28.0mm	AA
B50G40G30	50.05mm	40.10mm	30.0mm	GG
B50-40-32	50.01mm	40.21mm	32.0mm	AA
B50-40G32	50.03mm	40.16mm	31.9mm	AG
B50G40G34	50.05mm	40.11mm	34.6mm	GG
B50-40-35	50.03mm	40.18mm	34.8mm	AA
B50-40G39	50.10mm	40.18mm	39.2mm	AG
B50-40-39	50.05mm	40.17mm	39.5mm	AA
B50-40-40	50.05mm	40.28mm	40.0mm	AA
B50G40G40	50.05mm	40.11mm	40.0mm	GG
B50G40G45	50.05mm	40.12mm	45.0mm	GG
B50G40X45	50.05mm	40.15mm	45.0mm	GX
B50-40-50	50.05mm	40.17mm	50.0mm	AA
B50G40G50	50.06mm	40.17mm	50.0mm	GG
B50G40G60	50.09mm	40.17mm	60.0mm	GG
B50G40G62	50.09mm	40.12mm	62.0mm	GG
B50G40G67	50.09mm	40.24mm	67.0mm	GG
B50-40-70	50.01mm	40.23mm	70.0mm	AA
B50G40G75	50.10mm	40.17mm	75.0mm	GG
B50G40G80	50.10mm	40.17mm	80.0mm	GG
B50G40G100	50.10mm	40.19mm	100.0mm	GG
B51-40-38	2.002"	40.17mm	38.0mm	AA
B51G40G50	2.002"	40.16mm	50.0mm	GG
B52-40-20	52.05mm	40.25mm	20.0mm	AA
B52-40-40	52.05mm	40.25mm	40.0mm	GG
B52-40-50	52.07mm	40.14mm	50.0mm	AA
B52G40G50	52.07mm	40.14mm	50.0mm	GG
B53-40-38	53.08mm	40.25mm	38.1mm	AA
B53G40G50	53.08mm	40.16mm	50.0mm	GG
B53G40G60	53.08mm	40.16mm	60.0mm	GG
B55-40-30	55.02mm	40.21mm	30.0mm	AA
B55G40X40	55.06mm	40.16mm	40.0mm	GX

KSET PART #	OD	ID	LENGTH	TYPE
B55G40X45	55.06mm	40.16mm	45.0mm	GX
B55G40G65	55.07mm	40.21mm	65.0mm	GG
B56-40-50	56.05mm	40.12mm	50.0mm	AA
B56G40G100	56.05mm	40.12mm	100.0mm	GG
B60-40-32	60.10mm	40.15mm	32.0mm	AA
B60-40-45	60.10mm	40.15mm	45.0mm	AA
B60G40G50	60.08mm	40.17mm	50.0mm	GG
B60G40G60	60.08mm	40.16mm	60.0mm	GG

45mm Shaft

KSET PART #	OD	ID	LENGTH	TYPE
B50G45G45	50.07mm	45.10mm	45.0mm	GG
B50-45X45	50.05mm	45.10mm	45.0mm	AX
B50-45-56	50.07mm	45.10mm	56.0mm	AA
B52-45-35	52.07mm	45.13mm	35.0mm	AA
B52-45-40	52.07mm	45.13mm	40.0mm	AA
B55G45G25	55.05mm	45.15mm	25.0mm	GG
B55-45-30	55.05mm	45.15mm	30.0mm	AA
B55G45G32	55.05mm	45.15mm	31.7mm	GG
B55-45-35	55.05mm	45.15mm	35.0mm	AA
B55G45G35	55.05mm	45.15mm	35.0mm	GG
B55-45X36	55.05mm	45.13mm	36.0mm	AX
B55G45G39	55.07mm	45.15mm	38.8mm	GG
B55-45-40	55.11mm	45.28mm	40.0mm	AA
B55-45-41	55.10mm	45.15mm	40.0mm	AA
B55G45G40	55.05mm	45.13mm	40.0mm	GG
B55-45X40	55.11mm	45.15mm	40.0mm	AX
B55G45X40	55.11mm	45.15mm	40.0mm	GX
B55F45-42	55.03mm	45.15mm	42.0mm	FA
B55-45G45	55.06mm	45.13mm	44.8mm	AG
B55-45X45	55.05mm	45.13mm	44.8mm	AX
B55G45G45	55.07mm	45.13mm	44.8mm	GG
B55G45X45	55.05mm	45.13mm	44.8mm	GG
B55-45X46	55.05mm	45.13mm	45.0mm	AX
B55G45G50	55.05mm	45.13mm	50.0mm	GG
B55G45X50	55.07mm	45.14mm	50.0mm	GX
B55-45X51	55.06mm	45.13mm	51.0mm	AX
B55-45G55	55.05mm	45.13mm	55.0mm	AG
B55G45G55	55.06mm	45.15mm	55.0mm	GG
B55-45-60	55.07mm	45.15mm	60.0mm	AA
B55G45G60	55.05mm	45.13mm	60.0mm	GG
B55-45X60	55.10mm	45.16mm	60.0mm	AX
B55G45X60	55.10mm	45.16mm	60.0mm	GX

KSET PART #	OD	ID	LENGTH	TYPE
B55G45X65	55.10mm	45.16mm	65.0mm	GX
B55G45G66	55.05mm	45.18mm	66.0mm	GG
B55G45X70	55.09mm	45.17mm	70.0mm	GX
B56-45-40	56.05mm	45.13mm	40.0mm	AA
B56-45-50	56.05mm	45.13mm	50.0mm	AA
B56G45G50	56.05mm	45.13mm	50.0mm	GG
B58-45-34	58.10mm	45.29mm	34.0mm	AA
B58-45-40	58.10mm	45.26mm	39.9mm	AA
B58-45-50	58.08mm	45.25mm	49.9mm	AA
B58G45X50	58.07mm	45.14mm	50.0mm	GX
B58G45G66	58.05mm	45.18mm	66.0mm	GG
B60G45G40	60.09mm	45.14mm	40.0mm	GG
B60G45G50	60.08mm	45.13mm	50.0mm	GG
B60G45G60	60.07mm	45.13mm	60.0mm	GG
B61G45G40	61.04mm	45.15mm	40.0mm	GG
B62-45-42	62.10mm	45.15mm	42.0mm	AA
B65G45G65	65.10mm	45.14mm	65.0mm	GG
B68G45G55	68.08mm	45.15mm	55.0mm	GG
B71G45G55	71.08mm	45.15mm	55.0mm	GG



50mm Shaft

KSET PART #	OD	ID	LENGTH	TYPE
B55-50-24	55.17mm	50.17mm	24.0mm	AA
B55G50G50	55.05mm	50.17mm	50.0mm	GG
B55G50G60	55.05mm	50.17mm	60.0mm	GG
B58-50-20	58.04mm	50.23mm	19.9mm	AA
B58-50-30	58.05mm	50.10mm	30.0mm	AA
B60-50-15	60.01mm	50.01mm	15.0mm	AA
B60-50-19	60.02mm	50.22mm	18.5mm	AA
B60-50-20	60.03mm	50.12mm	20.0mm	AA
B60-50-26	60.03mm	50.18mm	25.6mm	AA
B60-50-27	60.00mm	50.26mm	26.5mm	AA
B60-50-28	60.12mm	50.09mm	27.0mm	AA
B60-50-30	60.01mm	50.22mm	30.0mm	AA
B60-50G30	60.01mm	50.01mm	30.0mm	AG
B60-50-33	60.01mm	50.23mm	33.0mm	AA
B60-50-34	60.03mm	50.12mm	34.0mm	AA
B60G50G35	60.09mm	50.13mm	35.0mm	GG
B60-50-36	60.01mm	50.20mm	36.0mm	AA
B60-50X36	60.10mm	50.15mm	36.0mm	AX
B60-50-38	60.11mm	50.13mm	38.0mm	AA
B60-50G38	60.10mm	50.15mm	38.0mm	AG
B60-50-40	60.01mm	50.18mm	40.0mm	AA
B60G50G40	60.07mm	50.17mm	39.8mm	GG
B60-50-45	60.01mm	50.23mm	45.0mm	AA
B60G50G45	60.10mm	50.15mm	45.0mm	GG
B60G50X45	60.09mm	50.15mm	45.0mm	GX
B60-50-46	60.05mm	50.11mm	46.0mm	AA
B60-50-50	60.10mm	50.15mm	50.0mm	AA
B60-50G50	60.10mm	50.12mm	50.1mm	AG
B60-50X50	60.07mm	50.12mm	49.7mm	AX
B60G50G50	60.05mm	50.13mm	50.0mm	GG
B60G50X50	60.10mm	50.13mm	50.0mm	GX
B60-50X51	60.10mm	50.15mm	50.1mm	AX
B60G50G53	60.00mm	50.27mm	52.4mm	GG
B60-50-54	60.05mm	50.18mm	54.1mm	AA
B60-50-55	60.10mm	50.15mm	55.0mm	AA
B60G50G55	60.06mm	50.15mm	54.9mm	GG
B60G50G59	60.05mm	50.13mm	59.3mm	GG
B60G50G60	60.05mm	50.13mm	60.0mm	GG
B60G50X60	60.05mm	50.16mm	60.0mm	GX
B60-50-61	60.01mm	50.01mm	60.0mm	AA
B60G50G64	60.11mm	50.12mm	64.0mm	GG
B60G50X65	60.07mm	50.18mm	64.8mm	GX
B60G50G69	60.07mm	50.14mm	69.8mm	GG

KSET PART #	OD	ID	LENGTH	TYPE
B60-50-70	60.10mm	50.13mm	70.0mm	AA
B60G50G70	60.13mm	50.13mm	70.0mm	GG
B60G50X70	60.13mm	50.16mm	70.0mm	GX
B60G50X74	60.07mm	50.14mm	74.3mm	GX
B60-50X75	60.11mm	50.18mm	74.6mm	AX
B60G50X75	60.10mm	50.13mm	75.0mm	GX
B60G50G98	60.10mm	50.30mm	98.0mm	GG
B60-50N98	60.10mm	50.30mm	98.0mm	AN
B60-50N110	60.04mm	50.06mm	110 mm	AN
B61G50X50	61.12mm	50.20mm	50.0mm	GX
B61G50G60	61.05mm	50.13mm	60.0mm	GG
B62-50-50	62.10mm	50.16mm	50.0mm	AA
B62-50-60	62.05mm	50.25mm	60.0mm	AA
B63-50-24	63.07mm	50.07mm	23.5mm	AA
B63-50-38	63.05mm	50.12mm	38.0mm	AA
B63G50G40	63.06mm	50.12mm	40.0mm	GG
B63G50G50	63.05mm	50.12mm	50.0mm	GG
B63-50X52	63.05mm	50.07mm	52.0mm	AX
B63G50G75	63.05mm	50.12mm	75.0mm	GG
B65-50G35	65.07mm	50.15mm	35.0mm	AG
B65G50G45	65.11mm	50.14mm	45.0mm	GG
B65G50X47	65.10mm	50.15mm	47.0mm	GX
B65-50X48	65.05mm	50.15mm	47.8mm	AX
B65-50-50	65.08mm	50.16mm	50.0mm	AA
B65-50-55	65.12mm	50.11mm	55.0mm	AA
B65F50X56	65.10mm	50.18mm	56.0mm	FX
B65-50-60	65.07mm	50.11mm	60.0mm	AA
B65G50G60	65.11mm	50.15mm	60.0mm	GG
B65-50-65	65.13mm	50.11mm	65.0mm	AA
B65G50G65	65.11mm	50.15mm	65.0mm	GG
B65G50G70	65.13mm	50.11mm	70.0mm	GG
B65F50X73	65.04mm	50.21mm	73.0mm	FX
B65G50G75	65.08mm	50.13mm	75.0mm	GG
B65G50X84	65.08mm	50.13mm	84.0mm	GX
B65G50G95	65.11mm	50.13mm	95.0mm	GG
B70-50-26	70.01mm	50.18mm	25.6mm	AA
B70-50-34	70.01mm	50.18mm	34.0mm	AA
B70-50-36	70.00mm	50.20mm	36.0mm	AA
B70-50-40	70.06mm	50.16mm	40.0mm	AA
B70-50-45	70.05mm	50.18mm	45.0mm	AA
B70G50G50	70.05mm	50.15mm	50.0mm	GG
B70-50-54	70.01mm	50.19mm	54.0mm	AA
B70G50G60	70.05mm	50.15mm	60.0mm	GG
B70-50-78	70.01mm	50.20mm	78.3mm	AA

55mm Shaft

KSET PART #	OD	ID	LENGTH	TYPE
B65-55-26	65.10mm	55.15mm	26.0mm	AA
B65-55-35	65.10mm	55.15mm	35.0mm	AA
B65G55G40	65.05mm	55.07mm	40.0mm	GG
B65-55-44	65.10mm	55.14mm	44.4mm	AA
B65-55X45	65.10mm	55.15mm	45.0mm	AX
B65-55-50	65.10mm	55.17mm	50.0mm	AA
B65G55G50	65.10mm	55.17mm	50.0mm	GG
B65-55-55	65.09mm	55.11mm	55.0mm	AA
B65G55G65	65.07mm	55.19mm	65.0mm	GG
B65G55X65	65.10mm	55.13mm	65.0mm	GX
B65G55G75	65.07mm	55.12mm	75.0mm	GG
B65G55G82	65.07mm	55.30mm	82.0mm	GG
B68-55G45	68.08mm	55.13mm	44.8mm	AG

KSET PART #	OD	ID	LENGTH	TYPE
B68G55G45	68.08mm	55.07mm	44.8mm	GG
B68G55G50	68.05mm	55.08mm	50.0mm	GG
B68-55X55	68.05mm	55.10mm	54.8mm	AX
B68G55X55	68.05mm	55.11mm	54.9mm	GX
B68G55X65	68.06mm	55.12mm	65.0mm	GX
B70-55-26	70.11mm	55.19mm	25.4mm	AA
B70-55-36	70.11mm	55.19mm	36.0mm	AA
B70G55G55	70.05mm	55.11mm	55.0mm	GG
B70G55X60	70.06mm	55.16mm	60.0mm	GX
B70G55G70	70.05mm	55.18mm	70.0mm	GG
B70G55X90	70.05mm	55.18mm	90.0mm	GX
B75G55G55	75.05mm	55.18mm	55.0mm	GG
B75G55G70	75.05mm	55.18mm	70.0mm	GG
B75G55X90	75.05mm	55.18mm	90.0mm	GX



60mm Shaft

KSET PART #	OD	ID	LENGTH	TYPE
B65-60X55	65.07mm	60.10mm	55.0mm	AX
B68-60X65	68.07mm	60.16mm	65.0mm	AX
B70G60G28	70.13mm	60.17mm	28.0mm	GG
B70G60G30	70.10mm	60.15mm	30.0mm	GG
B70-60-35	70.07mm	60.15mm	35.0mm	AA
B70G60G35	70.07mm	60.15mm	35.0mm	GG
B70-60-38	70.07mm	60.15mm	38.0mm	AA
B70G60G45	70.08mm	60.15mm	45.0mm	GG
B70-60-50	70.08mm	60.13mm	50.0mm	AA
B70G60G50	70.07mm	60.15mm	50.0mm	GG
B70G60X50	70.07mm	60.11mm	50.0mm	GX
B70G60G60	70.07mm	60.17mm	60.0mm	GG
B70G60X60	70.10mm	60.13mm	60.0mm	GX
B70F60-60	70.05mm	60.20mm	60.0mm	FA
B70G60X65	70.06mm	60.13mm	64.9mm	GX
B70G60G70	70.07mm	60.13mm	70.0mm	GG
B70G60X70	70.10mm	60.14mm	70.0mm	GX
B70G60G75	70.20mm	60.34mm	74.7mm	GG
B70G60X75	70.10mm	60.13mm	75.0mm	GX
B70G60X80	70.10mm	60.13mm	80.0mm	GX
B70G60G85	70.05mm	60.12mm	85.0mm	GG
B70G60X90	70.10mm	60.13mm	90.0mm	GX
B70G60X100	70.09mm	60.13mm	100.0mm	GX
B72-60X35	72.02mm	60.08mm	35.0mm	AX
B72-60X36	72.02mm	60.26mm	35.0mm	AX
B72G60G50	72.05mm	60.15mm	50.0mm	GG
B72G60G60	72.05mm	60.15mm	60.0mm	GG
B72G60X75	72.06mm	60.16mm	75.0mm	GX
B73G60X43	73.13mm	60.15mm	43.0mm	GX
B73G60G50	73.10mm	60.15mm	50.0mm	GG
B73G60X55	73.13mm	60.15mm	55.0mm	GX
B73G60G89	73.07mm	60.15mm	89.0mm	GG
B73-60X93	73.13mm	60.15mm	93.0mm	AX
B75G60G28	75.06mm	60.10mm	28.0mm	GG
B75-60-30	75.08mm	60.12mm	30.0mm	AA
B75-60-35	75.08mm	60.12mm	34.8mm	AA
B75G60G35	75.05mm	60.15mm	35.0mm	GG
B75G60G49	75.05mm	60.05mm	49.8mm	GG
B75G60G50	75.05mm	60.15mm	50.0mm	GG
B75G60X50	75.05mm	60.15mm	49.9mm	GX
B75G60G55	75.09mm	60.15mm	55.0mm	GG
B75G60G59	75.05mm	60.14mm	59.0mm	GG
B75-60-60	75.05mm	60.12mm	60.0mm	AA

KSET PART #	OD	ID	LENGTH	TYPE
B75-60X60	75.05mm	60.15mm	59.6mm	AX
B75G60G60	75.05mm	60.17mm	60.0mm	GG
B75G60X60	75.06mm	60.16mm	59.8mm	GX
B75G60X61	75.09mm	60.11mm	60.0mm	GX
B75-60G65	75.10mm	60.20mm	64.8mm	AG
B75G60G65	75.05mm	60.12mm	65.0mm	GG
B75G60G66	75.14mm	60.18mm	65.0mm	GG
B75G60X65	75.10mm	60.13mm	65.0mm	GX
B75-60X69	75.10mm	60.18mm	68.7mm	AX
B75G60G69	75.13mm	60.20mm	69.0mm	GG
B75G60X70	75.09mm	60.20mm	70.0mm	GX
B75F60X72	75.12mm	60.23mm	71.5mm	FX
B75G60X75	75.10mm	60.13mm	75.0mm	GX
B75G60X79	75.10mm	60.15mm	79.0mm	GX
B75-60X80	75.08mm	60.18mm	80.0mm	AX
B75G60X80	75.07mm	60.10mm	80.0mm	GX
B75G60G85	75.05mm	60.11mm	85.0mm	GG
B75F60X87	75.15mm	60.20mm	86.8mm	FX
B75G60X90	75.11mm	60.15mm	89.8mm	GX
B75G60X106	75.13mm	60.16mm	105.9mm	GX
B76G60G50	76.25mm	60.15mm	50.0mm	GG
B79G60X62	79.05mm	60.15mm	62.0mm	GX
B80-60-40	80.10mm	60.14mm	40.0mm	AA
B80G60G65	80.10mm	60.14mm	65.0mm	GG
B80G60G70	80.10mm	60.14mm	70.0mm	GG
B80G60X75	80.10mm	60.14mm	75.0mm	GX
B80G60G80	80.10mm	60.14mm	80.0mm	GG
B85G60G72	85.05mm	60.15mm	71.8mm	GG
B88G60G68	88.12mm	60.14mm	68.0mm	GG

65mm Shaft

KSET PART #	OD	ID	LENGTH	TYPE
B73-65G60	73.13mm	65.15mm	60.3mm	AG
B75G65G35	75.10mm	65.15mm	35.0mm	GG
B75-65-40	75.06mm	65.04mm	40.0mm	AA
B75-65-60	75.05mm	65.15mm	60.0mm	AA
B75-65X60	75.05mm	65.15mm	60.0mm	AX
B75G65G60	75.07mm	65.14mm	60.0mm	GG
B75G65G64	75.05mm	65.13mm	64.0mm	GG
B75G65X75	75.10mm	65.15mm	75.0mm	GX
B75G65G77	75.20mm	65.35mm	76.8mm	GG
B75G65G80	75.05mm	65.15mm	80.0mm	GG
B76G65G50	76.02mm	65.08mm	50.0mm	GG
B77-65-40	77.05mm	65.25mm	40.0mm	AA
B77-65-50	77.05mm	65.25mm	50.0mm	AA
B80-65-35	80.10mm	65.16mm	34.8mm	AA
B80-65-50	80.10mm	65.16mm	50.0mm	AA
B80-65X50	80.11mm	65.16mm	49.8mm	AX
B80G65X50	80.13mm	65.16mm	50.0mm	GX
B80G65X55	80.06mm	65.12mm	54.5mm	GX
B80G65X58	80.06mm	65.15mm	57.9mm	GX
B80G65G59	80.13mm	65.20mm	58.9mm	GG
B80G65X60	80.12mm	65.22mm	60.0mm	GX
B80G65G64	80.10mm	65.15mm	64.3mm	GG
B80-65G65	80.04mm	65.22mm	64.8mm	AG
B80G65G65	80.06mm	65.14mm	64.9mm	GG

KSET PART #	OD	ID	LENGTH	TYPE
B80G65X65	80.07mm	65.16mm	64.9mm	GX
B80G65G69	80.14mm	65.23mm	68.9mm	GG
B80-65-70	80.12mm	65.18mm	70.0mm	AA
B80G65X70	80.11mm	65.19mm	70.0mm	GX
B80G65G74	80.12mm	65.23mm	73.9mm	GG
B80G65G75	80.06mm	65.15mm	74.5mm	GG
B80G65X75	80.07mm	65.15mm	75.0mm	GX
B80F65X75	80.13mm	65.29mm	74.9mm	FX
B80G65G80	80.07mm	65.15mm	80.0mm	GG
B80G65G81	80.11mm	65.17mm	80.0mm	GG
B80G65G84	80.05mm	65.15mm	84.0mm	GG
B80G65X85	80.09mm	65.17mm	85.0mm	GX
B80G65G89	80.05mm	65.10mm	88.5mm	GX
B80G65G100	80.06mm	65.16mm	99.6mm	GG
B80G65G112	80.07mm	65.17mm	112.0mm	GG
B80G65X112	80.07mm	65.17mm	112.0mm	GX
B80-65X130	80.06mm	65.15mm	129.8mm	AX
B83G65X100	83.09mm	65.16mm	99.7mm	GX
B85G65X65	85.10mm	65.16mm	65.0mm	GX
B85G65X70	85.09mm	65.16mm	70.0mm	GX
B90G65X70	90.09mm	65.12mm	70.0mm	GX
B90G65X90	90.09mm	65.12mm	90.0mm	GX
B95F65X80	95.17mm	65.30mm	80.0mm	FX



70mm Shaft

KSET PART #	OD	ID	LENGTH	TYPE
B80G70G50	80.07mm	70.18mm	50.0mm	GG
B80G70X50	80.07mm	70.15mm	50.0mm	GX
B80F70-52	80.02mm	70.10mm	51.98mm	FA
B80F70X52	80.02mm	70.10mm	51.98mm	FX
B80-70-60	80.07mm	70.13mm	60.0mm	AA
B80-70N60	80.02mm	70.04mm	60.0mm	AN
B80G70X60	80.10mm	70.12mm	59.7mm	GX
B80-70N65	80.02mm	70.04mm	65.0mm	AN
B80G70X65	80.10mm	70.14mm	65.0mm	GX
B80G70X70	80.08mm	70.14mm	70.0mm	GX
B80G70G75	80.07mm	70.19mm	75.0mm	GG
B80-70-79	80.05mm	70.15mm	80.0mm	AA
B80-70X80	80.05mm	70.15mm	80.0mm	AX
B80G70X85	80.09mm	70.20mm	85.0mm	GX
B80G70X90	80.10mm	70.19mm	90.0mm	GX
B80-70G104	80.07mm	70.20mm	104.0mm	AG
B80G70X110	80.08mm	70.20mm	110.0mm	GX
B80G70G112	80.08mm	70.20mm	112.0mm	GG
B82G70X65	82.10mm	70.15mm	65.0mm	GX
B82G70X112	82.10mm	70.16mm	112.0mm	GX
B83-70X44	83.13mm	70.14mm	44.0mm	AX
B83-70X55	83.13mm	70.14mm	55.0mm	AX
B83-70X71	83.10mm	70.13mm	71.0mm	AX
B85G70G44	85.10mm	70.13mm	44.0mm	GG
B85-70-50	85.12mm	70.08mm	50.0mm	AA
B85G70X50	85.15mm	70.18mm	50.0mm	GX
B85G70X55	85.11mm	70.18mm	55.0mm	GX
B85G70G59	85.05mm	70.10mm	58.9mm	GG
B85-70G60	85.09mm	70.19mm	59.6mm	AG
B85G70X60	85.10mm	70.12mm	59.7mm	GX
B85-70G65	85.08mm	70.21mm	64.8mm	AG
B85G70G65	85.07mm	70.24mm	64.8mm	GG
B85G70X66	85.13mm	70.18mm	66.0mm	GX
B85G70X67	85.15mm	70.29mm	66.8mm	GX
B85G70X69	85.12mm	70.19mm	68.9mm	GX
B85-70-70	85.10mm	70.18mm	70.0mm	AA
B85-70X70	85.05mm	70.20mm	69.7mm	AX
B85-70X71	85.15mm	70.25mm	70.0mm	AX
B85G70X70	85.07mm	70.15mm	70.0mm	GX
B85G70X75	85.10mm	70.15mm	75.0mm	GX
B85-70X77	85.15mm	70.18mm	76.5mm	AX
B85G70X78	85.07mm	70.16mm	78.0mm	GX
B85-70G80	85.17mm	70.20mm	80.0mm	AG

KSET PART #	OD	ID	LENGTH	TYPE
B85G70X80	85.13mm	70.21mm	80.0mm	GX
B85G70X84	85.13mm	70.29mm	84.8mm	GX
B85G70G85	85.11mm	70.14mm	85.0mm	GG
B85G70K85	85.12mm	70.15mm	85.0mm	GK
B85G70X85	85.13mm	70.16mm	84.7mm	GX
B85G70X86	85.10mm	70.19mm	85.0mm	GX
B85G70G86	85.08mm	70.16mm	85.8mm	GG
B85G70X90	85.06mm	70.16mm	90.0mm	GX
B85F70X96	85.19mm	70.20mm	96.0mm	FX
B85G70X97	85.05mm	70.15mm	97.0mm	GX
B86-70-25	86.00mm	70.20mm	25.0mm	AA
B86-70-28	86.01mm	70.20mm	28.0mm	AA
B86-70-30	86.01mm	70.20mm	30.0mm	AA
B86-70-32	86.00mm	70.20mm	32.0mm	AA
B86-70-34	86.01mm	70.20mm	34.0mm	AA
B86G70G75	86.09mm	70.20mm	74.9mm	GX
B86G70G86	86.09mm	70.20mm	86.0mm	GG
B86G70X80	86.01mm	70.18mm	80.0mm	GX
B89G70G75	89.10mm	70.15mm	75.0mm	GG
B90-70-44	90.01mm	70.19mm	44.0mm	AA
B90G70G45	90.09mm	70.19mm	45.0mm	GG
B90-70-50	90.01mm	70.19mm	49.8mm	AA
B90G70G55	90.06mm	70.15mm	55.0mm	GG
B90G70X60	90.09mm	70.23mm	60.0mm	GX
B90-70-63	90.02mm	70.22mm	63.2mm	AA
B90G70G69	90.06mm	70.15mm	69.0mm	GG
B90G70G80	90.10mm	70.18mm	80.0mm	GG
B90-70X81	90.10mm	70.18mm	80.0mm	AX
B90-70X86	90.10mm	70.18mm	86.0mm	AX
B90G70X86	90.10mm	70.18mm	86.0mm	GX
B90G70X90	90.10mm	70.15mm	90.0mm	GX
B90-70X100	90.12mm	70.22mm	100.0mm	AX
B90G70G110	90.10mm	70.20mm	110.0mm	GG
B93G70X86	93.10mm	70.17mm	86.0mm	GX
B95G70G69	95.06mm	70.15mm	69.0mm	GG
B100G70G85	100.13mm	70.11mm	85.0mm	GG
B105G70G100	105.11mm	70.08mm	100.0mm	GG
B108G70G70	108.11mm	70.08mm	69.77mm	GG
B112-70G142	112.08mm	70.23mm	142.0mm	AG

71mm - 75mm Shaft

KSET PART #	OD	ID	LENGTH	TYPE
B86G71X50	86.13mm	71.23mm	50.0mm	GX
B86G71G65	86.12mm	71.20mm	65.0mm	GG
B86G71G70	86.12mm	71.20mm	70.0mm	GG
B86G71G84	86.12mm	71.20mm	84.0mm	GG
B86G71G90	86.12mm	71.20mm	90.0mm	GG
B85-75-38	85.07mm	75.18mm	37.9mm	AA
B85F75-38	85.12mm	75.20mm	37.9mm	FA
B85G75G60	85.05mm	75.15mm	60.0mm	GG
B85G75X60	85.06mm	75.12mm	60.0mm	GX
B85G75X90	85.08mm	75.19mm	90.0mm	GX
B90-75-49	90.02mm	75.23mm	50.0mm	AA
B90-75-50	90.05mm	75.20mm	50.0mm	AA
B90-75X57	90.11mm	75.34mm	57.1mm	AX
B90-75-60	90.05mm	75.15mm	60.0mm	AA
B90G75G65	90.08mm	75.18mm	64.7mm	GG

KSET PART #	OD	ID	LENGTH	TYPE
B90-75G66	90.07mm	75.16mm	65.0mm	AG
B90G75G75	90.05mm	75.15mm	75.0mm	GG
B90-75G80	90.09mm	75.19mm	80.0mm	AG
B90G75X80	90.12mm	75.22mm	80.0mm	GX
B90N75G80	90.14mm	75.24mm	80.0mm	NG
B90G75G85	90.06mm	75.18mm	85.0mm	GG
B90G75X85	90.10mm	75.20mm	85.0mm	GX
B90G75G120	90.12mm	75.20mm	119.8mm	GG
B92G75G65	92.07mm	75.25mm	65.0mm	GG
B95-75-55	95.05mm	75.15mm	55.0mm	AA
B95-75-68	95.01mm	75.10mm	67.9mm	AA
B95-75-75	95.06mm	75.15mm	75.0mm	AA
B95G75G100	95.10mm	75.15mm	100.0mm	GG
B100G75G100	100.12mm	75.15mm	100.0mm	GG



80mm Shaft

KSET PART #	OD	ID	LENGTH	TYPE
B85-80X70	85.07mm	80.15mm	70.0mm	AX
B90-80-30	90.01mm	80.18mm	29.6mm	AA
B90-80-50	90.16mm	80.28mm	50.0mm	AA
B90G80G60	90.06mm	80.15mm	60.0mm	GG
B90-80-65	90.10mm	80.15mm	65.0mm	AA
B90-80-80	90.10mm	80.15mm	80.0mm	AA
B90G80G80	90.08mm	80.15mm	80.0mm	GG
B90G80G90	90.08mm	80.15mm	90.0mm	GG
B90G80G100	90.10mm	80.15mm	100.0mm	GG
B90-80G140	90.07mm	80.15mm	140.0mm	AG
B92G80X84	92.05mm	80.14mm	84.0mm	GX
B93-80G140	93.07mm	80.15mm	140.0mm	AG
B95-80-40	95.15mm	80.25mm	39.9mm	AA
B95-80-44	95.12mm	80.18mm	43.8mm	AA
B95G80G52	95.13mm	80.20mm	52.4mm	GG
B95-80-55	95.05mm	80.15mm	55.0mm	AA
B95-80-65	95.05mm	80.15mm	65.0mm	AA
B95G80X65	95.18mm	80.29mm	64.9mm	GX
B95G80X66	95.18mm	80.29mm	64.9mm	GX
B95G80X67	95.14mm	80.32mm	67.0mm	GX
B95G80X68	95.12mm	80.19mm	67.0mm	GX
B95-80-70	95.10mm	80.19mm	70.0mm	AA
B95G80G70	95.17mm	80.23mm	70.0mm	GG
B95G80X70	95.12mm	80.18mm	70.0mm	GX
B95G80K75	95.10mm	80.15mm	75.0mm	GK
B95G80X75	95.09mm	80.32mm	75.0mm	GG
B95G80X78	95.08mm	80.33mm	78.0mm	GG
B95G80X79	95.12mm	80.20mm	78.0mm	GX
B95-80X80	95.13mm	80.30mm	80.0mm	AX
B95G80G80	95.18mm	80.25mm	80.0mm	GG
B95G80X80	95.14mm	80.21mm	80.0mm	GX
B95G80G81	95.11mm	80.15mm	80.0mm	GG
B95M80G80	95.16mm	80.25mm	80.0mm	MG
B95G80X81	95.12mm	80.20mm	81.0mm	GX
B95-80X84	95.10mm	80.18mm	84.0mm	AX
B95G80X84	95.11mm	80.29mm	84.8mm	GX
B95-80G85	95.21mm	80.23mm	85.1mm	AG
B95G80G85	95.11mm	80.16mm	85.0mm	GG
B95G80X85	95.05mm	80.15mm	85.0mm	GX
B95G80G86	95.09mm	80.20mm	86.0mm	GG
B95G80K86	95.10mm	80.16mm	86.0mm	GK
B95G80X86	95.09mm	80.23mm	86.0mm	GX
B95-80X89	95.16mm	80.29mm	89.0mm	AX
B95G80K90	95.10mm	80.16mm	90.0mm	GK

KSET PART #	OD	ID	LENGTH	TYPE
B95G80X90	95.14mm	80.33mm	90.0mm	GX
B95G80X91	95.12mm	80.20mm	90.0mm	GX
B95G80X92	95.12mm	80.20mm	92.0mm	GX
B95-80X95	95.10mm	80.18mm	94.8mm	AX
B95G80X95	95.10mm	80.16mm	95.0mm	GX
B95F80X95	95.11mm	80.35mm	95.0mm	FX
B95G80G100	95.09mm	80.16mm	100.0mm	GG
B95-80X100	95.11mm	80.18mm	100.0mm	AX
B95G80X100	95.13mm	80.16mm	100.0mm	GX
B95G80G104	95.10mm	80.15mm	104.0mm	GG
B95G80X110	95.13mm	80.18mm	110.0mm	GX
B95G80X125	95.13mm	80.18mm	125.0mm	GX
B98-80-40	98.15mm	80.25mm	39.9mm	AA
B98G80X67	98.13mm	80.20mm	67.0mm	GX
B98G80X78	98.13mm	80.20mm	78.0mm	GX
B98G80G80	98.18mm	80.25mm	80.0mm	GG
B98G80X86	98.09mm	80.23mm	86.0mm	GX
B98G80X90	98.13mm	80.20mm	90.0mm	GX
B100G80G50	100.13mm	80.21mm	50.0mm	GG
B100G80G65	100.12mm	80.20mm	65.0mm	GG
B100-80-80	100.13mm	80.22mm	80.0mm	AA
B100G80G80	100.13mm	80.22mm	80.0mm	GG
B100G80X90	100.13mm	80.21mm	90.0mm	GX
B100G80X95	100.13mm	80.21mm	95.0mm	GX
B100G80X100	100.13mm	80.20mm	100 mm	GX
B100G80X110	100.13mm	80.20mm	110 mm	GX
B100G80X139	100.13mm	80.23mm	139 mm	GX
B100G80X150	100.13mm	80.16mm	150 mm	GX
B105G80X70	105.13mm	80.17mm	70.0mm	GX
B105G80X95	105.13mm	80.17mm	95.0mm	GX
B110G80G70	110.13mm	80.25mm	70.0mm	GG
B110F80X95	110.07mm	80.32mm	95.0mm	FX
B110G80G100	110.13mm	80.28mm	99.9mm	GG
B110G80X100	110.13mm	80.26mm	99.9mm	GX
B110G80X110	110.13mm	80.26mm	110.0mm	GX
B120G80X120	120.13mm	80.20mm	120.0mm	GX

85mm Shaft

KSET PART #	OD	ID	LENGTH	TYPE
B95-85-75	95.05mm	85.15mm	75.0mm	AA
B95G85G80	95.08mm	85.15mm	80.0mm	GG
B95-85-100	95.05mm	85.15mm	100.0mm	AA
B95G85X125	95.10mm	85.25mm	125.0mm	GX
B100G85X48	100.10mm	85.18mm	48.0mm	GX
B100F85-50	100.03mm	85.07mm	50.29mm	FA
B100G85G75	100.11mm	85.23mm	74.9mm	GG
B100-85G80	100.10mm	85.20mm	80.0mm	AG
B100-85G85	100.10mm	85.18mm	85.0mm	AG
B100G85G85	100.10mm	85.20mm	85.0mm	GG
B100N85G85	100.12mm	85.22mm	84.8mm	NG
B100G85G95	100.10mm	85.20mm	95.0mm	GG
B100G85X98	100.10mm	85.18mm	98.0mm	GX
B100G85G100	100.07mm	85.12mm	100.0mm	GG
B100G85X105	100.10mm	85.18mm	105.0mm	GX
B103G85G100	103.10mm	85.18mm	100.0mm	GG

90mm Shaft

KSET PART #	OD	ID	LENGTH	TYPE
B100-90-70	100.12mm	90.15mm	70.0mm	AA
B100G90G75	100.10mm	90.15mm	75.0mm	GG
B100-90-80	100.12mm	90.15mm	80.0mm	AA
B100G90G100	100.10mm	90.15mm	100.0mm	GG
B100G90G137	100.10mm	90.16mm	137.0mm	GG
B103G90G137	103.10mm	90.16mm	137.0mm	GG
B105G90G49	105.15mm	90.23mm	49.3mm	GG
B105-90-50	105.18mm	90.24mm	50.0mm	AA
B105G90G50	105.12mm	90.25mm	50.0mm	GG
B105-90-55	105.10mm	90.16mm	55.0mm	AA
B105-90-60	105.10mm	90.20mm	60.0mm	AA
B105-90-65	105.13mm	90.27mm	65.0mm	AA
B105G90G69	105.15mm	90.23mm	69.9mm	GG
B105-90-70	105.13mm	90.27mm	70.0mm	AA
B105-90X70	105.10mm	90.16mm	70.0mm	AX
B105G90X70	105.10mm	90.16mm	70.0mm	GX
B105-90X76	105.12mm	90.22mm	76.0mm	AX
B105G90X85	105.18mm	90.28mm	85.0mm	GX
B105G90X88	105.14mm	90.16mm	88.0mm	GX
B105G90G90	105.13mm	90.18mm	90.0mm	GG
B105G90X90	105.14mm	90.16mm	90.0mm	GX
B105-90X92	105.10mm	90.23mm	92.0mm	AX
B105G90X95	105.13mm	90.30mm	95.0mm	GX
B105G90X102	105.12mm	90.20mm	102.0mm	GX

KSET PART NO.	OUTSIDE	INSIDE Ø	LENGTH	TYPE
B105G90X105	105.11mm	90.20mm	104.5mm	GX
B105G90X110	105.10mm	90.20mm	110.0mm	GX
B105G90X112	105.11mm	90.18mm	112.5mm	GX
B105-90X114	105.14mm	90.27mm	114.0mm	AX
B105G90X114	105.14mm	90.27mm	114.0mm	GX
B105G90X115	105.14mm	90.21mm	115.0mm	GX
B105G90G120	105.13mm	90.28mm	120.0mm	GG
B105G90X120	105.13mm	90.28mm	120.0mm	GX
B105G90X130	105.13mm	90.25mm	130.0mm	GX
B106-90-61	106.10mm	90.15mm	61.0mm	AA
B106G90G79	106.20mm	90.21mm	79.0mm	GG
B106G90G90	106.18mm	90.25mm	90.0mm	GG
B106G90X90	106.21mm	90.34mm	90.0mm	GX
B106M90G90	106.18mm	90.25mm	90.0mm	MG
B106G90G100	106.18mm	90.25mm	100.0mm	GG
B106M90G100	106.18mm	90.25mm	100.0mm	MG
B106G90G110	106.22mm	90.27mm	110.0mm	GG
B106G90G113	106.22mm	90.27mm	113.0mm	GG
B106G90G130	106.12mm	90.24mm	130.0mm	GG
B108G90X95	108.13mm	90.30mm	95.0mm	GX
B110-90-50	110.12mm	90.15mm	50.0mm	AA
B110G90X73	110.14mm	90.21mm	73.0mm	GX
B110-90-80	110.12mm	90.15mm	80.0mm	AA
B110G90X90	110.15mm	90.24mm	90.0mm	GX
B110G90N95G	110.05mm	90.13mm	95.0mm	GN
B110-90X100	110.14mm	90.21mm	100.0mm	AX
B110G90X100	110.15mm	90.24mm	100.0mm	GX
B110F90X102	110.18mm	90.24mm	102.0mm	FX
B110G90N113G	110.03mm	90.07mm	113.0mm	GN
B110F90X145	110.15mm	90.29mm	145.0mm	FX
B115-90-80	115.13mm	90.18mm	80.0mm	AA
B115G90X85	115.13mm	90.18mm	85.0mm	GX
B115G90X100	115.13mm	90.18mm	100.0mm	GX
B120F90X106	120.14mm	90.35mm	105.9mm	FX
B120G90X110	120.14mm	90.29mm	110.0mm	GX
B120F90X126	120.14mm	90.29mm	125.6mm	FX
B130-90X67	130.08mm	90.27mm	67.0mm	AX
B130-90N36	130.15mm	90.10mm	36.0mm	AN

95mm Shaft

KSET PART #	OD	ID	LENGTH	TYPE
B105G95X102	105.12mm	95.20mm	102.0mm	GX
B110G95G70	110.13mm	95.20mm	70.0mm	GG
B110-95-72	110.15mm	95.20mm	72.0mm	AA
B110G95G72	110.15mm	95.20mm	72.0mm	GG
B110-95G80	110.13mm	95.20mm	80.0mm	AG
B110G95G80	110.13mm	95.20mm	80.0mm	GG
B110-95X80	110.10mm	95.22mm	79.8mm	AX
B110-95X85	110.13mm	95.20mm	85.0mm	AX
B110-95G90	110.13mm	95.20mm	90.0mm	AG
B110G95X90	110.13mm	95.20mm	90.0mm	GX
B110G95X95	110.14mm	95.20mm	95.0mm	GX
B110N95G95	110.11mm	95.27mm	94.8mm	NG
B110G95X105	110.14mm	95.20mm	104.9mm	GX
B110G95X115	110.14mm	95.27mm	114.9mm	GX
B115G95X115	115.14mm	95.25mm	114.9mm	GX

100mm Shaft

KSET PART #	OD	ID	LENGTH	TYPE
B110F100-48	110.04mm	100.12mm	48.0mm	FA
B110F100-62	110.04mm	100.12mm	62.0mm	FA
B110G100G78	110.10mm	100.15mm	78.0mm	GG
B110-100-100	110.12mm	100.16mm	100.0mm	AA
B110-100G140	110.12mm	100.17mm	140.0mm	AG
B115-100-40	115.08mm	100.05mm	40.0mm	AA
B115-100-52	115.12mm	100.20mm	51.7mm	AA
B115-100-60	115.15mm	100.29mm	59.7mm	AA
B115-100-65	115.15mm	100.29mm	65.0mm	AA
B115G100G70	115.13mm	100.21mm	69.8mm	GG
B115G100X74	115.15mm	100.20mm	74.0mm	GX
B115-100-75	115.15mm	100.29mm	75.0mm	AA
B115-100X79	115.10mm	100.21mm	79.5mm	AX
B115G100X80	115.15mm	100.20mm	80.0mm	GX
B115G100G85	115.15mm	100.20mm	85.0mm	GG
B115G100X90	115.12mm	100.27mm	90.0mm	GX
B115-100X95	115.15mm	100.20mm	95.0mm	AX
B115G100X95	115.15mm	100.20mm	95.0mm	GX
B115G100X98	115.10mm	100.23mm	97.5mm	GX
B115-100X100	115.11mm	100.24mm	99.5mm	AX
B115G100X105	115.15mm	100.18mm	105.7mm	GX
B115G100G106	115.08mm	100.22mm	106.0mm	GG
B115G100G108	115.10mm	100.18mm	108.0mm	GG
B115G100X108	115.10mm	100.18mm	108.0mm	GX

KSET PART #	OD	ID	LENGTH	TYPE
B115G100X109	115.09mm	100.23mm	109.4mm	GX
B115G100X110	115.12mm	100.19mm	110.0mm	GX
B115G100X111	115.10mm	100.18mm	111.0mm	GX
B115G100X120	115.11mm	100.31mm	120.0mm	GX
B115G100X124	115.09mm	100.23mm	124.0mm	GX
B115G100X130	115.10mm	100.25mm	129.7mm	GX
B115-100-150	115.10mm	100.15mm	150.0mm	AA
B116F100N87	116.05mm	100.10mm	87.05mm	FN
B116G100G100	116.21mm	100.28mm	100.0mm	GG
B116M100G100	116.22mm	100.29mm	100.0mm	MG
B116G100X100	116.22mm	100.24mm	100.0mm	GX
B116G100G110	116.16mm	100.22mm	110.1mm	GG
B116G100X110	116.20mm	100.24mm	109.7mm	GX
B116G100G120	116.20mm	100.24mm	120.0mm	GG
B116-100X130	116.15mm	100.20mm	129.7mm	AX
B117G100X95	117.12mm	100.20mm	95.0mm	GX
B120G100G70	120.10mm	100.15mm	70.0mm	GG
B120-100-75	120.05mm	100.15mm	75.0mm	AA
B120G100X95	120.15mm	100.22mm	95.0mm	GX
B120G100X98	120.15mm	100.22mm	98.0mm	GX
B120G100X115	120.16mm	100.22mm	115.0mm	GX
B120G100G120	120.16mm	100.22mm	120.0mm	GG
B120F100X125	120.16mm	100.20mm	125.0mm	FX
B120G100X130	120.16mm	100.22mm	130.0mm	GX
B120G100X150	120.16mm	100.22mm	150.0mm	GX
B125G100G100	125.14mm	100.20mm	100.0mm	GG
B130F100X106	130.18mm	100.32mm	105.8mm	FX
B130G100X114	130.16mm	100.22mm	114.0mm	GX
B135G100G100	135.15mm	100.22mm	100.0mm	GG

105 - 108mm Shaft

KSET PART #	OD	ID	LENGTH	TYPE
B120G105X75	120.15mm	105.25mm	75.0mm	GX
B120G105X100	120.15mm	105.25mm	100.0mm	GX
B120G105X110	120.15mm	105.25mm	110.0mm	GX
B120G105X157	120.15mm	105.25mm	157.0mm	GX
B125G105G75	125.15mm	105.23mm	75.0mm	GG
B125G105X120	125.15mm	105.22mm	120.0mm	GX
B130G105X160	130.17mm	105.25mm	160.0mm	GX
B121G108-101	121.26mm	108.50mm	101.0mm	GA

110mm Shaft

KSET PART #	OD	ID	LENGTH	TYPE
B120G110G100	120.14mm	110.25mm	100.0mm	GG
B125-110-45	125.18mm	110.28mm	45.0mm	AA
B125-110-53	125.11mm	110.17mm	53.0mm	AA
B125-110-54	125.17mm	110.27mm	53.8mm	AA
B125G110G70	125.12mm	110.28mm	70.0mm	GG
B125-110G90	125.07mm	110.22mm	89.8mm	AG
B125G110G90	125.07mm	110.18mm	89.8mm	GG
B125G110X90	125.14mm	110.28mm	89.9mm	GX
B125-110G100	125.10mm	110.21mm	99.5mm	AG
B125-110X100	125.14mm	110.32mm	100.2mm	AX
B125G110X100	125.15mm	110.20mm	100.0mm	GX
B125G110X101	125.18mm	110.32mm	100.0mm	GX
B125-110G105	125.16mm	110.28mm	104.8mm	AG
B125G110X112	125.13mm	110.28mm	112.4mm	GX
B125G110X114	125.18mm	110.31mm	114.0mm	GX
B125G110X116	125.08mm	110.34mm	115.7mm	GX
B125G110G120	125.15mm	110.30mm	119.6mm	GG
B125G110X120	125.15mm	110.28mm	120.0mm	GX
B125G110X124	125.12mm	110.24mm	124.1mm	GX
B125G110X126	125.15mm	110.20mm	126.0mm	GX
B125G110X137	125.13mm	110.24mm	136.5mm	GX
B125G110X140	125.15mm	110.20mm	140.0mm	GX
B125-110-148	125.10mm	110.15mm	148.0mm	AA
B125-110X155	125.14mm	110.35mm	154.8mm	AX
B125G110X170	125.13mm	110.33mm	169.8mm	GX
B130F110X72	130.20mm	110.30mm	72.2mm	FX
B130G110X85	130.20mm	110.26mm	85.0mm	GX
B130G110X100	130.26mm	110.23mm	100.0mm	GX
B130G110X110	130.24mm	110.29mm	110.0mm	GX
B130G110X123	130.22mm	110.28mm	122.6mm	GX
B130-110X128	130.15mm	110.20mm	128.0mm	AX
B130G110X130	130.24mm	110.36mm	129.9mm	GX
B130G110X140	130.15mm	110.20mm	140.0mm	GX
B130G110G155	130.26mm	110.30mm	155.0mm	GG
B135-110-90	135.15mm	110.28mm	90.0mm	AA
B135G110G90	135.15mm	110.28mm	90.0mm	GG
B135G110X99	135.17mm	110.20mm	99.5mm	GX
B135-110-100	135.15mm	110.28mm	100.0mm	AA
B135G110G100	135.15mm	110.28mm	100.0mm	GG
B135G110G110R	135.06mm	110.27mm	109.9mm	GG
B135G110X120	135.15mm	110.24mm	119.5mm	GX
B140G110G126	140.14mm	110.20mm	126.0mm	GG

115 - 125mm Shaft

KSET PART #	OD	ID	LENGTH	TYPE
B135G115X78	135.20mm	115.30mm	78.0mm	GX
B135G115X132	135.23mm	115.39mm	131.8mm	GX
B135F115X150	135.22mm	115.49mm	150.0mm	FX
B130F120-45	130.04mm	120.10mm	45.2mm	FA
B130-120G145	130.14mm	120.19mm	145.0mm	AG
B135-120-68	135.10mm	120.18mm	68.0mm	AA
B135-120-69	135.08mm	120.08mm	68.5mm	AA
B135G120G95	135.10mm	120.20mm	94.5mm	GG
B135-120X100	135.11mm	120.32mm	99.8mm	AX
B135G120G105	135.10mm	120.18mm	104.5mm	GG
B135-120X112	135.17mm	120.38mm	112.0mm	AX
B135G120X112	135.17mm	120.38mm	112.0mm	GX
B135G120X120	135.15mm	120.24mm	120.0mm	GX
B135-120X130	135.15mm	120.36mm	129.7mm	AX
B135G120X130	135.15mm	120.35mm	129.7mm	GX
B135-120-155	135.07mm	120.05mm	155.0mm	AA
B135G120X155	135.15mm	120.36mm	154.8mm	AX
B135G120X160	135.20mm	120.37mm	159.8mm	GX
B135G120G175	135.15mm	120.24mm	175.0mm	GG
B136-120-66	136.10mm	120.18mm	66.0mm	AA
B140-120-72	140.26mm	120.36mm	71.8mm	AA
B140-120-90	140.28mm	120.34mm	89.8mm	AA
B140G120X110	140.25mm	120.35mm	109.8mm	GX
B140G120G120	140.22mm	120.20mm	120.0mm	GG
B140G120X120	140.25mm	120.24mm	119.9mm	GX
B140G120X125	140.22mm	120.34mm	124.8mm	GX
B140G120X130	140.26mm	120.32mm	130.0mm	GX
B150G120X100	150.15mm	120.25mm	100.0mm	GX
B150G120X105	150.15mm	120.25mm	105.0mm	GX
B150G120X125	150.15mm	120.25mm	125.0mm	GX
B140-125-90	140.17mm	125.32mm	89.6mm	AA
B140-125X95	140.13mm	125.38mm	94.8mm	AX
B140-125X130	140.15mm	125.42mm	129.7mm	AX
B140G125X130	140.15mm	125.42mm	129.7mm	GX
B140-125X196	140.15mm	125.45mm	196.5mm	AX
B145F125X93	145.20mm	125.5 mm	92.6mm	FX
B145G125G130	145.15mm	125.37mm	130.0mm	GG
B150G125G130	150.15mm	125.37mm	130.0mm	GG
B150-125N150	150.10mm	125.22mm	150.0mm	AN
B154-125N150	154.07mm	125.25mm	150.0mm	AN

130 - 134mm Shaft

KSET PART #	OD	ID	LENGTH	TYPE
B145G130X130	145.10mm	130.25mm	129.8mm	GX
B150-130-90	150.17mm	130.27mm	90.0mm	AA
B150G130X145	150.15mm	130.22mm	145.0mm	GX
B150G130X160	150.15mm	130.22mm	160.0mm	GX
B154G130X140	154.27mm	130.32mm	140.0mm	GX
B154G130X160	154.27mm	130.32mm	160.0mm	GX
B154G130X165	154.27mm	130.32mm	160.0mm	GX
B155-130G85	155.30mm	130.40mm	85.0mm	AG
B155G130X110	155.28mm	130.38mm	110.0mm	GX
B155G130X145	155.15mm	130.24mm	145.0mm	GX
B160-130-75	160.18mm	130.28mm	75.0mm	AA
B160-130-100	160.18mm	130.28mm	100.0mm	AA
B160G130X120	160.18mm	130.28mm	120.0mm	GX
B160G130X180	160.18mm	130.28mm	180.0mm	GX
B165F130X149	165.20mm	130.42mm	149.0mm	FX
B150-135-90	150.47mm	134.56mm	90.0mm	AA

140 - 150mm Shaft

KSET PART #	OD	ID	LENGTH	TYPE
B155-140-78	155.16mm	140.22mm	78.0mm	AA
B155G140G78	155.14mm	140.22mm	78.0mm	GG
B155-140-88	155.14mm	140.22mm	88.0mm	AA
B155G140G88	155.13mm	140.21mm	88.0mm	GG
B155-140G135	155.20mm	140.47mm	135.0mm	AG
B155G140G135	155.20mm	140.47mm	135.0mm	GG
B155G140X135	155.19mm	140.34mm	135.0mm	GX
B155G140N148	155.13mm	140.48mm	148.4mm	GN
B155G140X196	155.15mm	140.45mm	196.5mm	GX
B155G140N213	155.15mm	140.35mm	213.0mm	GN
B155G140N215	155.15mm	140.35mm	215.0mm	GN
B160G140X100	160.19mm	140.40mm	100.0mm	GX
B160G140X163	160.20mm	140.50mm	163.8mm	GX
B160F140X190	160.34mm	140.50mm	190.0mm	FX
B160G140X225	160.15mm	140.27mm	225.0mm	GX
B164-140-90	164.23mm	140.35mm	90.0mm	AA
B164G140X140	164.29mm	140.38mm	140.0mm	GX
B165G140D88	165.10mm	140.30mm	88.0mm	GD
B165G140D120	165.07mm	140.29mm	120.0mm	GD
B165G140X121	165.07mm	140.29mm	120.0mm	GX
B165G140X180g	165.06mm	140.26mm	180.0mm	GX
B165G140K182	165.17mm	140.41mm	182.0mm	GK
B175F140X193	175.20mm	140.52mm	193.0mm	FX

KSET PART #	OD	ID	LENGTH	TYPE
B167-148-40	167.07mm	148.05mm	40.0mm	AA
B165G150X120	165.15mm	150.30mm	119.9mm	GX
B165G150X180	165.15mm	150.30mm	179.9mm	GX
B170G150G160	170.21mm	150.23mm	159.8mm	GG
B180-150X95	180.33mm	150.42mm	95.0mm	AX
B180G150X150	180.30mm	150.38mm	150.0mm	GX
B180G150X184	180.30mm	150.38mm	184.0mm	GX

160 - 215mm Shaft

KSET PART #	OD	ID	LENGTH	TYPE
B175G160X180	175.15mm	160.30mm	179.9mm	GX
B180-160-95	180.15mm	160.42mm	94.6mm	AA
B180-160-98	180.13mm	160.24mm	98.0mm	AA
B180G160G98	180.13mm	160.24mm	98.0mm	GG
B180G160G99	180.12mm	160.28mm	98.0mm	GG
B180-160G140	180.29mm	160.42mm	140.2mm	AG
B180G160X140	180.20mm	160.45mm	140.0mm	GX
B180G160X146	180.13mm	160.55mm	145.6mm	GX
B180G160X159	180.13mm	160.55mm	159.4mm	GX
B180F160-177	180.34mm	160.50mm	176.9mm	FA
B180G160X180	180.20mm	160.45mm	180.0mm	GX
B180-160G188	180.13mm	160.42mm	188.3mm	AG
B185G160D103	185.10mm	160.28mm	103.0mm	GD
B185G160X120	185.15mm	160.41mm	150.0mm	GX
B185G160X149	185.15mm	160.41mm	150.0mm	GX
B185G160X150	185.25mm	160.40mm	150.0mm	GX
B185G160X218	185.25mm	160.40mm	218.0mm	GX
B190G160K140	190.27mm	160.45mm	140.0mm	GK
B190G160X150	190.20mm	160.40mm	150.0mm	GX
B190G160K199	190.20mm	160.43mm	198.9mm	GK
B190G170X170	190.40mm	170.42mm	169.9mm	GX
B190G170X175	190.25mm	170.35mm	169.9mm	GX
B200G170X140	200.40mm	170.42mm	139.9mm	GX
B195-175-95	195.15mm	175.35mm	95.0mm	AA
B195-180-84	195.13mm	180.10mm	84.0mm	AA
B195-180-107	195.10mm	180.10mm	107.0mm	AA
B200G180X185	200.20mm	180.45mm	185.0mm	GX
B230-180-130	230.25mm	180.40mm	130.0mm	AA
B230G180G165	230.25mm	180.40mm	165.0mm	GG
B240G180G165	240.17mm	180.40mm	165.0mm	GG
B230-210-127	230.11mm	210.05mm	127.0mm	AA
B230-215-89	230.11mm	215.09mm	89.0mm	AA

IMPERIAL

0.75" - 0.875" Shaft

KSET PART #	OD	ID	LENGTH	TYPE
B26-19-20	1.002"	0.755"	0.79"	AA
B26-19-24	1.002"	0.755"	0.94"	AA
B26-19-32	1.002"	0.755"	1.25"	AA
B26G19G38	1.002"	0.755"	1.50"	GG
B26-19-48	1.001"	0.754"	1.88"	AA
B29-19-51	1.126"	0.756"	2.00"	AA
B29-22-20	1.127"	0.880"	0.79"	AA
B29-22-24	1.127"	0.880"	0.94"	AA

1" Shaft

KSET PART #	OD	ID	LENGTH	TYPE
B32-26-16	1.250"	1.006"	0.63"	AA
B32-26-20	1.251"	1.006"	0.75"	AA
B32-26-26	1.251"	1.006"	1.00"	AA
B32G26G26	1.252"	1.006"	1.00"	GG
B33-26-26	1.254"	1.003"	1.00"	AA
B32-26-32	1.251"	1.006"	1.25"	AA
B32G26G32	1.251"	1.006"	1.25"	GG
B32-26-38	1.251"	1.006"	1.50"	AA
B32G26G38	1.251"	1.006"	1.50"	GG
B32-26-45	1.251"	1.007"	1.75"	AA
B32F26-45	1.251"	1.004"	1.79"	FA
B32-26-51	1.251"	1.007"	2.00"	AA
B32G26G51	1.251"	1.007"	2.00"	GG
B35-26-26	1.377"	1.005"	1.00"	AA
B35-26-32	1.377"	1.005"	1.25"	AA
B35-26-38	1.377"	1.007"	1.50"	AA
B35G26G38	35.07mm	1.007"	38.0mm	GG
B35-26-51	1.377"	1.007"	2.00"	AA
B35G26G51	1.377"	1.006"	2.00"	GG
B38-26-20	1.502"	1.007"	0.79"	AA
B38-26-25	1.502"	1.007"	0.98"	AA
B38-26-26	1.502"	1.002"	1.00"	AA
B38-26-27	1.502"	1.007"	1.00"	AA
B38-26-38	1.502"	1.007"	1.50"	AA
B38G26G50	1.502"	1.004"	1.97"	GG
B38-26-51	1.502"	1.002"	2.00"	AA
B40-26-50	40.05mm	1.004"	1.97"	AA

1.125" Shaft

KSET PART #	OD	ID	LENGTH	TYPE
B35-29-21	1.385"	1.128"	0.813"	AA
B35-29-29	1.376"	1.130"	1.13"	AA
B35-29-32	1.385"	1.128"	1.25"	AA
B35-29-38	1.376"	1.129"	1.50"	AA
B35G29G50	1.376"	1.131"	1.96"	GG
B38-29-25	1.504"	1.132"	1.00"	AA
B38-29-35	1.502"	1.131"	1.37"	AA
B38-29-51	1.502"	1.129"	2.00"	AA
B42-29-26	1.626"	1.132"	1.00"	AA



1.25" Shaft

KSET PART #	OD	ID	LENGTH	TYPE
B38-32-18	1.502"	1.257"	0.70"	AA
B38-32-22	1.501"	1.256"	0.88"	AA
B38-32-25	1.502"	1.253"	1.00"	AA
B38G32G25	1.502"	1.253"	1.00"	GG
B38-32-27	1.501"	1.258"	1.06"	AA
B38-32-32	1.502"	1.256"	1.25"	AA
B38G32G32	1.502"	1.256"	1.25"	GG
B38-32-38	1.502"	1.256"	1.50"	AA
B38G32G38	1.502"	1.253"	1.50"	GG
B38-32-44	1.501"	1.256"	1.74"	AA
B38G32G44	1.501"	1.256"	1.74"	GG
B38G32G50	1.501"	1.258"	1.96"	GG
B38G32G63	1.502"	1.258"	2.50"	GG
B40-32-20	40.03mm	1.253"	0.79"	AA
B40-32-26	40.03mm	1.251"	0.99"	AA
B40-32-32	40.03mm	1.254"	1.25"	AA
B40G32G36	40.03mm	1.256"	1.42"	GG
B40-32-40	40.03mm	1.254"	1.58"	AA
B40-32-50	40.03mm	1.254"	1.97"	AA
B40-32G50	40.01mm	1.259"	1.95"	AG
B40G32G50	40.02mm	1.258"	1.97"	GG
B42-32-12	1.628"	1.253"	0.47"	AA
B42-32-32	1.627"	1.255"	1.25"	AA
B42G32G32	1.627"	1.255"	1.25"	GG
B42-32-38	1.627"	1.255"	1.50"	AA
B42G32G45	1.627"	1.255"	1.75"	GG
B42-32-48	1.627"	1.256"	1.87"	AA
B42G32G51	1.627"	1.256"	2.00"	GG
B44-32-26	1.752"	1.255"	1.00"	AA
B44-32-32	1.752"	1.256"	1.25"	AA
B44-32-51	1.752"	1.257"	2.00"	AA
B44G32G51	1.752"	1.256"	2.00"	GG
B44-32G76	1.751"	1.256"	3.00"	AG
B51-32-26	2.002"	1.259"	1.00"	AA
B51-32-51	2.001"	1.257"	2.00"	AA
B51G32G51	2.001"	1.258"	2.00"	GG
B55G32G66	55.07mm	1.259"	2.60"	GG

1.5" Shaft

KSET PART #	OD	ID	LENGTH	TYPE
B44-38-25	1.751"	1.506"	1.00"	AA
B44-38-29	1.751"	1.508"	1.13"	AA
B44-38-32	1.751"	1.506"	1.25"	AA
B44G38G32	1.751"	1.506"	1.25"	GG
B44-38-38	1.751"	1.507"	1.50"	AA
B44G38G38	1.751"	1.507"	1.50"	GG
B44-38-45	1.751"	1.508"	1.75"	AA
B44G38G45	1.751"	1.504"	1.75"	GG
B44-38-50	1.752"	1.503"	1.97"	AA
B44G38G50	1.753"	1.504"	1.97"	GG
B44-38-51	1.751"	1.501"	2.00"	AA
B45-38-32	45.09mm	1.509"	1.25"	AA
B45-38-38	45.09mm	1.507"	1.50"	AA
B46-38-76	46.05mm	1.506"	3.00"	AA
B48-38-22	1.876"	1.502"	0.87"	AA
B48-38-25	1.876"	1.509"	1.00"	AA
B48-38-29	1.876"	1.508"	1.13"	AA
B48-38-32	1.876"	1.509"	1.25"	AA
B48G38G32	1.876"	1.509"	1.25"	GG
B48-38-37	1.877"	1.506"	1.48"	AA
B48G38G38	1.877"	1.508"	1.50"	GG
B48-38-39	1.876"	1.509"	1.53"	AA
B48G38G49	1.878"	1.507"	1.93"	GG
B48-38-51	1.877"	1.506"	2.00"	AA
B48-38-70	1.876"	1.511"	2.75"	AA
B51-38-19	2.002"	1.506"	0.75"	AA
B51-38-26	2.002"	1.506"	1.00"	AA
B51G38-29	2.006"	1.507"	1.13"	GA
B51-38-31	2.002"	1.508"	1.24"	AA
B51G38G32	2.002"	1.508"	1.25"	GG
B51-38-35	2.002"	1.507"	1.37"	AA
B51G38G35	2.002"	1.508"	1.37"	GG
B51G38G38	2.002"	1.508"	1.50"	GG
B51-38-39	2.002"	1.508"	1.50"	AA
B51-38-45	2.002"	1.508"	1.75"	AA
B51G38G45	2.002"	1.508"	1.75"	GG
B51G38-47	2.003"	1.507"	1.86"	GA
B51-38-51	2.002"	1.510"	2.00"	AA
B51G38G51	2.002"	1.510"	2.00"	GG
B51G38G60	2.002"	1.505"	2.37"	GG
B51G38G63	2.002"	1.510"	2.48"	GG
B51G38G70	2.002"	1.506"	2.75"	GG
B51G38G76	2.002"	1.508"	3.00"	GG
B51G38G102	2.002"	1.509"	4.00"	GG

KSET PART #	OD	ID	LENGTH	TYPE
B52G38G38	2.063"	1.509"	1.50"	GG
B54-38-49	2.126"	1.504"	1.94"	AA
B54-38-53	2.128"	1.501"	2.08"	AA
B54-38-54	2.125"	1.501"	2.13"	AA
B54-38H82	2.127"	1.504"	3.23"	
B54-38H90	2.127"	1.504"	3.54"	
B55G38G51	55.09mm	1.509"	2.01"	GG
B57-38-51	2.252"	1.508"	2.00"	AA

1.75" Shaft

KSET PART #	OD	ID	LENGTH	TYPE
B51-44-26	2.002"	1.756"	1.00"	AA
B51-44-38	2.002"	1.758"	1.50"	AA
B51G44G38	2.002"	1.758"	1.50"	GG
B51G44G44	2.001"	1.754"	1.75"	GG
B51-44-51	2.002"	1.756"	2.00"	AA
B51G44G51	2.002"	1.756"	2.00"	GG
B54-44-22	2.126"	1.758"	0.88"	AA
B54-44-26	2.126"	1.759"	1.01"	AA
B54-44-30	2.126"	1.757"	1.19"	AA
B54-44-37	2.126"	1.753"	1.49"	AA
B54-44-38	2.126"	1.753"	1.50"	AA
B54G44G38	2.126"	1.754"	1.50"	GG
B54-44-39	2.126"	1.759"	1.51"	AA
B54G44G44	2.126"	1.754"	1.75"	GG
B54G44G52	2.126"	1.753"	2.00"	GG
B54-44-58	2.126"	1.759"	2.25"	AA
B57-44-26	2.251"	1.759"	1.00"	AA
B57-44-29	2.251"	1.758"	1.13"	AA
B57-44-32	2.251"	1.761"	1.25"	AA
B57-44-34	2.251"	1.759"	1.36"	AA
B57-44G35	2.253"	1.757"	1.38"	AG
B57-44-36	2.251"	1.757"	1.39"	AA
B57-44-39	2.252"	1.756"	1.50"	AA
B57G44G39	2.252"	1.756"	1.50"	GG
B57-44-42	2.251"	1.760"	1.65"	AA
B57-44-44	2.252"	1.756"	1.75"	AA
B57G44G45	2.251"	1.756"	1.75"	GG
B57-44-50	2.251"	1.764"	1.97"	AA
B57-44-51	2.252"	1.756"	2.00"	AA
B57G44G51	2.252"	1.756"	2.00"	GG
B57G44G57	2.252"	1.756"	2.25"	GG
B57G44-59	2.251"	1.758"	2.34"	GA

KSET PART #	OD	ID	LENGTH	TYPE
B57-44-60	2.252"	1.756"	2.37"	AA
B57G44G60	2.251"	1.755"	2.37"	GG
B57G44G63	2.251"	1.757"	2.46"	GG
B57-44-70	2.250"	1.760"	2.75"	AA
B57G44G70	2.252"	1.756"	2.75"	GG
B57G44G76	2.252"	1.756"	3.00"	GG
B57-44-80	2.258"	1.753"	3.13"	AA
B60-44-51	2.376"	1.756"	2.00"	AA
B64-44-51	2.502"	1.756"	2.00"	AA
B64-44-63	2.502"	1.758"	2.50"	AA
B64G44G63	2.502"	1.758"	2.50"	GG
B64G44G76	2.502"	1.756"	3.00"	GG



2" Shaft

KSET PART #	OD	ID	LENGTH	TYPE
B57G51G32	2.252"	2.003"	1.25"	GG
B57G51G38	2.252"	2.004"	1.50"	GG
B57-51-45	2.252"	2.007"	1.75"	AA
B57G51G45	2.252"	2.004"	1.75"	GG
B57-51-50	2.252"	2.005"	2.00"	AA
B57G51G57	2.252"	2.003"	2.25"	GG
B57G51G64	2.252"	2.004"	2.50"	GG
B60-51-22	2.377"	2.007"	0.88"	AA
B60-51-32	2.377"	2.007"	1.25"	AA
B60-51-38	2.377"	2.007"	1.50"	AA
B60G51G38	2.377"	2.007"	1.50"	GG
B60-51-44	2.377"	2.006"	1.74"	AA
B60G51G44	2.377"	2.006"	1.75"	GG
B60-51-50	2.377"	2.006"	2.00"	AA
B60G51G50	2.377"	2.006"	2.00"	GG
B60G51X59	2.379"	2.008"	2.34"	GX
B60G51G60	2.378"	2.006"	2.37"	GG
B60G51G64	2.378"	2.006"	2.50"	GG
B60G51G69	2.380"	2.009"	2.74"	GG
B64-51-19	2.501"	2.009"	0.74"	AA
B64-51-22	2.501"	2.009"	0.88"	AA
B64-51-25	2.502"	2.004"	0.98"	AA
B64-51-26	2.502"	2.007"	1.00"	AA
B64F51-26	2.501"	2.004"	1.00"	FA
B64-51-28	2.501"	2.007"	1.12"	AA
B64-51-29	2.501"	2.009"	1.13"	AA
B64-51-32	2.501"	2.009"	1.25"	AA
B64F51-32	2.502"	2.003"	1.26"	FA
B64G51G33	2.505"	2.009"	1.30"	GG
B64G51G34	2.504"	2.008"	1.34"	GG
B64-51-35	2.502"	2.008"	1.38"	AA
B64G51-35	2.503"	2.008"	1.37"	GA
B64-51G36	2.503"	2.002"	1.42"	AG
B64-51-37	2.501"	2.006"	1.50"	AA
B64-51-38	2.501"	2.009"	1.50"	AA
B64G51G38	2.502"	2.007"	1.50"	GG
B64-51-39	2.502"	2.006"	1.50"	AA
B64-51-40	2.502"	2.007"	1.59"	AA
B64G51G42	2.502"	2.007"	1.63"	GG
B64-51G43	2.503"	2.002"	1.69"	AG
B64G51G43	2.504"	2.008"	1.69"	GG
B64G51G44	2.504"	2.008"	1.75"	GG
B64-51-45	2.503"	2.006"	1.75"	AA
B64G51G47	2.503"	2.006"	1.86"	GG

KSET PART #	OD	ID	LENGTH	TYPE
B64-51G48	2.503"	2.007"	1.88"	AG
B64-51G50	2.502"	2.009"	1.97"	AG
B64-51-52	2.502"	2.007"	2.00"	AA
B64G51G51	2.502"	2.007"	2.00"	GG
B64-51-54	2.501"	2.009"	2.13"	AA
B64-51G59	2.504"	2.007"	2.34"	AG
B64-51-60	2.502"	2.006"	2.37"	AA
B64G51G60	2.503"	2.007"	2.37"	GG
B64-51G63	2.502"	2.006"	2.48"	AG
B64G51G63	2.502"	2.007"	2.50"	GG
B64-51-68	2.503"	2.001"	2.69"	AA
B64G51G70	2.502"	2.008"	2.75"	GG
B64G51-72	2.503"	2.006"	2.83"	GA
B64G51G76	2.502"	2.010"	3.00"	GG
B64G51G79	2.503"	2.009"	3.11"	GG
B64F51G87	2.500"	2.006"	3.44"	FG
B64G51G89	2.501"	2.004"	3.50"	GG
B64G51G101	2.504"	2.008"	4.00"	GG
B65G51X54	65.08mm	2.005"	2.12"	GX
B65G51X60	65.08mm	2.005"	2.36"	GX
B65G51X76	65.08mm	2.005"	3.00"	GX
B65-51X100	65.09mm	2.010"	3.94"	AX
B67G51N44R	2.626"	2.000"	1.75"	GN
B70-51-38	2.753"	2.009"	1.50"	AA
B70-51-41	2.752"	2.013"	1.61"	AA
B70-51-45	2.753"	2.010"	1.75"	AA
B70G51G51	2.752"	2.006"	2.00"	GG
B70-51-60	2.751"	2.010"	2.36"	AA
B70-51-61	2.752"	2.010"	2.37"	AA
B70-51-63	2.752"	2.009"	2.50"	AA
B70G51G76	2.752"	2.010"	3.00"	GG

2.25" Shaft

KSET PART #	OD	ID	LENGTH	TYPE
B64G57G51	2.503"	2.254"	2.00"	GG
B67-57-39	2.629"	2.267"	1.54"	AA
B67-57-44	2.617"	2.250"	1.75"	AA
B67-57-50	2.630"	2.267"	1.97"	AA
B67-57-55	2.630"	2.267"	2.16"	AA
B67-57-76	2.630"	2.267"	3.00"	AA
B70-57-26	2.754"	2.256"	1.00"	AA
B70-57-28	2.751"	2.260"	1.13"	AA
B70-57-30	2.755"	2.257"	1.18"	AA

KSET PART #	OD	ID	LENGTH	TYPE
B70-57-32	2.754"	2.257"	1.25"	AA
B70-57-38	2.754"	2.256"	1.50"	AA
B70G57G38	2.753"	2.256"	1.50"	GG
B70-57-41	2.754"	2.257"	1.63"	AA
B70-57-48	2.753"	2.260"	1.88"	AA
B70-57-50	2.753"	2.261"	1.97"	AA
B70G57G51	2.752"	2.256"	2.00"	GG
B70-57-54	2.752"	2.259"	2.12"	AA
B70-57-57	2.754"	2.257"	2.25"	AA
B70G57G60	2.753"	2.257"	2.37"	GG
B70-57-63	2.754"	2.256"	2.50"	AA
B70-57G63	2.752"	2.261"	2.50"	AA
B70-57-70	2.754"	2.256"	2.75"	AA
B70G57G70	2.753"	2.257"	2.75"	GG
B76-57-43	3.001"	2.259"	1.70"	AA
B76-57-54	3.002"	2.256"	2.12"	AA
B76-57-70	3.002"	2.258"	2.75"	AA
B76G57G70	3.002"	2.258"	2.75"	GG
B76G57X100	3.003"	2.256"	3.94"	GX
B79G57G70	3.126"	2.257"	2.75"	GG

2.5" - 2.625" Shaft

KSET PART #	OD	ID	LENGTH	TYPE
B75-64-65	75.07mm	2.506"	65.00mm	AA
B76-64-26	3.003"	2.508"	1.00"	AA
B76-64-32	3.003"	2.506"	1.25"	AA
B76-64-33	3.003"	2.506"	1.30"	AA
B76-64-34	3.010"	2.510"	1.34"	AA
B76-64-35	3.003"	2.519"	1.38"	AA
B76-64-38	3.004"	2.506"	1.50"	AA
B76G64G38	3.004"	2.506"	1.50"	GG
B76G64-40	2.990"	2.5004"	1.56"	GA
B76-64-41	3.005"	2.509"	1.61"	AA
B76-64G44	3.004"	2.510"	1.75"	AG
B76G64G44	3.004"	2.510"	1.75"	GG
B76-64-47	3.004"	2.504"	1.86"	AA
B76-64-50	3.003"	2.506"	1.98"	AA
B76-64G50	3.003"	2.506"	1.98"	AG
B76-64-51	3.002"	2.506"	2.00"	AA
B76G64G51	3.002"	2.506"	2.00"	GG
B76-64-55	3.005"	2.507"	2.17"	AA
B76G64G56	3.003"	2.506"	2.23"	GG
B76-64-57	3.002"	2.506"	2.25"	AA

KSET PART #	OD	ID	LENGTH	TYPE
B76G64G57	3.004"	2.510"	2.25"	GG
B76-64-60	3.003"	2.506"	2.36"	AA
B76-64G63	3.003"	2.507"	2.46"	AG
B76-64-64	3.006"	2.521"	2.52"	AA
B76-64G65	3.003"	2.510"	2.56"	AG
B76G64G65	3.002"	2.506"	2.56"	GG
B76G64G69	3.004"	2.510"	2.74"	GG
B76-64-70	3.003"	2.509"	2.75"	AA
B76G64G70	3.002"	2.506"	2.75"	GG
B76-64G75	3.003"	2.507"	2.97"	AG
B76G64G75	3.003"	2.507"	2.97"	GG
B76G64G76	3.002"	2.509"	3.00"	GG
B76-64N80	3.004"	2.504"	3.15"	AN
B76G63G84	3.002"	2.506"	3.31"	GG
B76G64G84	3.004"	2.508"	3.31"	GG
B76-64-89	3.004"	2.507"	3.50"	AA
B76G64G89	3.004"	2.508"	3.50"	GG
B76G64G95	3.003"	2.509"	3.75"	GG
B76G64G102	3.002"	2.509"	4.00"	GG
B76-64H108	3.003"	2.504"	4.25"	
B76G64G109	3.002"	2.509"	4.30"	GG
B76-64-116	3.003"	2.504"	4.58"	AA
B76-64H116	3.003"	2.504"	4.58"	
B76-64H117	3.003"	2.504"	4.58"	
B76-64H138	3.003"	2.504"	5.43"	
B79-64-51	3.128"	2.507"	2.00"	AA
B79G64G76	3.128"	2.508"	3.00"	GG
B80G64G50	80.10mm	2.505"	1.97"	GG
B82G64G63	3.252"	2.505"	2.50"	GG
B82G64G76	3.252"	2.508"	3.00"	GG
B82G64G102	3.252"	2.508"	4.00"	GG
B89G64G89	3.503"	2.507"	3.50"	GG
B82-67-57	3.251"	2.629"	2.25"	AA

2.75" Shaft

KSET PART #	OD	ID	LENGTH	TYPE
B76-70-51	3.004"	2.759"	2.00"	AA
B82-70-32	3.253"	2.760"	1.28"	AA
B82-70-38	3.253"	2.756"	1.50"	AA
B82-70-45	3.253"	2.759"	1.75"	AA
B82G70G45	3.253"	2.756"	1.75"	GG
B82G70-56	3.253"	2.760"	2.20"	GA
B82-70-57	3.253"	2.756"	2.25"	AA
B82-70G57	3.252"	2.758"	2.23"	AG
B82-70-60	3.252"	2.757"	2.37"	AA
B82G70G60	3.252"	2.757"	2.37"	GG
B82-70-61	3.257"	2.759"	2.37"	AA
B82G70G64	3.253"	2.760"	2.50"	GG
B82-70G69	3.252"	2.757"	2.72"	AG
B82-70-70	3.254"	2.751"	2.75"	AA
B82G70G70	3.252"	2.759"	2.75"	GG
B82-70-74	3.252"	2.756"	2.90"	AA
B82G70G75	3.252"	2.756"	2.95"	GG
B82-70-95	3.253"	2.758"	3.75"	AA
B82G70G102	3.253"	2.761"	4.00"	GG
B86-70-45	3.365"	2.759"	1.75"	AA
B86-70-57	3.365"	2.756"	2.25"	AA
B86G70G76	2.365"	2.756"	2.95"	GG
B89G70G70	3.503"	2.756"	2.75"	GG
B92-70-51	92.10mm	2.756"	2.00"	AA

3" - 3.125" Shaft

KSET PART #	OD	ID	LENGTH	TYPE
B89-76T40	3.493"	2.999"	1.56"	AA
B89-76-37	3.503"	3.006"	1.46"	AA
B89-76-39	3.503"	3.004"	1.54"	AA
B89-76-49	3.503"	3.004"	1.93"	AA
B89G76G51	3.502"	3.006"	2.00"	GG
B89-76-57	3.504"	3.006"	2.24"	AA
B89-77-57	3.505"	3.020"	2.25"	AA
B89G76G58	3.503"	3.006"	2.27"	GG
B89-76-63	3.506"	3.011"	2.50"	AA
B89G76G63	3.504"	3.006"	2.50"	GG
B89G76G64	3.506"	3.011"	2.50"	GG
B89-76-70	3.502"	3.004"	2.75"	AA
B89G76G73	3.504"	3.005"	2.85"	GG
B89-76G75	3.504"	3.008"	2.97"	AG
B89G76G76	3.504"	3.006"	3.00"	GG

KSET PART NO.	OUTSIDE	INSIDE Ø	LENGTH	TYPE
B89G76G78	3.504"	3.011"	3.07"	GG
B89-76G81	3.503"	3.009"	3.18"	AG
B89-76G83	3.504"	3.006"	3.25"	AG
B89-76G88	3.502"	3.006"	3.48"	AG
B89-76-89	3.507"	3.009"	3.51"	AA
B89G76G89	3.502"	3.005"	3.50"	GG
B89G76G94	3.504"	3.009"	3.70"	GG
B89G76G102	3.503"	3.006"	4.00"	GG
B89G76X105	3.504"	3.006"	4.13"	GX
B89-76G107	3.504"	3.008"	4.23"	AG
B89G76X108	3.503"	3.005"	4.25"	GX
B89-76G132	3.505"	3.011"	5.23"	AG
B89G76G132	3.506"	3.011"	5.23"	GG
B90G76G76	3.547"	3.006"	3.00"	GG
B90G76X108	3.547"	3.005"	4.25"	GX
B95-76-26	3.753"	3.006"	1.00"	AA
B95-76-38	3.753"	3.007"	1.50"	AA
B95-76-39	3.753"	3.020"	1.50"	AA
B95G76G51	3.752"	3.004"	2.00"	GG
B95-76-56	3.754"	3.011"	2.21"	AA
B95G76G60	3.753"	3.006"	2.37"	GG
B95G76G63	3.752"	3.006"	2.50"	GG
B95G76G70	3.753"	3.006"	2.75"	GG
B95G76G76	3.752"	3.006"	3.00"	GG
B95G76G89	3.754"	3.006"	3.50"	GG
B95G76G102	3.752"	3.006"	4.00"	GG
B95G76G121	3.752"	3.006"	4.75"	GG
B95G76X126R	3.753"	3.008"	4.94"	GX
B98-76-51	3.879"	3.004"	2.00"	AA
B98G76G54	3.880"	3.005"	2.12"	GG
B98G76G89	3.877"	3.006"	3.50"	GG
B98G76G102	3.877"	3.006"	4.00"	GG
B100-76-51	100.07mm	3.003"	2.00"	AA
B100G76G54	100.02mm	3.005"	2.12"	GG
B100-76X75	100.05mm	3.008"	2.95"	AX
B102G76G76	4.004"	3.006"	3.00"	GG
B133T76R67	5.255"	3.005"	2.64"	
B92-79-64	3.632"	3.139"	2.53"	AA
B92-79-77	3.631"	3.139"	3.03"	AA

3.25" Shaft

KSET PART #	OD	ID	LENGTH	TYPE
B95-83-38	3.752"	3.257"	1.50"	AA
B95-83-43	3.742"	3.251"	1.68"	AA
B95-83-46	3.752"	3.256"	1.81"	AA
B95-83G54	3.756"	3.260"	2.13"	AG
B95-83-66	3.75"	3.25"	2.60"	AA
B95-83-69	3.754"	3.255"	2.72"	AA
B95-83-70	3.752"	3.257"	2.75"	AA
B95G83G73	3.753"	3.257"	2.87"	GG
B95G83G83	3.752"	3.261"	3.27"	GG
B95G83G95	3.753"	3.261"	3.74"	GG
B95G83G102	3.754"	3.257"	4.00"	GG
B95-83G133	3.75"	3.25"	5.24"	AG
B97-83-79	3.814"	3.253"	3.12"	AA
B98-83-79	3.875"	3.252"	3.12"	AA
B99G83G108	3.879"	3.257"	4.25"	GG

3.5" Shaft

KSET PART #	OD	ID	LENGTH	TYPE
B101-88-49	3.987"	3.484"	1.93"	AA
B101-88-63	3.986"	3.484"	2.48"	AA
B102-89-32	4.005"	3.509"	1.26"	AA
B102-89-38	4.005"	3.509"	1.50"	AA
B102F89-43	4.002"	3.506"	1.69"	FA
B102-89-44	4.004"	3.507"	1.75"	AA
B102-89-49	4.003"	3.520"	1.93"	AA
B102-89-51	4.002"	3.505"	2.00"	AA
B102-89-55	4.007"	3.513"	2.16"	AA
B102-89G64	4.006"	3.510"	2.50"	AG
B102-89G75	4.002"	3.506"	2.97"	AG
B102-89-76	4.003"	3.518"	3.01"	AA
B102G89G76	4.003"	3.507"	3.00"	GG
B102G89G83	4.004"	3.510"	3.27"	GG
B102-89-90	4.004"	3.511"	3.54"	AA
B102-89G94	4.002"	3.506"	3.70"	AG
B102-89-95	4.003"	3.507"	3.75"	AA
B102G89G95	4.005"	3.515"	3.75"	GG
B102G89X101	4.004"	3.505"	4.00"	GX
B102G89X108	4.004"	3.505"	4.25"	GX
B102G89G111	4.007"	3.517"	4.36"	GG
B103G89N102	4.038"	3.506"	4.00"	GN
B104G89-27	4.133"	3.503"	1.08"	GA
B104-89-52	4.1295"	3.512"	2.05"	AA

KSET PART NO.	OUTSIDE	INSIDE Ø	LENGTH	TYPE
B104-89X52	4.1295"	3.511"	2.05"	AX
B104G89G76	4.129"	3.505"	3.00"	GG
B104G89G82	4.128"	3.512"	3.24"	GG
B104G89G89	4.129"	3.505"	3.50"	GG
B104G89G94	4.130"	3.510"	3.70"	GG
B104G89G110	4.128"	3.510"	4.33"	GG
B104-89G120	4.129"	3.510"	4.75"	AG
B104N89-130	4.129"	3.511"	5.12"	NA
B108-89-46	4.253"	3.507"	1.83"	AA
B108-89-57	4.253"	3.508"	2.24"	AA
B108-89-67	4.253"	3.510"	2.65"	AA
B108-89-81	4.253"	3.507"	3.18"	AA
B108G89G81	4.253"	3.507"	3.18"	GG
B108-89-101	4.253"	3.507"	3.98"	AA
B110-89X75	4.332"	3.505"	2.95"	AX
B112-89-68	4.412"	3.513"	2.66"	AA
B112G89-148R	4.415"	3.512"	5.84"	GA
B114-89-40	4.503"	3.519"	1.57"	AA
B114-89-51	4.501"	3.528"	2.00"	AA
B114G89G57	4.502"	3.508"	2.25"	GG
B114-89-64	4.503"	3.507"	2.50"	AA
B114-89-73	4.504"	3.506"	2.87"	AA
B114-89-76	4.505"	3.508"	3.00"	AA
B114-89G85	4.504"	3.517"	3.35"	AG
B114-89X85	4.504"	3.517"	3.35"	AX
B115G89X114	4.530"	3.510"	4.50"	GX
B120-89-75	120.10mm	3.506"	2.95"	AA
B121-89X85	4.754"	3.517"	3.35"	AX
B121-89X108	4.754"	3.508"	4.25"	AX

3.75" Shaft

KSET PART #	OD	ID	LENGTH	TYPE
B108-96-74	4.257"	3.764"	2.92"	AA
B108-96-88	4.254"	3.763"	3.46"	AA
B108-96-92	4.255"	3.763"	3.62"	AA
B114G96G88	4.506"	3.763"	3.48"	GG
B114G96G107	4.505"	3.763"	4.21"	GG
B114N96-129	4.500"	3.765"	5.08"	NA
B121-96-56	4.749"	3.751"	2.23"	AA
B121-96-76	4.751"	3.754"	3.00"	AA
B121G96N140	4.754"	3.759"	5.50"	GN

4" Shaft

KSET PART #	OD	ID	LENGTH	TYPE
B114G102X76	4.503"	4.009"	3.00"	GX
B114-102-64	4.504"	4.007"	2.50"	AA
B114-102-102	4.504"	4.009"	4.00"	AA
B114G102G102	4.504"	4.009"	4.00"	GG
B114G102X127	4.504"	4.006"	5.00"	GX
B115G102X102	4.538"	4.006"	4.00"	GX
B118-102-50	4.629"	4.012"	1.97"	AA
B118-102-60	4.630"	4.013"	2.37"	AA
B118-102-76	4.629"	4.012"	3.00"	AA
B118G102G89	4.630"	4.007"	3.50"	GG
B120-102-50	120.12mm	4.006"	1.97"	AA
B121-102-63	4.752"	4.008"	2.48"	AA
B121-102-64	4.7595"	4.018"	2.50"	AA
B121G102G70	4.754"	4.007"	2.75"	GG
B121G102G89	4.754"	4.007"	3.50"	GG
B121G102G108	4.754"	4.007"	4.25"	GG
B124G102G108	4.879"	4.007"	4.25"	GG
B127-102X90	5.006"	4.007"	3.51"	AX
B127-102-94	5.005"	4.019"	3.71"	AA
B127-102G110	5.005"	4.016"	4.33"	AG
B127G102X127	5.004"	4.012"	5.00"	GX
B127G102G130	5.006"	4.019"	5.12"	GG
B127G102G135	5.005"	4.027"	5.31"	GG

5" - 8" Shaft

KSET PART #	OD	ID	LENGTH	TYPE
B139G127-127	5.510"	5.011"	4.98"	GA
B139-127G152	5.505"	5.010"	6.00"	AG
B146-127-89	5.754"	5.011"	3.50"	AA
B146G127G105	5.755"	5.013"	4.13"	GG
B146-127G107	5.754"	5.009"	4.22"	AG
B146G127G132	5.755"	5.014"	5.19"	GG
B146G127-140	5.756"	5.014"	5.51"	GA
B150G127G132	150.15mm	5.012"	5.19"	GG
B152-127-112	6.002"	5.011"	4.39"	AA
B152G127G132	6.007"	5.013"	5.20"	GG
B152-139-108	6.007"	5.522"	4.25"	AA
B171-152-59	6.755"	6.009"	2.32"	AA
B178G152G50	7.006"	6.006"	2.00"	GG
B203-178G187	8.002"	7.006"	7.36"	AG
B222G203G220	8.761"	8.017"	8.66"	GG
B222G203G280	8.761"	8.017"	11.02"	GG

4.25" - 4.75" Shaft

KSET PART #	OD	ID	LENGTH	TYPE
B121G108G118	4.755"	4.264"	4.64"	GG
B124G108G101	4.881"	4.263"	3.97"	GG
B133G114G130	5.255"	4.513"	5.12"	GG
B133G114G150	5.258"	4.515"	5.91"	GG
B133G114G184	5.255"	4.516"	7.22"	GG
B140-114-67	5.504"	4.518"	2.63"	AA
B140-114-70	5.506"	4.519"	2.75"	AA
B140-114-112	5.506"	4.519"	4.41"	AA
B140-114-117	5.506"	4.519"	4.62"	AA
B133-121H57	5.255"	4.750"	2.23"	