

SEALS

Pin wiper seals are pressed into the bush housing to form a protective barrier, keeping dust and grime out of your bushes as the first line of defence. Their cupshaped design allows grease to be pumped into the bearing surface and release once the cavity is full, while effectively blocking particles and moisture from entering. Without this protection, contaminants can compromise performance, accelerate wear, and shorten the life of your pins and bushings. With pin wiper seals in place, you benefit from extended service life, reduced downtime, and reliable performance even in the harshest operating conditions.



METRIC

KSET PART #	OD	ID	WIDTH
SL35-25-04	35	25	4
SL40-30-04	40	30	4
SL45-35-04	45	35	4
SL48-38-04	48	38	4
SL50-38-04	50	38	4
SL48-40-038	48	40	3.8
SL50-40-04	50	40	4
SL50-40-05	50	40	5
SL55-45-04	55	45	4
SL55-45-06	55	45	6
SL60-45-075	60	45	7.5
SL62-45-05	62	45	5
SL60-50-04	60	50	4
SL60-50-06	60	50	6
SL63-50-08	63	50	8
SL65-50-04	65	50	4
SL65-50-05	65	50	5
SL65-50-06	65	50	6
SL65-50-07	65	50	6
SL65-55-04	65	55	4
SL65-55-05	65	55	5
SL65-55-04	65	55	4
SL68-55-04	68	55	4
SL68-55-06	68	55	6
SL70-55-04	70	55	4
SL70-55-05	70	55	5
SL70-60-04	70	60	4
SL70-60-07	70	60	7

KSET PART #	OD	ID	WIDTH
SL73-60-08	73	60	8
SL75-60-04	75	60	4
SL75-60-05	75	60	5
SL75-60-06	75	60	6
SL75-60-08	75	60	8
SL75-65-04	75	65	4
SL80-65-04	80	65	4
SL80-65-05	80	65	5
SL80-65-06	80	65	6
SL80-65-08	80	65	8
SL85-65-05	85	65	5
SL80-70-04	80	70	4
SL80-70-06	80	70	6
SL80-70-07	80	70	7
SL83-70-08	83	70	8
SL85-70-04	85	70	4
SL85-70-05	85	70	5
SL85-70-06	85	70	6
SL85-70-08	85	70	8
SL90-70-05	90	70	5
SL86-71-05	86	71	5
SL85-75-05	85	75	5
SL90-75-04	90	75	4
SL90-75-06	90	75	6
SL90-75-08	90	75	8
SL90-80-045	90	80	4.5
SL90-80-07	90	80	7
SL93-80-08	93	80	8
SL95-80-04	95	80	4

KSET PART #	OD	ID	WIDTH
SL95-80-05	95	80	5
SL95-80-06	95	80	6
SL95-80-08	95	80	8
SL95-80-10	95	80	10
SL95-80-11	95	80	11
SL100-80-06	100	80	6
SL100-80-07	100	80	7
SL100-80-10	100	80	10
SL110-80-10	110	80	10
SL95-85-05	95	85	5
SL100-85-04	100	85	4
SL100-85-06	100	85	6
SL100-85-08	100	85	8
SL100-90-05	100	90	5
SL100-90-07	100	90	7
SL105-90-04	100	90	4
SL105-90-05	100	90	5
SL105-90-06	100	90	6
SL105-90-08	100	90	8
SL105-90-11	100	90	11
SL106-90-06	100	90	6
SL106-90-08	100	90	8
SL110-90-05	110	90	5
SL110-90-06	110	90	6
SL110-90-07	110	90	7
SL110-90-08	110	90	8
SL110-90-10	110	90	10
SL120-90-08	120	90	8
SL110-95-04	110	95	4
SL110-95-06	110	95	6
SL110-95-08	110	95	8
SL115-100-04	115	100	4
SL115-100-05	115	100	5
SL115-100-06	115	100	6
SL115-100-07	115	100	7
SL115-100-075	115	100	7.5
SL115-100-08	115	100	8
SL115-100-09	115	100	9
SL115-100-11	115	100	11
SL116-100-08	116	100	8
SL120-100-04	120	100	4
SL120-100-08	120	100	8
SL125-100-08	125	100	8
SL130-100-08	130	100	8
SL120-105-04	120	105	4
SL120-105-08	120	105	8

KSET PART #	OD	ID	WIDTH
SL120-110-07	120	110	7
SL125-110-04	125	110	4
SL125-110-05	125	110	5
SL125-110-06	125	110	6
SL125-110-07	125	110	7
SL125-110-08	125	110	8
SL125-110-09	125	110	9
SL130-110-04	130	110	4
SL130-110-08	130	110	8
SL130-110-10	130	110	10
SL130-115-08	130	115	8
SL130-115-11	130	115	11
SL135-115-06	135	115	6
SL135-115-08	135	115	8
SL130-120-07	130	120	7
SL135-120-04	135	120	4
SL135-120-07	135	120	7
SL135-120-08	135	120	8
SL140-120-04	140	120	4
SL140-120-08	140	120	8
SL140-120-10	140	120	10
SL147-120-10	147	120	10
SL150-120-12	150	120	12
SL140-125-04	140	125	4
SL140-125-08	140	125	8
SL145-125-08	145	125	8
SL145-125-10	145	125	10
SL140-130-07	140	130	7
SL145-130-075	145	130	7.5
SL145-130-08	145	130	8
SL150-130-08	150	130	8
SL150-130-10	150	130	10
SL154-130-08	154	130	8
SL155-130-08	155	130	8
SL155-130-10	155	130	10
SL155-140-08	155	140	8
SL160-140-08	160	140	8
SL160-140-10	160	140	10
SL170-140-08	170	140	8
SL160-145-06	160	145	6
SL160-145-08	160	145	8
SL165-150-07	165	150	7
SL170-150-08	170	150	8
SL170-150-10	170	150	10
SL175-160-07	175	160	7
SL180-160-05	180	160	5
SL180-160-08	180	160	8

IMPERIAL

KSET PART #	OD	ID	WIDTH
SL184-160-08	184	160	8
SL190-160-08	190	160	8
SL190-160-10	190	160	10
SL200-180-08	200	180	8
SL204-180-08	204	180	8
SL220-200-10	220	200	10

KSET PART #	OD	ID	WIDTH
SL51-38-06	2"	1 1/2"	1/4"
SL57-44-06	2 1/4"	1 3/4"	1/4"
SL64-51-06	2 1/2"	2"	1/4"
SL67-51-06	2 5/8"	2"	1/4"
SL70-57-06	2 3/4"	2 1/4"	1/4"
SL76-64-05	3"	2 1/2"	3 16"
SL76-64-08	3"	2 1/2"	5/16"
SL82-64-08	3 1/4"	2 1/2"	5/16"
SL79-67-06	3 1/8"	2 5/8"	1/4"
SL82-70-08	3 1/4"	2 3/4"	5/16"
SL82-70-10	3 1/4"	2 3/4"	3/8"
SL95-70-12	3 3/4"	2 3/4"	1/2"
SL89-76-05	3 1/2"	3"	3/16"
SL89-76-08	3 1/2"	3"	5/16"
SL95-76-08	3 3/4"	3"	5/16"
SL98-76-13	3 7/8"	3"	1/2"
SL95-79-04	3 3/4"	3 1/8"	1/8"
SL95-83-08	3 3/4"	3 1/4"	5/16"
SL102-89-08	4"	3 1/2"	5/16"
SL104-89-08	4 1/8"	3 1/2"	5/16"
SL114-89-08	4 1/2"	3 1/2"	5/16"
SL108-96-08	4 1/4"	3 3/4"	5/16"
SL111-96-08	4 3/8"	3 3/4"	5/16"
SL114-96-08	4 1/2"	3 3/4"	5/16"
SL114-102-06	4 1/2"	4"	1/4"
SL118-102-05	4 5/8"	4"	3/16"
SL118-102-08	4 5/8"	4"	5/16"
SL121-102-08	4 3/4"	4"	5/16"
SL127-102-08	5"	4"	5/16"
SL121-108-08	4 3/4"	4 1/4"	5/16"
SL127-114-06	5"	4 1/4"	1/4"
SL133-114-08	5 1/4"	4 1/2"	5/16"
SL140-114-08	5"	4 1/2"	5/16"
SL137-118-08	5 3/8"	4 3/4"	5/16"
SL146-127-08	5 3/4"	5"	5/16"

